Amendment to the Agreement Between Comtel Telcom Assets LP dba VarTec Telecom; Comtel Telcom Assets LP dba VarTec Solutions; Comtel Telcom Assets LP dba VarTec Telecom and Clear Choice Communications

and BellSouth Telecommunications, Inc. Dated 6/22/2003

Pursuant to this Amendment, (the "Amendment"), Comtel Telcom Assets LP dba VarTec Telecom; Comtel Telcom Assets LP dba VarTec Solutions; Comtel Telcom Assets LP dba VarTec Telecom and Clear Choice Communications ("VarTec"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties 6/22/2003 ("Agreement") to be effective 30 (thirty) days after the date of the last signature executing the Amendment ("Effective Date").

WHEREAS, the Agreement between BellSouth and VarTec became effective on $\underline{6/22/2003}$, and;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the parties;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

- 1. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Exhibit 1, attached hereto and by reference incorporated into this Amendment.
- 2. All of the other provisions of the Agreement dated 6/22/2003 shall remain unchanged and in full force and effect.
- 3. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties have executed this Amendment the day and year written below.

BellSouth Telecommunications, Inc.	Comtel Telcom Assets LP dba VarTec Telecom; Comtel Telcom Assets LP dba VarTec Solutions; Comtel Telcom Assets LP dba VarTec Telecom and Clear Choice Communications		
By: Kut 9 Shm	Ву:		
Name: Kristen Shore	Name: JERRY ON		
Title: Director	Title: Auntours Signatury		
Date: 5/10/07	Date: May (0, 2007		

Exhibit 1 Attachment 2 Page 1

Attachment 2

Network Elements and Other Services

Version: 4Q06 Standard ICA

TABLE OF CONTENTS

1	Introduction	3
2	Loops	10
3	Line Splitting	33
4	Unbundled Network Element Combinations	36
5	Dedicated Transport and Dark Fiber Transport	40
6	Automatic Location Identification/Data Management System (ALI/DMS)	47
7	White Pages Listings	50
Rat	tes	Exhibit A
Rat	tes	Exhibit B

Version: 4Q06 Standard ICA

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- Except as set forth in Exhibit 2 hereto, this Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that BellSouth offers to VarTec for VarTec's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to VarTec (Other Services). Additionally, the provision of a particular Network Element or Other Service may require VarTec to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 The rates for Network Elements, Combinations and Other Services are set forth in Exhibits A and B. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. If VarTec purchases service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.
- 1.3 In some cases, Commissions have ordered BellSouth to separate its disconnect costs and its installation costs into two separate nonrecurring charges. Accordingly, unless otherwise noted in this Agreement, the Commission ordered disconnect charges will be applied at the time the disconnect activity is performed by BellSouth, regardless of whether or not a disconnect order is issued by VarTec. Disconnect charges are set forth in the rate exhibit of this Attachment. VarTec may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R § 51.309.
- 1.4 The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.5 VarTec shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- 1.6 Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services. Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to VarTec pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to VarTec pursuant to Section 251 of the Act and under this Agreement to an

Version: 4Q06 Standard ICA

equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge the applicable nonrecurring switch-as-is rates for Conversions to specific Network Elements or Combinations found in Exhibit A. BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as of the next billing cycle following BellSouth's receipt of a complete and accurate Conversion request from VarTec. A Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between VarTec and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.

- 1.7 Except to the extent expressly provided otherwise in this Attachment, in all states, VarTec may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that VarTec has in place any Arrangements after the Effective Date of this Agreement, BellSouth will identify such Arrangements and provide VarTec with thirty (30) days written notice to disconnect or convert such Arrangements. For orders submitted by VarTec within such thirty (30) day period, BellSouth will charge the applicable switch-as-is charge set forth in Exhibit A. If VarTec fails to submit orders to disconnect or convert such Arrangements within such thirty (30) day period, BellSouth will transition such circuits to the equivalent tariffed BellSouth service(s), and shall charge VarTec all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs. For all transitions pursuant to this Section 1.7 that require a physical rearrangement, BellSouth shall charge any applicable nonrecurring installation charges. To the extent no tariff equivalent service exists, BellSouth shall disconnect such facility or Arrangement. The applicable recurring tariff charge shall apply to each circuit as of the Effective Date of this Agreement.
- 1.7.1 In addition to the foregoing, for the state of Florida, the applicable recurring tariff charges shall apply to each circuit beginning the day following the thirty (30) day notice period.
- 1.7.2 Notwithstanding the foregoing, for the state of Georgia, those circuits for which VarTec failed to submit a disconnect or conversion order within such thirty (30)

Version: 4Q06 Standard ICA

day period and are subsequently transitioned by BellSouth pursuant to this Section 1.7.2 shall be subject to the applicable switch-as-is charges set forth in Exhibit A. If an equivalent service is set forth in Exhibit 2, BellSouth shall transition to such service. Otherwise, BellSouth shall transition to the equivalent tariff service. To the extent no tariff equivalent service exists and no equivalent service is set forth in Exhibit 2, BellSouth shall disconnect such facility or Arrangement. The applicable recurring 271 rate, resale or tariffed charge shall apply to each circuit as of March 11, 2006.

- 1.7.3 Notwithstanding the foregoing, for the state of North Carolina, those circuits for which VarTec failed to submit a disconnect or conversion order within such thirty (30) day period and are subsequently transitioned by BellSouth pursuant to this Section 1.7.3 shall be subject to applicable switch-as-is charges.
- 1.7.4 Notwithstanding the foregoing, for the state of Alabama, the written notice provided by BellSouth, as described in Section 1.7, must identify by circuit identification number the specific Arrangements to be converted or disconnected. If VarTec fails to dispute BellSouth's identified Arrangements or fails to submit orders to disconnect or convert such Arrangements within the established thirty (30) day period, BellSouth will transition such circuits to the equivalent tariffed BellSouth service(s) subject to the Commission-established switch-as-is rate. The full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs will not apply to such conversions. However, the applicable recurring tariff charges shall apply to each circuit upon conversion.
- 1.7.5 Notwithstanding the foregoing, for the state of Louisiana, BellSouth will provide VarTec with written notice identifying the specific Arrangements which must be converted or disconnected. VarTec shall have thirty (30) days from the date of the notice to submit orders to disconnect or convert the Arrangements. Those circuits to be converted to other BellSouth services shall be subject to nonrecurring charges associated with that conversion. If VarTec disputes BellSouth's identification of Arrangements to be disconnected or converted, VarTec shall send written notice of its dispute within thirty (30) days of BellSouth's notice. BellSouth shall not disconnect the disputed Arrangements while the dispute is being resolved. If the Parties are unable to reach a voluntary resolution of the dispute, they may petition the Commission for assistance. If VarTec does not dispute BellSouth's identification of Arrangements and fails to submit orders to disconnect or convert such Arrangements within the established thirty (30) day period, BellSouth will transition such circuits to the equivalent tariffed BellSouth services subject to the full nonrecurring charges for installation of the equivalent tariffed BellSouth services as set forth in BellSouth's tariffs. The applicable recurring tariff charges shall apply to each circuit upon conversion.

Version: 4Q06 Standard ICA

1.8

BellSouth's Master List of Unimpaired Wire Centers as Approved by State Commissions in its Region (Master List of Unimpaired Wire Centers), located on the BellSouth Interconnection Web site designates those wire centers that, in accordance with state Commission orders, met the FCC's established criteria for non-impairment, as of March 11, 2005, where certain high capacity (DS1 and above) Loops and high capacity Dedicated Transport are no longer available as Network Elements. BellSouth's List of Unimpaired Wire Centers in Kentucky and Tennessee (BellSouth's List of Unimpaired Wire Centers), also located on the BellSouth Interconnection Web site, are those wire centers that BellSouth proposed met the FCC's established criteria for non-impairment as of March 11, 2005 but have not yet been approved by these respective Commissions. The Master List of Unimpaired Wire Centers and BellSouth's List of Unimpaired Wire Centers shall be subject to modification and/or the addition of wire centers without amendment to this Agreement upon subsequent orders from state Commissions in the respective generic dockets establishing the wire centers that as of March 11, 2005, were unimpaired. Notification of such modification, addition or deletion of wire centers shall be made via BellSouth's Carrier Notification process on BellSouth's Interconnection Web site. Upon the Effective Date of this Agreement, VarTec may not place any new orders for high capacity Dedicated Transport or high capacity Loops, as applicable, in those wire centers listed on the Master List of Unimpaired Wire Centers. In those wire centers set forth on BellSouth's List of Unimpaired Wire Centers, VarTec may place new orders for high capacity Loops and high capacity Dedicated Transport pursuant to Section 1.8.1 (selfcertification) until such wire centers are approved by the Commissions. To the extent VarTec placed orders after March 10, 2005 for high capacity Loops or high capacity Dedicated Transport in wire centers designated on the Master List of Unimpaired Wire Centers, as amended as specified above, within thirty (30) days after the Effective Date of this Agreement, or in the case of additions to the Master List of Unimpaired Wire Centers, within thirty (30) days after the notice of such addition, VarTec shall submit an LSR(s) or spreadsheet(s), as applicable, identifying those non-compliant circuits to be disconnected or converted to the equivalent BellSouth tariffed service or, in the state of Georgia, to the equivalent 271 service set forth in Exhibit 2. BellSouth shall bill VarTec the difference between the UNE recurring rates for such circuits pursuant to this Agreement and the applicable recurring charges for the equivalent BellSouth tariffed service or 271 service in the state of Georgia from the date UNE circuit was installed in the unimpaired wire center to the date the circuit is disconnected or transitioned to the equivalent BellSouth tariffed service. If VarTec fails to submit an LSR or spreadsheet identifying such de-listed circuits within thirty (30) days as set forth above, BellSouth will identify such circuits and convert them to the equivalent BellSouth tariffed service, and charge VarTec applicable disconnect charges for the UNE circuit and the difference between the UNE recurring rate billed for such circuit and the full non-recurring and recurring charges for the tariffed service from the date the UNE circuit was installed in the unimpaired wire center to the date the

Version: 4Q06 Standard ICA

circuit is transitioned to the equivalent BellSouth tariffed service. To the extent there is no equivalent BellSouth tariffed service for the de-listed UNE circuit, BellSouth will disconnect the circuit and bill VarTec full disconnect charges.

- 1.8.1 Prior to submitting an order pursuant to this Agreement for high capacity Dedicated Transport or high capacity Loops, VarTec shall undertake a reasonably diligent inquiry to determine whether VarTec is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, VarTec self-certifies that to the best of VarTec's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, except in wire centers set forth on the Master List of Unimpaired Wire Centers, or BellSouth's List of Unimpaired Wire Centers, BellSouth shall process the request in reliance upon VarTec's self-certification. To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement. In the event such dispute is resolved in BellSouth's favor, BellSouth shall bill VarTec the difference between the rates for such circuits pursuant to this Agreement and the applicable nonrecurring and recurring charges for the equivalent tariffed service from the date of installation to the date the circuit is transitioned to the equivalent tariffed service. Within thirty (30) days following a decision finding in BellSouth's favor, VarTec shall submit an LSR(s) or spreadsheet(s) identifying those non-compliant circuits to be transitioned to tariffed services or disconnected.
- 1.8.2 In the event that (1) BellSouth designated a wire center as unimpaired as set forth on the Master List of Unimpaired Wire Centers on the BellSouth Interconnection Web site, or BellSouth's List of Unimpaired Wire Centers, (2) as a result of such designation, VarTec converted high capacity Dedicated Transport or high capacity Loops to other services or ordered new services as services other than high capacity Dedicated Transport or high capacity Loop Network Elements subsequent to March 10, 2005, (3) VarTec otherwise would have been entitled to high capacity Dedicated Transport or high capacity Loops in such wire center at the time such alternative services were provisioned, and (4) BellSouth acknowledges, or a state or federal regulatory body with authority determines, that, at the time BellSouth designated such wire center as unimpaired, such wire center did not meet the FCC's unimpairment criteria, then upon request of VarTec consistent with the applicable ordering processes as reflected in the Guides located on BellSouth's Interconnection Web site no later than sixty (60) days after BellSouth acknowledges or the state or federal regulatory body issues an order making such a finding, BellSouth shall transition to high capacity Dedicated Transport or high capacity Loops, as appropriate, any alternative services in such wire center that were established after such wire center was designated as unimpaired. In such instances, BellSouth shall refund to VarTec the difference

Version: 4Q06 Standard ICA

between the rate paid by VarTec for such services and the applicable rates set forth herein for high capacity Dedicated Transport or high capacity Loops, including but not limited to any charges associated with the Conversion (as defined in Section 1.6 above) from high capacity Dedicated Transport or high capacity Loops to other wholesale services, if applicable, for the period from the later of March 11, 2005, or the date the circuit became a wholesale service to the date the circuit is transitioned to high capacity Dedicated Transport or high capacity Loop as described in this Section.

- 1.9 VarTec may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth has anticipated such RNM and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then BellSouth shall perform such RNM at no additional charge. RNM shall be performed within the intervals established for the Network Element and subject to the service quality measurements and associated remedies set forth in Attachment 9 to the extent such RNM were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from VarTec, BellSouth shall perform the RNM.
- 1.10.1 Notwithstanding the foregoing, for the states of Alabama and Georgia, BellSouth shall perform RNM at no additional charge, provided however, for any RNM performed by BellSouth for which costs are not recovered through existing rates, BellSouth can seek resolution from the Commission.

1.11 Commingling of Services

- 1.11.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that VarTec has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. VarTec must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.
- 1.11.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one

Version: 4Q06 Standard ICA

or more of the elements: (1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or (2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.

- 1.11.3 Except for the state of Georgia, notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine, pursuant to this Agreement, Network Elements or Combinations with any service, network element or other offering that it is obligated to make available pursuant only to Section 271 of the Act.
- 1.11.4 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates, rates set forth in a separate agreement between the Parties, or in the state of Georgia only, in accordance with the rates set forth in Exhibit 2 of this Attachment, as applicable.
- 1.11.5 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.
- 1.11.6 The Commingling process and requirements will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.
- 1.12 Terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference. The charges shall be as set forth in Exhibit A.
- 1.13 Ordering Guidelines and Processes
- 1.13.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, VarTec should refer to the "Guides" section of the BellSouth Interconnection Web site.
- 1.13.2 Additional information may also be found in the individual CLEC Information Packages, located at the "CLEC UNE Products" on BellSouth's Interconnection Web site.
- 1.13.3 The provisioning of Network Elements, Combinations and Other Services to VarTec's Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the

Version: 4Q06 Standard ICA

demarcation point associated with VarTec's Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to Attachment 4.

1.13.4 <u>Testing/Trouble Reporting</u>

- 1.13.4.1 VarTec will be responsible for testing and isolating troubles on Network Elements. VarTec must test and isolate trouble to the BellSouth network before reporting the trouble to the Network Elements Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, VarTec will be required to provide the results of the VarTec test which indicate a problem on the BellSouth network.
- 1.13.4.2 Once VarTec has isolated a trouble to the BellSouth network, and has issued a trouble report to BellSouth, BellSouth will take the actions necessary to repair the Network Element when trouble is found. BellSouth will repair its network facilities to its wholesale customers in the same time frames that BellSouth repairs similar services to its retail customers.
- 1.13.4.3 If VarTec reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth's network, BellSouth will charge VarTec a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Network Element's working status. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.
- 1.13.4.4 In the event BellSouth must dispatch to the customer's location more than once due to incorrect or incomplete information provided by VarTec (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill VarTec for each additional dispatch required to repair the Network Element due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.

2 Loops

General. The local loop Network Element is defined as a transmission facility that BellSouth provides pursuant to this Attachment between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at a customer premises (Loop). Facilities that do not terminate at a demarcation point at a customer premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used

Version: 4Q06 Standard ICA

for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the customer's premises, including inside wire owned or controlled by BellSouth. VarTec shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.

- 2.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.2 Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving a customer's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the customer's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective customer's premises.
- 2.1.2.1 In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each customer in the MDU.
- 2.1.2.2 In FTTH/FTTC overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to VarTec on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a sixty-four (64) kilobits per second (kbps) voice grade channel over its FTTH/FTTC facilities.
- 2.1.2.3 Notwithstanding the foregoing, in the states of Alabama and Louisiana, BellSouth shall make available DS1 and DS3 Loops in any wire center where BellSouth is required to provide such Loop facilities. In the states of North Carolina and South Carolina, BellSouth shall make available DS1 Loops in any wire center where BellSouth is required to provide such Loop facilities.
- 2.1.2.4 Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by VarTec. If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the

Version: 4Q06 Standard ICA

copper Loop to serviceable condition if technically feasible. Except for the state of Georgia, in these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval. For the state of Georgia, in these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will apply.

- A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide VarTec access to hybrid Loops pursuant to the requirements of 47 C.F.R. § 51.319(a)(2). BellSouth is not required to provide access to the packet switched features, functions and capabilities of its hybrid Loops.
- 2.1.3.1 BellSouth shall not engineer the transmission capabilities of its network in a manner, or engage in any policy, practice, or procedure, that disrupts or degrades access to a local Loop or Subloop, including the time division multiplexing-based features, functions and capabilities of a hybrid Loop, for which a requesting telecommunications carrier may obtain or has obtained access pursuant to this Attachment.
- 2.1.4 DS1 and DS3 Loop Requirements
- 2.1.4.1 For purposes of this Section 2, a Business Line is defined in 47 C.F.R. § 51.5.
- 2.1.4.2 For purposes of this Section 2, a "Fiber-Based Collocator" is defined in 47 C.F.R. § 51.5.
- 2.1.4.3 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available DS1 and DS3 Loops as described in this Agreement, except in any wire center meeting the criteria described below:
- 2.1.4.3.1 DS1 Loops at any location within the service area of a wire center containing sixty thousand (60,000) or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.3.2 DS3 Loops at any location within the service area of a wire center containing thirty-eight thousand (38,000) or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.4 The Master List of Unimpaired Wire Centers and BellSouth's List of Unimpaired Wire Centers as described in Section 1.8 sets forth the list of wire centers meeting the criteria set forth in Sections 2.1.4.3.1 and 2.1.4.3.2 above as of March 11, 2005.

Version: 4Q06 Standard ICA

- 2.1.4.5 Once any wire center exceeds both of the thresholds set forth in Section 2.1.4.3.1 above, no future DS1 Loop unbundling will be required in that wire center.
- 2.1.4.6 Once any wire center exceeds both of the thresholds set forth in Section 2.1.4.3.2 above, no future DS3 Loop unbundling will be required in that wire center.
- 2.1.4.7 <u>Modifications and Updates to the Wire Center Lists and Subsequent Transition Periods</u>
- 2.1.4.7.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 2.1.4.3 above but that were not included in the Master List of Unimpaired Wire Centers and BellSouth's List of Unimpaired Wire Centers, BellSouth shall include such additional wire centers in a carrier notification letter (CNL). Each such list of additional wire centers shall be considered a "Subsequent Wire Center List". BellSouth will follow any notification procedures set forth in applicable Commission orders.
- VarTec shall have thirty (30) business days to dispute the additional wire centers listed on Bellsouth's CNL. Absent such dispute, effective thirty (30) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to unbundle DS1 and/or DS3 Loops, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment.
- 2.1.4.7.2.1 For purposes of Section 2.1.4.7 above, BellSouth shall make available DS1 and DS3 Loops that were in service for VarTec in a wire center on the Subsequent Wire Center List as of the thirtieth (30th) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred eighty (180) days after the thirtieth (30th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 2.1.4.7.2.2 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 2.1.4.7.2.3 No later than one hundred eighty (180) days from BellSouth's CNL identifying the Subsequent Wire Center List, VarTec shall submit an LSR(s) or spreadsheet(s) as applicable, identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services.
- 2.1.4.7.2.3.1 In the case of disconnection, the applicable disconnect charges set forth in this Agreement shall apply.
- 2.1.4.7.2.3.2 If VarTec fails to submit the LSR(s) or spreadsheet(s) for all of its Subsequent Embedded Base by one hundred eighty (180) days after the date of BellSouth's

Version: 4Q06 Standard ICA

CNL identifying the Subsequent Wire Center List, BellSouth will identify VarTec's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s), or in the case of Georgia, to the equivalent 271 service(s) set forth in Exhibit 2. In the states of Florida, Mississippi and South Carolina, those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs. In the states of Alabama, Georgia, and North Carolina, those circuits identified and transitioned by BellSouth shall be subject to the applicable switch-as-is rates set forth in Exhibit A of Attachment 2. In the state of Louisiana, those circuits identified and transitioned by BellSouth shall be subject to the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.

- 2.1.4.7.2.3.3 For Subsequent Embedded Base circuits converted pursuant to Section 2.1.4.7.2.3 above or transitioned pursuant to Section 2.1.4.7.2.3.2 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
- 2.1.5 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Interconnection Web site. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination (OC) as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.6 The Loop shall be provided to VarTec in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.7.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the customer's location. If VarTec wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and UCL-ND), VarTec may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A.

Version: 4Q06 Standard ICA

- 2.1.7.2 For voice grade Loop orders (or orders for Loops intended to provide voice grade services), VarTec shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop order completion due date. This applies to all conversions from one provider to another provider as well as Service Rearrangements as set forth in Section 2.1.12. Where VarTec dial-tone is not available on the conversion date the Loop will not be cut over and the Loop order will be returned to VarTec for rescheduling.
- 2.1.8 OC and Order Coordination-Time Specific (OC-TS)
- 2.1.8.1 OC allows BellSouth and VarTec to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to VarTec's facilities to limit customer service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the customer. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.8.2 OC-TS allows VarTec to order a specific time for OC to take place. BellSouth will make commercially reasonable efforts to accommodate VarTec's specific conversion time request. However, BellSouth reserves the right to negotiate with VarTec a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. VarTec may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If VarTec specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in BellSouth's intrastate Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per LSR basis.

Version: 4Q06 Standard ICA

2.1.9

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, VarTec must order and will be billed for both OC and OC-TS if requesting OC-TS.

2.1.10 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

2.1.10.1 The CLEC to CLEC conversion process for Loops may be used by VarTec when converting an existing Loop from another CLEC for the same customer. The Loop type being converted must be included in VarTec's Agreement before requesting a conversion.

Version: 4Q06 Standard ICA

- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same customer location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.10.3 The Loops converted to VarTec pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type.

2.1.11 <u>Bulk Migration</u>

- 2.1.11.1 BellSouth will make available to VarTec a Bulk Migration process pursuant to which VarTec may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the parties, to Loops (UNE-L). The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs); and (2) located in the same Central Office. The terms and conditions for use of the Bulk Migration process are described in the BellSouth CLEC Information Package. The CLEC Information Package is located on BellSouth's Interconnection Web site. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A. Additionally, OSS charges will also apply. Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2.6 below.
- 2.1.11.2 Should VarTec request migration for two (2) or more EATNs containing fifteen (15) or more circuits, VarTec must use the Bulk Migration process referenced in 2.1.11.1 above.

2.1.12 Unbundled Loop (DS1 and below) Service Rearrangements

- 2.1.12.1 The Unbundled Loop Service Rearrangement processes will allow changes to be made to a working Loop facility assignment within the same end-user serving wire center. Service Rearrangements will result in service outages to the customer during the time the Loop is being moved.
- 2.1.12.2 An Unbundled Loop Service Rearrangement connecting facility change (CFC) allows VarTec to change its installed Loop from one working facility assignment to another facility assignment. CFC includes Connecting Facility Assignment (CFA) and Cable ID & Pair changes within same collocation arrangement or from collocation to collocation. CFA changes are allowed within the same multiplexer or from one multiplexer to another multiplexer. For a CFC, the Loop class of service, Loop type and the customer must remain the same.

Version: 4Q06 Standard ICA

- 2.1.12.3 An Unbundled Loop Service Rearrangement connecting facility move (CFM) allows VarTec to move the Loop facility assignment from a collocation arrangement to a multiplexer or from a multiplexer to a collocation arrangement. CFMs require a change to the Loop basic class of service. The Loop type and the customer must remain the same.
- 2.1.12.4 For Unbundled Loop Service Rearrangements, BellSouth shall charge the applicable "Service Rearrangement change in Loop facility" rate found in Exhibit A.
- 2.1.12.5 The Unbundled Loop Service Rearrangement process and requirements will be handled in accordance with the guidelines set forth in the Ordering Guidelines and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 above.
- 2.1.13 <u>EEL to Loop Retermination</u>
- 2.1.13.1 VarTec may utilize the EEL to Loop Retermination process to disconnect an EEL circuit and reterminate the Loop portion of the former EEL circuit to a collocation arrangement in the end-user's Serving Wire Center (EU SWC).
- 2.1.13.2 This process is available when the existing Loop portion of the EEL will be reused and the resulting Loop will be subject to the rates, terms and conditions for that particular Loop as set forth in this Attachment. This process will apply only to EELs that include as a part of its combination a DS1 Loop, UVL-SL2 Loop, 4-Wire UDL Loop (64, 56 kbs) and a 2-Wire ISDN Loop.
- 2.1.13.3 BellSouth shall charge the applicable EEL to Loop Retermination rates found in Exhibit A. VarTec shall also be charged applicable manual service order, collocation cross-connect and EEL (including the Transport and Loop portions of the EEL) disconnect charges as set forth in Exhibit A of this Attachment.
- 2.1.13.4 The EEL to Loop Retermination process is not available when a dispatch outside the serving wire center where the Loop terminates is required. If an outside dispatch is required, or if the Loop portion of the EEL is not one of the Loop types referenced in Section 2.1.13.2 above, or if VarTec elects not to utilize the EEL to Loop Retermination process, VarTec must submit an LSR to disconnect the entire EEL circuit, and must submit a separate LSR for the requested standalone Loop. In such cases, VarTec will be charged the EEL disconnect charges and the full nonrecurring rates for installation of a new Loop, as set forth in Exhibit A.
- 2.1.13.5 The EEL to Loop Retermination process and requirements will be handled in accordance with the guidelines set forth in the Ordering Guidelines and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 above.

Version: 4Q06 Standard ICA

- 2.2 <u>Unbundled Voice Loops (UVLs)</u>
- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed);
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed); or
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed).
- 2.2.2 UVL may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that VarTec will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 <u>Unbundled Voice Loop SL1 (UVL-SL1).</u> Loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by VarTec, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service. VarTec may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its customers.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that VarTec may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A.
- 2.2.5 <u>Unbundled Voice Loop SL2 (UVL-SL2).</u> Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to VarTec. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow VarTec to coordinate the installation of the Loop with

Version: 4Q06 Standard ICA

the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 <u>Unbundled Digital Loops</u>

- 2.3.1 BellSouth will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop;
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop;
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop;
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop;
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop;
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below;
- 2.3.2.7 DS3 Loop; or
- 2.3.2.8 STS-1 Loop.
- 2.3.3 <u>2-wire Unbundled ISDN Digital Loops.</u> These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. VarTec will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and customer. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.4 <u>2-wire ADSL-Compatible Loop.</u> This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to eighteen thousand (18,000) feet long and may have up to six thousand (6,000) feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 <u>2-wire or 4-wire HDSL-Compatible Loop.</u> This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to twelve thousand (12,000) feet long and may have up to twenty-five hundred (2,500) feet of bridged tap

Version: 4Q06 Standard ICA

(inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.

- 2.3.6 <u>4-wire Unbundled DS1 Digital Loop.</u>
- 2.3.6.1 This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the customer's location. For the purposes of BellSouth's unbundling obligations pursuant to this Agreement, for the states of Alabama, Florida, Georgia, Mississippi and South Carolina, DS1 Loops include 2-wire and 4-wire copper Loops capable of providing high-bit rate digital subscriber line services, such as 2-wire and 4-wire HDSL Compatible Loops. For the state of Louisiana, DS1 Loops include 2-wire and 4-wire HDSL-Compatible Loops to which the necessary electronics have been added to provide service speeds of 1.544 megabytes per second.
- 2.3.6.2 BellSouth shall not provide more than ten (10) unbundled DS1 Loops to VarTec at any single building in which DS1 Loops are available as unbundled Loops.
- 2.3.7 <u>4-wire Unbundled Digital/DS0 Loop.</u> These are designed 4-wire Loops that may be configured as sixty-four (64)kbps, fifty-six (56)kbps, nineteen (19)kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 <u>DS3 Loop.</u> DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of forty-four point seven thirty-six (44.736) megabits per second (Mbps) that is dedicated to the use of the ordering CLEC. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface. For the purpose of BellSouth's unbundling obligations pursuant to this Agreement, DS3 Loops include STS-1 Loops.
- 2.3.9 <u>STS-1 Loop.</u> STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of fifty-one point eighty-four (51.84) Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.

Version: 4Q06 Standard ICA

- 2.3.10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.
- 2.3.11 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one (1) mile applies. BellSouth's TR73501

 LightGate® Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.12 VarTec may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 2.4 Unbundled Copper Loops (UCL).
- 2.4.1 BellSouth shall make available UCLs. The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two (2) types Designed and Non-Designed.
- 2.4.2 <u>Unbundled Copper Loop Designed (UCL-D)</u>
- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be eighteen thousand (18,000) feet or less in length and is provisioned according to Resistance Design parameters, may have up to six thousand (6,000) feet of bridged tap and will have up to thirteen hundred (1300) Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by VarTec.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by VarTec to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3 <u>Unbundled Copper Loop Non-Designed (UCL-ND)</u>
- 2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not

Version: 4Q06 Standard ICA

have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to six thousand (6,000) feet of bridged tap between the customer's premises and the serving wire center. The UCL-ND typically will be thirteen hundred (1300) Ohms resistance and in most cases will not exceed eighteen thousand (18,000) feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than eighteen thousand (18,000) feet and with less than thirteen hundred (1300) Ohms resistance, the Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, VarTec can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that VarTec may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by VarTec to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 VarTec may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.
- 2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>
- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the

Version: 4Q06 Standard ICA

BellSouth's TR 73600 Unbundled Local Loop Technical Specification. BellSouth shall provide Line Conditioning on Loops, as requested by VarTec, even in instances where BellSouth does not provide advanced services to the end user on that Loop.

- 2.5.2 BellSouth will remove load coils only on copper Loops that are equal to or less than eighteen thousand (18,000) feet in length. BellSouth will remove load coils on copper Subloops where the total loop distance (feeder plus distribution) from the BellSouth central office to the end user is equal to or less than 18,000 feet or, if there is no copper feeder, the distance from the remote terminal (RT) to the end user is equal to or less than 18,000 feet.
- 2.5.3 For any copper loop being ordered by VarTec which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from VarTec, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to VarTec. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.
- 2.5.4 VarTec may request removal of any unnecessary and non-excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to BellSouth's SC Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If VarTec requests ULM on a reserved facility for a new Loop order, BellSouth may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. VarTec will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the Loop provisioned.
- 2.5.8 VarTec shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that VarTec desires BellSouth to condition.

Version: 4Q06 Standard ICA

2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for VarTec, VarTec will submit a SI to BellSouth. If a spare Loop facility that meets the Loop modification specifications requested by VarTec is available at the location for which the ULM was requested, VarTec will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, VarTec will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 <u>Loop Provisioning Involving IDLC</u>

- 2.6.1 Where VarTec has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the customer and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to VarTec. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for VarTec (e.g., hairpinning):
 - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 - 3. If capacity exists, provide "side-door" porting through the switch.
 - 4. If capacity exists, provide "Digital Access Cross-Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.2.1 If no alternate facility is available, and upon request from VarTec, and if agreed to by both Parties, BellSouth may utilize its SC process to determine the additional costs required to provision facilities. VarTec will then have the option of paying the one-time SC rates to place the Loop.

2.7 Network Interface Device

2.7.1 The NID is defined as any means of interconnection of the customer's customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two (2) independent chambers or divisions that separate the service provider's network from the customer's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the customer each make their connections. The

Version: 4Q06 Standard ICA

NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.

2.7.2 BellSouth shall permit VarTec to connect VarTec's Loop facilities to the customer's customer premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

- 2.7.3.1 VarTec may access the customer's premises wiring by any of the following means and VarTec shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow VarTec to connect its Loops directly to BellSouth's multiline residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises;
- 2.7.3.1.2 Where an adequate length of the customer's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a cross-connect or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 VarTec may request BellSouth to make other rearrangements to the customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be VarTec's responsibility to ensure there is no safety hazard, and VarTec will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of

Version: 4Q06 Standard ICA

the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.

- 2.7.3.3 VarTec shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 VarTec shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with VarTec to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 <u>Technical Requirements</u>
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the customer's customer premises and the distribution media and/or cross-connect to VarTec's NID.
- 2.7.4.3 Existing BellSouth NIDs will be operational and provided in "as is" condition. VarTec may request BellSouth to do additional work to the NID on a time and material basis. When VarTec deploys its own local loops in a multiple-line termination device, VarTec shall specify the quantity of NID connections that it requires within such device.
- 2.8 <u>Subloop Distribution Elements.</u>
- 2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Subloop Distribution (USLD) elements in accordance with 47 C.F.R. § 51.319(b) as specified herein.
- 2.8.2 <u>Unbundled Subloop Distribution</u>
- 2.8.2.1 The USLD facility is a dedicated transmission facility that BellSouth provides from a customer's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist:

USLD – Voice Grade (USLD-VG)

Version: 4Q06 Standard ICA

Unbundled Copper Subloop (UCSL)
USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

- 2.8.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the customer's premises and may have load coils.
- 2.8.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the customer's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the customer and the cross-box.
- 2.8.2.3.1 If VarTec requests a UCSL and it is not available, VarTec may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the customer's premises.
- 2.8.2.4.1 Upon request for USLD-INC from VarTec, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in twenty five (25) pair increments for VarTec's use on this cross-connect panel. VarTec will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, VarTec shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. VarTec's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to USLs at the location requested by VarTec is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet VarTec's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site.

Version: 4Q06 Standard ICA

- 2.8.2.7 The site set-up must be completed before VarTec can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice VarTec's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, VarTec will request Subloop pairs through submission of a LSR form to the LCSC. OC is required with USL pair provisioning when VarTec requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by VarTec for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 2.8.2.9 USLs will be provided in accordance with BellSouth's TR 73600 Unbundled Local Loop Technical Specifications.
- 2.8.3 Unbundled Network Terminating Wire (UNTW)
- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual customer's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the customer's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the customer's premises, where a third party owns the wiring to the customer's premises.
- 2.8.3.3 <u>Requirements</u>
- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the customers premises, and VarTec does own or control such wiring, VarTec will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to VarTec.

Version: 4006 Standard ICA

- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate VarTec for each pair activated commensurate to the price specified in VarTec's Agreement.
- Upon receipt of the UNTW SI requesting access to the Provisioning Party's 2.8.3.3.5 UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the customer has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the customer is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that customer if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in

Version: 4Q06 Standard ICA

the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).

- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the customer began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.9 <u>Loop Makeup</u>

2.9.1 Description of Service

- 2.9.1.1 BellSouth shall make available to VarTec LMU information with respect to Loops that are required to be unbundled under this Agreement so that VarTec can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment VarTec intends to install and the services VarTec wishes to provide. LMU is a preordering transaction, distinct from VarTec ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide VarTec LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pairgain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to VarTec as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.

Version: 4Q06 Standard ICA

- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 VarTec may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by VarTec and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee VarTec's ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCL-ND, etc.) that support xDSL services, is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Except as set forth in Section 2.9.1.6 below, copper-only Loops will not be subject to change due to modification and/or upgrades to BellSouth's network and will remain on copper facilities until the Loop is disconnected by VarTec or the customer, or until BellSouth retires the copper facilities via the FCC's and any applicable Commission's requirements. VarTec is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.
- 2.9.1.6 If BellSouth retires its copper facilities using 47 C.F.R § 51.325(a) requirements; or is required by a governmental agency or regulatory body to move or replace copper facilities as a maintenance procedure, BellSouth will notify VarTec, according to the applicable network disclosure requirements. It will be VarTec's responsibility to move any service it may provide over such facilities to alternative facilities. If VarTec fails to move the service to alternative facilities by the date in the network disclosure notice, BellSouth may terminate the service to complete the network change.

2.9.2 <u>Submitting LMUSI</u>

2.9.2.1 VarTec may obtain LMU information and reserve facilities by submitting a mechanized LMU query or a manual LMUSI according to the terms and conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" on BellSouth's Interconnection Web site. After obtaining the Loop information from the

Version: 4Q06 Standard ICA

mechanized LMU process, if VarTec needs further Loop information in order to determine Loop service capability, VarTec may initiate a separate Manual SI for a separate nonrecurring charge as set forth in Exhibit A.

- 2.9.2.2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. VarTec will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, VarTec does not reserve facilities upon an initial LMUSI, VarTec's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.
- 2.9.2.3 Where VarTec has reserved multiple Loop facilities on a single reservation, VarTec may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to VarTec, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by VarTec.
- 2.9.2.4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from BellSouth.

3 Line Splitting

- 3.1 Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to customers over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers. BellSouth will provide Line Splitting over a Loop (UNE-L) purchased by VarTec pursuant to this Agreement.
- 3.2 <u>Line Splitting UNE-L.</u> In the event VarTec provides its own switching or obtains switching from a third party, VarTec may engage in line splitting arrangements with another CLEC using a splitter, provided by VarTec, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.3 BellSouth must make all necessary network modifications, including providing nondiscriminatory access to OSS necessary for pre-ordering, ordering, provisioning, maintenance and repair, and billing for Loops used in line splitting arrangements. The Parties may use the Change Control Process to address necessary OSS modifications.
- 3.4 Provisioning Line Splitting UNE-L
- 3.4.1 The Voice CLEC provides the splitter when providing Line Splitting with UNE-L. When VarTec owns the splitter, Line Splitting requires the following: a loop from

Version: 4Q06 Standard ICA

NID at the customer's location to the serving wire center and terminating into a distribution frame or its equivalent.

- 3.4.2 An unloaded 2-wire copper Loop must serve the customer. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.4.3 To order Line Splitting utilizing UNE-L on a particular Loop, VarTec must have a DSLAM collocated in the central office that serves the customer of such Loop.
- 3.4.4 VarTec may purchase, install and maintain central office POTS splitters in its collocation arrangements. VarTec may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the high frequency spectrum of the UNE-L. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.5 Maintenance Line Splitting UNE-L
- 3.5.1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the customer's premises and the termination point.
- 3.5.2 VarTec shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.
- 3.5.3 For the state of Alabama, the following rights are in addition to the general indemnification rights set forth above:
- 3.5.3.1 PROVIDED, HOWEVER, that all amounts advanced in respect of such claims, losses and costs shall be repaid to VarTec by BellSouth if it shall ultimately be determined in a final judgment without further appeal by a court of appropriate jurisdiction that BellSouth is not entitled to be indemnified for such claims, losses and costs because the Claims, Losses and Costs arose as a result of BellSouth's gross negligence or willful misconduct.
- 3.5.3.2 BellSouth will indemnify, defend and hold harmless VarTec from and against any Claims, Losses and Costs which arise out of actions related to the other service provider (i.e. CLEC party to the line splitting arrangement who is not VarTec brought against VarTec to the extent such Claim alleges that the cause of Claim, Loss and Cost was found to be the result of BellSouth's gross negligence or willful misconduct.

Version: 4Q06 Standard ICA

- 3.5.3.3 PROVIDED, HOWEVER, that BellSouth shall have no obligation to indemnify VarTec under this section unless VarTec provides BellSouth with prompt written notice of any such Claim; VarTec permits BellSouth to assume and control the defense to such action, with counsel chosen by BellSouth; and BellSouth does not enter into any settlement or compromise of such Claim.
- 3.5.3.4 PROVIDED, HOWEVER, that all amounts advanced in respect of such Claims, Losses and Costs shall be repaid to BellSouth by VarTec if it shall ultimately be determined in a final judgment without further appeal by a court of appropriate jurisdiction that VarTec is not entitled to be indemnified for such Claims, Losses and Costs because the Claims, Losses and Costs did not arises as a result of BellSouth's gross negligence or willful misconduct.

3.5.3.5 Definitions:

- 3.5.3.5.1 "Claim" means any threatened, pending or completed action, suit or proceeding, or any inquiry or investigation that BellSouth or VarTec in good faith believes might lead to the institution of any such action, suit or proceeding.
- 3.5.3.5.2 "Loss" means any and all damages, injuries, judgments, fines penalties, amounts paid or payable in settlement, deficiencies, and expenses (including all interest, assessments, and other charges paid or payable in connection with or respect of such Losses) incurred in connection with the Claim.
- 3.5.3.5.3 "Costs" means all reasonable attorney's fees and all other reasonable fees, expenses and obligations paid or incurred in connection with the Claim or related matters, including without limitation, investigating, defending, or participating (as a party, witness or otherwise) in (including on appeal), or preparing to defend or participate in any Claim.
- 3.6 <u>Line Splitting Loop and Port for the states of Georgia and North Carolina only</u>
- 3.6.1 To the extent VarTec is using a commingled arrangement that consists of a Loop purchased pursuant to this Agreement and Local Switching provided by BellSouth pursuant to Section 271, BellSouth will permit VarTec to utilize Line Splitting. BellSouth shall charge the applicable line splitting rates set forth in Exhibit A of this Agreement.
- 3.6.2 VarTec shall provide BellSouth with a signed LOA between it and the third party CLEC (Data CLEC or Voice CLEC) with which it desires to provision Line Splitting services, where VarTec will not provide voice and data services.

Version: 4Q06 Standard ICA

3.6.3 <u>Provisioning Line Splitting and Splitter Space – Loop and Port</u>

- 3.6.3.1 The Data LEC, Voice CLEC, or a third party may provide the splitter. When VarTec or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the customer's location; a collocation cross-connection connecting the Loop to the collocation space; and a second collocation cross-connection from the collocation space connected to a voice port.
- 3.6.3.2 An unloaded 2-wire copper Loop must serve the customer. The meet point for the Voice CLEC and the Data CLEC is the point of termination on the MDF for the Data CLEC's cable and pairs.

3.6.4 <u>CLEC Provided Splitter – Line Splitting – Loop and Port</u>

- 3.6.4.1 VarTec or its authorized agent may purchase, install and maintain central office line splitters in its collocation arrangements. VarTec or its authorized agent may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing collocation rules and procedures and the terms and conditions relating to collocation set forth in Attachment 4-Central Office shall apply.
- 3.6.4.2 Any splitters installed by VarTec or its authorized agent in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter standards. VarTec or its authorized agent may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.6.5 <u>Maintenance – Line Splitting – Loop and Port</u>

3.6.5.1 BellSouth will be responsible for repairing troubles with the physical Loop between the NID at the customer's premises and the termination point.

4 Unbundled Network Element Combinations

4.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by VarTec are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by VarTec are not already combined by BellSouth in the location requested by VarTec but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by VarTec are not elements that BellSouth combines for its use in its network.

Version: 4Q06 Standard ICA

- 4.1.1 Except as otherwise set forth in this Agreement, upon request, BellSouth shall perform the functions necessary to combine Network Elements that BellSouth is required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with BellSouth's network.
- 4.1.2 To the extent VarTec requests a Combination for which BellSouth does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the BFR process.

4.2 Rates

- 4.2.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such Currently Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.
- 4.2.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations. Where an Ordinarily Combined Combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.
- 4.2.3 The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of VarTec.

4.3 Enhanced Extended Links (EELs)

- 4.3.1 EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide VarTec with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- 4.3.2 High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated Transport commingled with a wholesale loop, or (3) a loop commingled

Version: 4Q06 Standard ICA

with wholesale transport at the DS1 and/or DS3 level as described in 47 C.F.R. § 51.318(b).

- 4.3.3 By placing an order for a high-capacity EEL, VarTec thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a Network Element. BellSouth shall have the right to audit VarTec's high-capacity EELs as specified below.
- 4.3.4 <u>Service Eligibility Criteria</u>
- 4.3.4.1 High capacity EELs must comply with the following service eligibility requirements. VarTec must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 4.3.4.1.1 VarTec has received state certification to provide local voice service in the area being served;
- 4.3.4.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 4.3.4.2.1 1) Each circuit to be provided to each customer will be assigned a local number prior to the provision of service over that circuit;
- 4.3.4.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 4.3.4.2.3 3) Each circuit to be provided to each customer will have 911 or E911 capability prior to provision of service over that circuit;
- 4.3.4.2.4 4) Each circuit to be provided to each customer will terminate in a collocation arrangement that meets the requirements of 47 C.F.R. § 51.318(c);
- 4.3.4.2.5 5) Each circuit to be provided to each customer will be served by an interconnection trunk over which VarTec will transmit the calling party's number in connection with calls exchanged over the trunk;
- 4.3.4.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, VarTec will have at least one (1) active DS1 local service interconnection trunk over which VarTec will transmit the calling party's number in connection with calls exchanged over the trunk; and
- 4.3.4.2.7 7) Each circuit to be provided to each customer will be served by a switch capable of switching local voice traffic.

Version: 4Q06 Standard ICA

- 4.3.4.3 BellSouth may, on an annual basis, audit VarTec's records in order to verify compliance with the qualifying service eligibility criteria. To invoke the audit, BellSouth will send a Notice of Audit to VarTec. Such Notice of Audit will be delivered to VarTec no less than thirty (30) days prior to the date upon which BellSouth seeks to commence an audit.
- 4.3.4.3.1 Such Notice of Audit to VarTec shall state BellSouth's concern that VarTec is not complying with the service eligibility requirements as set forth above and a concise statement of the reasons therefor. BellSouth is not required to provide documentation, as distinct from a statement of concern, to support its basis for an audit, or seek the concurrence of the requesting carrier before selecting the location of the audit. BellSouth may select the independent auditor without the prior approval of VarTec or the Commission. Challenges to the independence of the auditor may be filed with the Commission only after the audit has been concluded.
- 4.3.4.3.2 For the state of Alabama, VarTec may, however, challenge the legal qualifications of the auditor selected by filing an objection to that effect with the Commission within 10 days of receiving BellSouth's Notice of Audit.
- 4.3.4.3.3 For the state of Louisiana, BellSouth's notice to VarTec shall include a listing of the circuits for which BellSouth alleges noncompliance, including all supporting documentation and a list of three auditors from which VarTec may choose one to conduct the audit.
- 4.3.4.4 The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA) which will require the auditor to perform an "examination engagement" and issue a report regarding VarTec's compliance with the high capacity EEL eligibility criteria. AICPA standards and other AICPA requirements will be used to determine the independence of an auditor. The independent auditor's report will conclude whether VarTec complied in all material respects with the applicable service eligibility criteria. Consistent with standard auditing practices, such audits require compliance testing designed by the independent auditor.
- 4.3.4.5 To the extent the independent auditor's report concludes that VarTec failed to comply with the service eligibility criteria, VarTec must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that VarTec did not comply in any material respect with the service eligibility criteria, VarTec shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that VarTec did comply in all material respects with the service eligibility criteria, BellSouth will reimburse VarTec for its reasonable and demonstrable costs associated with the audit.

VarTec will maintain appropriate documentation to support its certifications. The Parties shall provide such reimbursement within thirty (30) days of receipt of a statement of such costs.

- 4.3.4.5.1 For the state of Alabama, VarTec will maintain appropriate documentation to support its certifications and may dispute any portion of the findings of an audit by petitioning the Commission for a review within twenty (20) days of receiving the reported findings of the auditor.
- 4.3.4.6 In the event VarTec converts special access services to Network Elements, VarTec shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5 Dedicated Transport and Dark Fiber Transport

- 5.1 <u>Dedicated Transport.</u> Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by VarTec, including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to VarTec. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement.
- 5.2 <u>DS1 and DS3 Dedicated Transport Requirements</u>
- 5.2.1 For purposes of this Section 5.2, a Business Line is as defined in 47 C.F.R. § 51.5.
- 5.2.2 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport as described in this Agreement, except in any wire center meeting the criteria described below:
- 5.2.2.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain thirty-eight thousand (38,000) or more Business Lines or four (4) or more fiber-based collocators.
- 5.2.2.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain twenty-four thousand (24,000) or more Business Lines or three (3) or more fiber-based collocators.
- 5.2.2.3 The Master List of Unimpaired Wire Centers and BellSouth's List of Unimpaired Wire Centers, as described in Section 1.8, sets forth the list of wire centers meeting the criteria set forth in Sections 5.2.2.1 and 5.2.2.2 above as of March 11, 2005.
- 5.2.2.4 Once a wire center meets or exceeds either of the thresholds set forth in Section 5.2.2.1 above, no future DS1 Dedicated Transport unbundling will be required

Version: 4Q06 Standard ICA

between that wire center and any other wire center exceeding these same thresholds.

- 5.2.2.5 Once a wire center meets or exceeds either of the thresholds set forth in Section 5.2.2.2 above, no future DS3 Dedicated Transport will be required between that wire center and any other wire center meeting or exceeding these same thresholds.
- 5.2.2.6 <u>Modifications and Updates to the Wire Center List and Subsequent Transition Periods</u>
- 5.2.2.6.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Sections 5.2.2.1 or 5.2.2.2 above, but that were not included in the Master List of Unimpaired Wire Centers or BellSouth's List of Unimpaired Wire Centers, BellSouth shall include such additional wire centers in a CNL. Each such list of additional wire centers shall be considered a Subsequent Wire Center List. BellSouth will follow any notification procedures set forth in applicable Commission orders.
- 5.2.2.6.2 VarTec shall have thirty (30) business days to dispute the additional wire centers listed on BellSouth's CNL. Absent such dispute, effective thirty (30) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide DS1 and DS3 Dedicated Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment.
- 5.2.2.6.3 For purposes of Section 5.2.2.6 above, BellSouth shall make available DS1 and DS3 Dedicated Transport that were in service for VarTec in a wire center on the Subsequent Wire Center List as of the thirtieth (30th) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred eighty (180) days after the thirtieth (30th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 5.2.2.6.4 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 5.2.2.6.5 No later than one hundred eighty (180) days from BellSouth's CNL identifying the Subsequent Wire Center List, VarTec shall submit an LSR(s) or spreadsheet(s) as applicable, identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services.
- 5.2.2.6.6 In the case of disconnection, the applicable disconnect charges set forth in this Agreement shall apply.

Version: 4Q06 Standard ICA

- 5.2.2.6.6.1 If VarTec fails to submit the LSR(s) or spreadsheet(s) for all of its Subsequent Embedded Base by one hundred eighty (180) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify VarTec's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s), or in the case of Georgia, to the equivalent 271 service(s) set forth in Exhibit 2. In the states of Florida, Mississippi and South Carolina, those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs. In the states of Alabama, Georgia and North Carolina, those circuits identified and transitioned by BellSouth shall be subject to the applicable switch-as-is rates set forth in Exhibit A of Attachment 2. For the state of Louisiana, those circuits identified and transitioned by BellSouth's tariffs.
- 5.2.2.6.7 For Subsequent Embedded Base circuits converted pursuant to Section 5.2.2.6.5 above or transitioned pursuant to Section 5.2.2.6.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
- 5.2.3 BellSouth shall:
- 5.2.4 Provide VarTec exclusive use of Dedicated Transport to a particular customer or carrier;
- 5.2.5 Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section;
- 5.2.6 Permit, to the extent technically feasible, VarTec to connect Dedicated Transport to equipment designated by VarTec, including but not limited to, VarTec's collocated facilities; and
- 5.2.7 Permit, to the extent technically feasible, VarTec to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 5.3 BellSouth shall offer Dedicated Transport:
- 5.3.1 As capacity on a shared facility; and
- 5.3.2 As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to VarTec.
- Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.

VarTec may obtain a maximum of twelve (12) unbundled DS3 Dedicated Transport circuits on each Route where DS3 Dedicated Transport is available as a Network Element, and a maximum of ten (10) unbundled DS1 Dedicated Transport circuits on each Route where there is no 251(c)(3) unbundling obligation for DS3 Dedicated Transport, but for which impairment exists for DS1 Dedicated Transport. For purposes of this Section 5, a "Route" is defined in 47 C.F.R. § 51.319 (e) as a transmission path between one of an incumbent LEC's wire centers or switches and another of the incumbent LECs wire centers or switches. A route between two (2) points (e.g. wire center or switch "A" and wire center or switch "Z") may pass through one or more intermediate wire centers or switches (e.g. wire center or switch "X"). Transmission paths between the same end points (e.g. wire center or switch "A" and wire center or switch "Z") are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.

5.6 <u>Technical Requirements</u>

- 5.6.1 BellSouth shall offer DS0 equivalent interface transmission rates for DS0 or voice grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
- 5.6.2 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 5.6.2.1 DS0 Equivalent;
- 5.6.2.2 DS1;
- 5.6.2.3 DS3;
- 5.6.2.4 STS-1: and
- 5.6.2.5 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 5.6.3 BellSouth shall design Dedicated Transport according to its network infrastructure. VarTec shall specify the termination points for Dedicated Transport.
- 5.6.4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and BellSouth Technical References;

Version: 4Q06 Standard ICA

- 5.6.4.1 Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 5.6.4.2 BellSouth's TR73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.
- 5.6.4.3 BellSouth's TR73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.
- 5.7 <u>Unbundled Channelization (Multiplexing)</u>
- 5.7.1 To the extent VarTec is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, VarTec may request channel activation on a channelized facility and BellSouth shall connect the requested facilities via COCIs. The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 5.7.2 BellSouth shall make available the following channelization systems and interfaces:
- 5.7.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available: Voice Grade, Digital Data and ISDN.
- 5.7.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 5.7.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 5.7.3 <u>Technical Requirements.</u> In order to assure proper operation with BellSouth provided central office multiplexing functionality, VarTec's channelization equipment must adhere strictly to form and protocol standards. VarTec must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 5.8 <u>Dark Fiber Transport.</u> Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics.

- 5.8.1 <u>Dark Fiber Transport Requirements</u>
- 5.8.1.1 For purposes of this Section 5.8, a Business Line is as defined in 47 C.F.R. § 51.5.
- 5.8.1.2 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport as described in this Agreement, except in any wire center meeting the criteria described below:
- 5.8.1.2.1 Dark Fiber Transport where both wire centers at the end points of the route contain twenty-four thousand (24,000) or more Business Lines or three (3) or more fiber-based collocators.
- 5.8.1.3 The Master List of Unimpaired Wire Centers or BellSouth's List of Unimpaired Wire Centers, as described in Section 1.8, sets forth the list of wire centers meeting the criteria set forth in Section 5.8.1.2.1 above as of March 11, 2005.
- 5.8.1.4 Once any wire center exceeds either of the thresholds set forth in Section 5.8.1.2.1 above, no future Dark Fiber Transport unbundling will be required in that wire center.
- 5.8.1.5 <u>Modifications and Updates to the Wire Center List and Subsequent Transition Periods</u>
- 5.8.1.5.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 5.8.1.2.1 above, but that were not included in the Master List of Unimpaired Wire Centers or BellSouth's List of Unimpaired Wire Centers, BellSouth shall include such additional wire centers in a CNL. Each such list of additional wire centers shall be considered a "Subsequent Wire Center List". BellSouth will follow any notification procedures in applicable Commission orders.
- VarTec shall have thirty (30) business days to dispute the additional wire centers listed on BellSouth's CNL. Absent such dispute, effective thirty (30) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide unbundled access to Dark Fiber Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment.
- 5.8.1.5.3 For purposes of Section 5.8.1.5 above, BellSouth shall make available Dark Fiber Transport that was in service for VarTec in a wire center on the Subsequent Wire Center List as of the thirtieth (30) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred eighty (180) days after the thirtieth (30th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).

- 5.8.1.5.4 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 5.8.1.5.5 No later than one hundred eighty (180) days from BellSouth's CNL identifying the Subsequent Wire Center List, VarTec shall submit an LSR(s) or spreadsheet(s) as applicable, identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services.
- 5.8.1.5.6 In the case of disconnection, the applicable disconnect charges set forth in this Agreement shall apply.
- 5.8.1.5.6.1 If VarTec fails to submit the LSR(s) or spreadsheet(s) for all of its Subsequent Embedded Base by one hundred eighty (180) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify VarTec's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s), or in the case of Georgia, to the equivalent 271 service set forth in Exhibit 2.
- 5.8.1.5.6.2 In the states of Florida, Mississippi and South Carolina, those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs. In the states of Alabama, Georgia and South Carolina, those circuits identified and transitioned by BellSouth shall be subject to the applicable switch-as-is rates set forth in Exhibit A of Attachment 2. In the state of Louisiana, those circuits identified and transitioned by BellSouth shall be subject to the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 5.8.1.5.6.3 For Subsequent Embedded Base circuits converted pursuant to Section 5.8.1.5.5 above or transitioned pursuant to Section 5.8.1.5.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.

5.9 <u>Rearrangements</u>

- A request to move a working VarTec Dedicated Transport circuit or a
 Combination including Dedicated Transport from one connecting facility
 assignment (CFA) to another CFA in the same BellSouth Central Office (Change
 in CFA), shall not constitute the establishment of new service. The applicable
 Rearrangement rates for the Change in CFA are set forth in Exhibit A.
- 5.9.2 A request to reterminate one end of a Dedicated Transport facility that is not a Change in CFA and thus results in retermination in a different BellSouth Central

Version: 4006 Standard ICA

Office (Retermination) shall constitute disconnection of existing service and the establishment of new service. Disconnect charges and full nonrecurring charges for establishment of service, as set forth in Exhibit A, shall apply.

- 5.9.3 Upon request of VarTec, BellSouth shall project manage the Change in CFA or Retermination of Dedicated Transport and Combinations that include Dedicated Transport as described in Sections 5.9.1 and 5.9.2 above and VarTec may request OC-TS for such orders.
- 5.9.4 BellSouth shall accept a LOA between VarTec and another carrier that will allow VarTec, in connection with a Change in CFA or Retermination, to connect Dedicated Transport or a Combination that includes Dedicated Transport, via a CFA, to the other carrier's collocation space or to another carrier's Multiplexer.
- 6 Automatic Location Identification/Data Management System (ALI/DMS)
- 6.1 <u>911 and E911 Databases</u>
- 6.1.1 BellSouth shall provide VarTec with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f).
- The ALI/DMS database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. VarTec will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 6.2.1 below.
- 6.2 <u>Technical Requirements</u>
- BellSouth's 911 database vendor shall provide VarTec the capability of providing updates to the ALI/DMS database through a specified electronic interface. VarTec shall contact BellSouth's 911 database vendor directly to request interface. VarTec shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of VarTec and BellSouth shall not be liable for the transactions between VarTec and BellSouth's 911 database vendor.
- 6.2.2 It is VarTec's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site.

Version: 4Q06 Standard ICA

- 6.2.3 VarTec shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth Interconnection Web site.
- 6.2.4 Stranded Unlocks are defined as end user records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to VarTec, as a new provider of local service to the end user. Stranded Unlocks are those end user records that have been "unlocked" by the previous local exchange carrier that provided service to the end user and are open for VarTec to assume responsibility for such records.
- 6.2.4.1 Based upon end user record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to VarTec that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. VarTec shall review the Stranded Unlock report, identify its end user records and request to either delete such records or migrate the records to VarTec within two (2) months following the date of the Stranded Unlock report provided by BellSouth. VarTec shall reimburse BellSouth for any charges BellSouth's database vendor imposes on BellSouth for the deletion of VarTec's records.
- 6.3 <u>911 PBX Locate Service</u>®. 911 PBX Locate Service is comprised of a database capability and a separate transport component.
- 6.3.1 <u>Description of Product.</u> The transport component provides a dedicated trunk path from a Private Branch Exchange (PBX) switch to the appropriate BellSouth 911 tandem.
- 6.3.1.1 The database capability allows VarTec to offer an E911 service to its PBX end users that identifies to the PSAP the physical location of the VarTec PBX 911 end user station telephone number for the 911 call that is placed by the end user.
- VarTec may order either the database capability or the transport component as desired or VarTec may order both components of the service.
- 6.3.3 <u>911 PBX Locate Database Capability.</u> VarTec's end user or VarTec's end user's database management agent (DMA) must provide the end user PBX station telephone numbers and corresponding address and location data to BellSouth's 911 database vendor. The data will be loaded and maintained in BellSouth's ALI database.
- 6.3.4 Ordering, provisioning, testing and maintenance shall be provided by VarTec pursuant to the 911 PBX Locate Marketing Service Description (MSD) that is located on the BellSouth Interconnection Web site.

- 6.3.5 VarTec's end user, or VarTec's end user DMA must provide ongoing updates to BellSouth's 911 database vendor within a commercially reasonable timeframe of all PBX station telephone number adds, moves and deletions. It will be the responsibility of VarTec to ensure that the end user or DMA maintain the data pertaining to each end user's extension managed by the 911 PBX Locate Service product. VarTec should not submit telephone number updates for specific PBX station telephone numbers that are submitted by VarTec's end user, or VarTec's end user DMA under the terms of 911 PBX Locate product.
- 6.3.5.1 VarTec must provision all PBX station numbers in the same LATA as the E911 tandem.
- 6.3.6 VarTec agrees to release, indemnify, defend and hold harmless BellSouth from any and all loss, claims, demands, suits, or other action, or any liability whatsoever, whether suffered, made, instituted or asserted by VarTec's end user or by any other party or person, for any personal injury to or death of any person or persons, or for any loss, damage or destruction of any property, whether owned by VarTec or others, or for any infringement or invasion of the right of privacy of any person or persons, caused or claimed to have been caused, directly or indirectly, by the installation, operation, failure to operate, maintenance, removal, presence, condition, location or use of PBX Locate Service features or by any services which are or may be furnished by BellSouth in connection therewith, including but not limited to the identification of the telephone number, address or name associated with the telephone used by the party or parties accessing 911 services using 911 PBX Locate Service hereunder, except to the extent caused by BellSouth's gross negligence or wilful misconduct. VarTec is responsible for assuring that its authorized end users comply with the provisions of these terms and that unauthorized persons do not gain access to or use the 911 PBX Locate Service through user names, passwords, or other identifiers assigned to VarTec's end user or DMA pursuant to these terms. Specifically, VarTec's end user or DMA must keep and protect from use by any unauthorized individual identifiers, passwords, and any other security token(s) and devices that are provided for access to this product.
- VarTec may only use BellSouth PBX Locate Service solely for the purpose of validating and correcting 911 related data for VarTec's end users' telephone numbers for which it has direct management authority.
- 6.3.8 <u>911 PBX Locate Transport Component.</u> The 911 PBX Locate Service transport component requires VarTec to order a CAMA type dedicated trunk from VarTec's end user premise to the appropriate BellSouth 911 tandem pursuant to the following provisions.
- Except as otherwise set forth below, a minimum of two (2) end user specific, dedicated 911 trunks are required between the VarTec's end user premise and the

BellSouth 911 tandem as described in BellSouth's TR 73576 and in accordance with the 911 PBX Locate Marketing Service Description located on the BellSouth Interconnection Web site. VarTec is responsible for connectivity between the end user's PBX and VarTec's switch or POP location. VarTec will then order 911 trunks from their switch or POP location to the BellSouth 911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital interface (delivered over a VarTec purchased DS1 facility that hands off at a DS1 or higher level digital or optical interface). VarTec is responsible for ensuring that the PBX switch is capable of sending the calling station's Direct Inward Dial (DID) telephone number to the BellSouth 911 tandem in a specified Multi-frequency (MF) Address Signaling Protocol. If the PBX switch supports Primary Rate ISDN (PRI) and the calling stations are DID numbers, then the 911 call can be transmitted using PRI, and there will be no requirement for the PBX Locate Transport component.

- 6.3.9 Ordering and Provisioning. VarTec will submit an Access Service Request (ASR) to BellSouth to order a minimum of two (2) end user specific 911 trunks from its switch or POP location to the BellSouth 911 tandem.
- 6.3.9.1 Testing and maintenance shall be provided by VarTec pursuant to the 911 PBX Locate Marketing Service description that is located on the BellSouth Interconnection Web site.
- 6.3.10 Rates. Rates for the 911 PBX Locate Service database component are set forth in Exhibit A. Trunks and facilities for 911 PBX Locate transport component may be ordered by VarTec pursuant to the terms and conditions set forth in Attachment 3.

7 White Pages Listings

- 7.1 BellSouth shall provide VarTec and its customers access to white pages directory listings under the following terms:
- 7.1.1 Listings. VarTec shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include VarTec residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Agreement. Directory listings will make no distinction between VarTec and BellSouth customers. VarTec shall provide listing information in accordance with the procedures set forth in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 7.1.2 <u>Unlisted/Non-Published Customers.</u> VarTec will be required to provide to BellSouth the names, addresses and telephone numbers of all VarTec customers who wish to be omitted from directories. Unlisted/Non-Published listings will be

Version: 4Q06 Standard ICA

subject to the rates as set forth in BellSouth's GSST and shall not be subject to wholesale discount.

- 7.1.3 <u>Inclusion of VarTec Customers in Directory Assistance Database.</u> BellSouth will include and maintain VarTec customer listings in BellSouth's DA databases. VarTec shall provide such Directory Assistance listings to BellSouth at no charge.
- 7.1.4 <u>Listing Information Confidentiality.</u> BellSouth will afford VarTec's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 7.1.5 Additional and Designer Listings. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in BellSouth's GSST and shall not be subject to the wholesale discount.
- 7.1.6 Rates. So long as VarTec provides listing information to BellSouth as set forth in Section 7.1.2 above, BellSouth shall provide to VarTec one (1) basic White Pages directory listing per VarTec customer at no charge other than applicable service order charges as set forth in BellSouth's tariffs. Except in the case of a LSR submitted solely to port a number from BellSouth, if such listing is requested on the initial LSR associated with the request for services, a single manual service order charge or electronic service order charge, as appropriate, as described in Attachment 6, will apply to both the request for service and the request for the directory listing. Where a subsequent LSR is placed solely to request a directory listing, or is placed to port a number and request a directory listing, separate service order charges as set forth in BellSouth's tariffs shall apply, as well as the manual service order charge or the electronic service order charge, as appropriate, as described in Attachment 6.
- 7.2 <u>Directories.</u> BellSouth or its agent shall make available White Pages directories to VarTec customer at no charge or as specified in a separate agreement between VarTec and BellSouth's agent.
- 7.3 Procedures for submitting VarTec Subscriber Listing Information (SLI) are found in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 7.3.1 VarTec authorizes BellSouth to release all VarTec SLI provided to BellSouth by VarTec to qualifying third parties. Such VarTec SLI shall be intermingled with BellSouth's own customer listings and listings of any other CLEC that has authorized a similar release of SLI.
- 7.3.2 No compensation shall be paid to VarTec for BellSouth's receipt of VarTec SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of VarTec's SLI,

Version: 4Q06 Standard ICA

or costs on an ongoing basis to administer the release of VarTec SLI, VarTec shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of VarTec's SLI, VarTec will be notified. If VarTec does not wish to pay its proportionate share of these reasonable costs, VarTec may instruct BellSouth that it does not wish to release its SLI to independent publishers, and VarTec shall amend this Agreement accordingly. VarTec will be liable for all costs incurred until the effective date of the agreement.

- Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by VarTec under this Agreement. VarTec shall indemnify, except to the extent caused by BellSouth's gross negligence or willful misconduct, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate VarTec listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to VarTec any complaints received by BellSouth relating to the accuracy or quality of VarTec listings.
- 7.3.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.

Version: 4Q06 Standard ICA

UNBU	NDLE	D NETWORK ELEMENTS - Alabama		1								la a :		Att: 2 Exh: A			
1				1									Svc Order	Incremental		Incremental	Incrementa
												Submitted Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Sv
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
OAILO	J. ()	NATE ELEMENTO	III.C.	20110	500	0000			KATEO(ψ)			per LSR	per Lak	Electronic-	Electronic-	Electronic-	Electronic
														1st	Add'I	Disc 1st	Disc Add'
														130	Addi	D130 131	DISC Add
							Rec		curring	Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			<u> </u>	<u> </u>		l				<u> </u>			L				
		one" shown in the sections for stand-alone loops or loops as par			tion refers to Geogra	ohically Deav	eraged UNE Zo	nes. To view 0	Seographically I	Deaveraged UN	IE Zone Design	ations by Ce	entral Office,	refer to interi	net Website:		
		ww.interconnection.bellsouth.com/become_a_clec/html/interco	nnectio	n.ntm			ı	1	1	1							1
OFERA	IONS	SUFFORT STSTEMS (USS) - REGIONAL RATES		1		l	I			l .			l .				
	NOTE:	(1) CLEC should contact its contract negotiator if it prefers the "	state sr	ecific"	OSS charges as orde	ered by the S	tate Commissio	ns. The OSS o	harges current	lv contained in	this rate exhibit	are the Bell	South "reaid	onal" service	ordering chare	es. CLEC ma	v elect eithe
		e specific Commission ordered rates for the service ordering ch															
		(2) Any element that can be ordered electronically will be billed a															
		electronically at present per the LOH, the listed SOMEC rate in	this cate	egory re	eflects the charge that	t would be b	illed to a CLEC	once electronic	ordering capab	oilities come on	-line for that ele	ment. Othe	rwise, the m	anual orderin	g charge, SOM	IAN, will be ap	oplied to a
	CLECs	bill when it submits an LSR to BellSouth.															
,		OSS - Electronic Service Order Charge, Per Local Service				001450		0.50	0.00	0.50	0.00						
\vdash		Request (LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service Request	-	 		SOMEC	1	3.50	0.00	3.50	0.00		-		├ ──		-
1 /		(LSR) - UNE Only		1		SOMAN		15.66	0.00	1.97	0.00		1				
UNE SF	RVICE	DATE ADVANCEMENT CHARGE				COIVIAIN	1	10.00	0.00	1.97	0.00	1			 		t
		The Expedite charge will be maintained commensurate with Be	ellSouth'	s FCC	No.1 Tariff, Section 5	as applicabl	e.			ı	1		l				
		, , , , , , , , , , , , , , , , , , ,			UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
] ,					UDL, UENTW, UDN,												
] ,					UEA, UHL, ULC,												
] ,					USL, U1T12, U1T48,												
] ,					U1TD1, U1TD3,												
] ,					U1TDX, U1TO3,												
] ,					U1TS1, U1TVX,												
					UC1BC, UC1BL, UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X, UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1.												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
					U1TUC, U1TUD,												
					U1TUB, U1TUA,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			NTCVG, NTCUD,												
		Day			NTCD1	SDASP		200.00	ļ		ļ						
ORDER	MODIFI	CATION CHARGE		<u> </u>													
$\vdash \vdash$		Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD)	-	_		ļ	1	35.13 150.00	0.00	0.00	0.00		 		 		!
LINRIIN	DI ED E	Order Modification Additional Dispatch Charge (OMCAD)		1		 		150.00	0.00	0.00	0.00		 		 		1
		ANALOG VOICE GRADE LOOP		1	1	·	1	1	1	1	1	1	·	l .		l .	1
\vdash	- ******	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30						
H		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	21.05	37.81	17.56	23.49	5.30				1		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	34.34	37.81	17.56	23.49	5.30				1		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.58	37.81	17.56	23.49	5.30						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	21.05	37.81	17.56	23.49	5.30						
1 7		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	34.34	37.81	17.56	23.49	5.30						
-		Tag Loop at End User Premise		<u> </u>	UEANL	URETL	ļ	8.93	0.88						↓		ļ
		Loop Testing - Basic 1st Half Hour	1	Ì	UEANL	URET1	1	34.16	0.00	l					l	l	1
					115 4411	LIDETA		10	40								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.85	19.85								
					UEANL UEANL	URETA UEAMC		19.85 8.15	19.85 8.15								

JNBUNDL	ED NETWORK ELEMENTS - Alabama												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring I					Rates(\$)		
	Habitan diad Nama Daniana Maisa Langa Billian dan BOT anni diang mala						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Non-Design Voice Loop, billing for BST providing make up (Engineering Information - E.I.)			UEANL	UEANM		13.44									
	Unbundled Loop Service Rearrangement, change in loop facility,			UEANL	UEAINIVI		13.44									
	per circuit			UEANL	UREWO		15.78	8.94	23.49	5.30						
	Bulk Migration, per 2 Wire Voice Loop-SL1			UEANL	UREPN		37.81	17.56	23.49	5.30						
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1			UEANL	UREPM		8.15	8.15								<u> </u>
2-WIR	E Unbundled COPPER LOOP			[a	I I									1	1	
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ UEQ	UEQ2X UEQ2X	13.27 15.07	34.14 34.14	15.10 15.10	21.25 21.25	4.15 4.15						
	Tag Loop at End User Premise		3	UEQ	URETL	13.07	8.93	0.88	21.20	4.13						+
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.16	0.00								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.85	19.85						İ		
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-													_		
	Designed (per loop)	ļ	<u> </u>	UEQ	USBMC		8.15	8.15								
	Unbundled Copper Loop - Non-Designed, billing for BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.44									<u> </u>
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UEQ	UREWO		14.27	7.43	21.25	4.15						
	Bulk Migration, per 2 Wire UCL-ND			UEQ	UREPN		34.14	15.10	21.25	4.15						
	Bulk Migration Order Coordination, per 2 Wire UCL-ND			UEQ	UREPM		8.15	8.15	21.20	4.15						
NBUNDLED	EXCHANGE ACCESS LOOP			OLG	OTCET IVI		0.10	0.10								
	E ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44						<u> </u>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					00.05		== 00	47.04							
	Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<u> </u>	2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44						
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			0271	ULITE	00.11	00.00	00.00								
	Battery Signaling - Zone 1		1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	UEAR2	22.85	99.00	EE 00	47.04	7.44						
	Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UEAR2	22.85	88.00	55.00	47.24	7.44						-
	Battery Signaling - Zone 3		3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per			0271	O E / II LE	00.11	00.00	00.00								
	DS0)			UEA	URESL		5.59	5.59								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet (per															
	DS0)			UEA	URESP		5.59	5.59								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UEA	UREWO		87.72	26.26								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	36.36 1.10								+
	Bulk Migration, per 2 Wire Voice Loop-SL2			UEA	UREPN		88.00	55.00								
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2			UEA	UREPM		0.00	0.00								
4-WIF	E ANALOG VOICE GRADE LOOP			r												
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50						
	4-Wire Analog Voice Grade Loop - Zone 2	<u> </u>	3	UEA UEA	UEAL4 UEAL4	38.58 60.02	131.97 131.97	94.51 94.51	59.14 59.14	14.50 14.50						
	4-Wire Analog Voice Grade Loop - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50						
	DS0)			UEA	URESL		5.59	5.59								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		i –		1			2.30	1					İ		1
	DS0)			UEA	URESP		5.59	5.59								<u> </u>
	Unbundled Loop Service Rearrangement, change in loop facility,			L	1]		
0 14***	per circuit	<u> </u>	<u> </u>	UEA	UREWO		87.72	36.36			L				L	
Z-WIR	E ISDN DIGITAL GRADE LOOP 2-Wire ISDN Digital Grade Loop - Zone 1	1	1	UDN	U1L2X	21.88	117.24	79,77	52.88	10.54				1		т —
	2-Wire ISDN Digital Grade Loop - Zone 2	1	2	UDN	U1L2X	32.85	117.24	79.77	52.88	10.54						
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.55	117.24	79.77	52.88	10.54						
	Unbundled Loop Service Rearrangement, change in loop facility,															
	per circuit			UDN	UREWO		91.63	44.16]		
		TIDLE!														
2-WIF	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA 2 Wire Unbundled ADSL Loop including manual service inquiry &	IBLE	.001	I	, ,		,		,							т —

NRONDLE	ED NETWORK ELEMENTS - Alabama												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						RCC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UAL	UREWO		86.20	40.40								
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	OOP						1	1				1		
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44						<u> </u>
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44						
4 1400	Unbundled Loop Service Rearrangement, change in loop facility, per circuit E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA			UHL	UREWO		86.14	40.40								
4-WIRI	4 Wire Unbundled HDSL Loop including manual service inquiry and	I IBLE LO	JOP		1	1			1	1	1			1		т —
_	facility reservation - Zone 1	1	1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73						
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop including manual service inquiry and		2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73						
	4-Wire Unburided HDSL Loop including manual service inquiry and facility reservation - Zone 3 4-Wire Unbundled HDSL Loop without manual service inquiry and		3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73						
	4-Wire Unburided HDSL Loop without manual service inquiry and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop without manual service inquiry and		1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73						
	4-Wire Unburided HDSL Loop without manual service inquiry and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry and		2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73						
	facility reservation - Zone 3 Unbundled Loop Service Rearrangement, change in loop facility,		3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73						
4-WIR	per circuit E DS1 DIGITAL LOOP			UHL	UREWO		86.14	40.40								
4 11111	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	82.55	252.47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	154.18	252.47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop - Zone 3 Switch-As-Is Conversion rate per UNE Loop, single LSR, (per		3	USL	USLXX	314.52	252.47	157.54	44.70	11.71						
	DS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			USL	URESL		5.59	5.59								
	DS1) Unbundled Loop Service Rearrangement, change in loop facility,			USL	URESP		5.59	5.59								
4-WIR	per circuit E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UREWO		101.09	43.05								<u> </u>
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1			UDL	UDL2X	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2			UDL	UDL2X	35.95	126.27	88.80	59.14	14.50						
_	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	1	_	UDL	UDL2X	37.88	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	1	UDL	UDL4X	26.09	126.27	88.80	59.14	14.50						├
	A Miles Helsen died Diefel Lees A O Mees 7-1-0		2	UDL	UDL4X	35.95	126.27	88.80	59.14 59.14	14.50 14.50						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2			LIDI	LIDLAY	27 00										
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	UDL	UDL4X	37.88	126.27	88.80								+
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		3	UDL UDL	UDL9X UDL9X	26.09 35.95	126.27 126.27	88.80 88.80	59.14 59.14	14.50 14.50						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		3	UDL	UDL9X	26.09	126.27	88.80	59.14	14.50						

Page 4 of 102

CATEGORY											Svc Order	Svc Order	Incremental	Incremental	Incremental	T
T —	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3			UDL	UDL19	37.88	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	35.95	126.27	88.80	59.14	14.50						ļ
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50						ļ
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	26.09	126.27	88.80	59.14	14.50						ļ
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	35.95	126.27	88.80	59.14	14.50						<u> </u>
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	37.88	126.27	88.80	59.14	14.50						<u> </u>
	Switch-As-Is Conversion rate per UNE Loop, single LSR, (per															
\longrightarrow	DS0)			UDL	URESL		5.59	5.59								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UDL	URESP		5.59	5.59								
	Unbundled Loop Service Rearrangement, change in loop facility,															
	per circuit			UDL	UREWO		102.13	49.75								
2-WIR	E Unbundled COPPER LOOP				•											
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44]
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44						
	2 Wire Unbundled Copper Loop-Designed including manual service	9														
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44						
	2-Wire Unbundled Copper Loop-Designed without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44						<u> </u>
	2-Wire Unbundled Copper Loop-Designed without manual service		_													
\longrightarrow	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44						
	2-Wire Unbundled Copper Loop-Designed without manual service		_					= 4.00								
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.30	91.46	54.30 8.15	47.24	7.44						
\longrightarrow	Order Coordination for Unbundled Copper Loops (per loop) Unbundled Loop Service Rearrangement, change in loop facility,			UCL	UCLINIC	-	8.15	8.15								├
	per circuit			UCL	UREWO		97.23	42.48								
4-WIR	E COPPER LOOP	1		OOL	OKLWO	l l	31.23	42.40								<u> </u>
4-1/11(1	4-Wire Copper Loop-Designed including manual service inquiry			1	1	1										Г
	and facility reservation - Zone 1		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73						
	4-Wire Copper Loop-Designed including manual service inquiry			002	002.0	17.00	100.21	00.00	010	0.70						
	and facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73						
	4-Wire Copper Loop-Designed including manual service inquiry															1
	and facility reservation - Zone 3		3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73						
	4-Wire Copper Loop-Designed without manual service inquiry and															
	facility reservation - Zone 1		1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73						
	4-Wire Copper Loop-Designed without manual service inquiry and															
	facility reservation - Zone 2		2	UCL	UCL4W	20.76	114.21	67.05	51.70	9.73						
	4-Wire Copper Loop-Designed without manual service inquiry and															
	facility reservation - Zone 3		3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73						<u> </u>
\longrightarrow	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
	Unbundled Loop Service Rearrangement, change in loop facility,						07.00	40.40								
	per circuit			UCL	UREWO		97.23	42.48								
	Order Coordination for Specified Conversion Time (nor LCS)	1		UEA, UDN, UAL, UHL, UDL, USL	OCOSL		18.90									
Dearre	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL, USL	UCUSL	l l	10.90									
Rearra	Ingements EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-	1	1	1	1	1	1									
	SI 2			UEA	UREEL		87.72	36.36								
	OLZ			OLA	OKELL	 	01.12	30.30								
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop			UEA	UREEL		87.72	36.36								
-+-	EEL to UNE-L Retermination, per 2 Wire ISDN Loop			UDN	UREEL	t	91.63	44.16								†
		1			1	† †	000									
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop	1	1	UDL	UREEL		102.13	49.75								
	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop			USL	UREEL		101.09	43.05								
UNE LOOP CO	DMMINGLING															
2-WIR	E ANALOG VOICE GRADE LOOP - COMMINGLING															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or							-								
	Ground Start Signaling - Zone 1]	1	NTCVG	UEAL2	14.38	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1			l											
	Ground Start Signaling - Zone 2		2	NTCVG	UEAL2	22.85	88.00	55.00	47.24	7.44						<u> </u>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															1

NRUNDLE	D NETWORK ELEMENTS - Alabama			1	, ,						_		Att: 2 Exh: A	1 -	1 -	
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electron Disc Add
						Rec	Nonrec		Nonrecurring I				OSS	Rates(\$)		
	10 W 1 A 1 W 1 O 1 A 1 O 1 A 1 O 1 O 1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	NTCVG	UEAR2	14.38	88.00	55.00	47.24	7.44						
	Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	-	- '	NICVG	UEARZ	14.30	00.00	55.00	41.24	7.44						
	Battery Signaling - Zone 2		2	NTCVG	UEAR2	22.85	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				OL7.II.L	22.00	00.00	00.00								
	Battery Signaling - Zone 3		3	NTCVG	UEAR2	36.14	88.00	55.00	47.24	7.44						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)			NTCVG	URESL		5.59	5.59								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet (per			l												
	DS0)			NTCVG	URESP		5.59	5.59								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			NTCVG	UREWO		87.72	36.36								
	Loop Tagging - Service Level 2 (SL2)			NTCVG	URETL		11.21	1.10	-							
4-WIRE	E ANALOG VOICE GRADE LOOP - COMMINGLING	1	<u> </u>		OILLIE	I	11.21	1.10	1				<u> </u>	1	1	1
	4-Wire Analog Voice Grade Loop - Zone 1		1	NTCVG	UEAL4	25.34	131.97	94.51	59.14	14.50						
	4-Wire Analog Voice Grade Loop - Zone 2		2	NTCVG	UEAL4	38.58	131.97	94.51	59.14	14.50						
	4-Wire Analog Voice Grade Loop - Zone 3		3	NTCVG	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)			NTCVG	URESL		5.59	5.59								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)															
	Unbundled Loop Service Rearrangement, change in loop facility,			NTCVG	URESP		5.59	5.59								
	per circuit			NTCVG	UREWO		87.72	36.36								
4-WIDI	E DS1 DIGITAL LOOP - COMMINGLING	ı		NICVG	UKEWU	J	01.12	30.30						l	l	
4-4411/1	4-Wire DS1 Digital Loop - Zone 1		1	NTCD1	USLXX	82.55	252.47	157.54	44.70	11.71				l	I	
	4-Wire DS1 Digital Loop - Zone 2		2	NTCD1	USLXX	154.18	252.47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop - Zone 3		3	NTCD1	USLXX	314.52	252.47	157.54	44.70	11.71						
	Switch-As-Is Conversion rate per UNE Loop, single LSR, (per															
	DS1)			NTCD1	URESL		5.59	5.59								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS1)			NTCD1	URESP		5.59	5.59								
	Unbundled Loop Service Rearrangement, change in loop facility,			NITODA	LIDEWO		404.00	40.05								
4 WIDI	per circuit E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLING			NTCD1	UREWO		101.09	43.05								
4-WIKI	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	<u> </u>	1	NTCUD	UDL2X	26.09	126.27	88.80	59.14	14.50				1	1	
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1		2	NTCUD	UDL2X	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3		3	NTCUD	UDL2X	37.88	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1		1	NTCUD	UDL4X	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		2	NTCUD	UDL4X	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	NTCUD	UDL4X	37.88	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		1	NTCUD	UDL9X	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		2	NTCUD	UDL9X	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3		3	NTCUD	UDL9X	37.88	126.27	88.80	59.14	14.50						
-	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1 2	NTCUD	UDL19	26.09	126.27	88.80	59.14	14.50						
_	4 Wire Unbundled Digital 19.2 Kbps - Zone 2 4 Wire Unbundled Digital 19.2 Kbps - Zone 3		3	NTCUD NTCUD	UDL19 UDL19	35.95 37.88	126.27 126.27	88.80 88.80	59.14 59.14	14.50 14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	NTCUD	UDL56	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	NTCUD	UDL56	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	NTCUD	UDL56	37.88	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	NTCUD	UDL64	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	NTCUD	UDL64	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	NTCUD	UDL64	37.88	126.27	88.80	59.14	14.50						
	Switch-As-Is Conversion rate per UNE Loop, single LSR, (per	1												1	I	
	DS0)	ļ		NTCUD	URESL		5.59	5.59						ļ		
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			NTCUD	URESP		E EC.	E E0	[
	Unbundled Loop Service Rearrangement, change in loop facility,	1	-	NICOD	UKESP		5.59	5.59							-	-
	per circuit	1		NTCUD	UREWO	l	102.13	49.75							1	
-	por orrodic	1	-	NTCVG, NTCUD,	SILLANO		102.13	43.73	 							
	Order Coordination for Specified Conversion Time (per LSR)	1		NTCD1	OCOSL	l	18.90							1	1	
			1	00 .	JUUJE		10.00									

UNBI	JNDL F	D NETWORK ELEMENTS - Alabama												Att: 2 Exh: A			1
		Planding										Svc Order		Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
CATE	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.
OA! E		KATE ELEMENTO	III.C.	20110	500	0000			π. Ευ(ψ)			per LSR	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring		001150			Rates(\$)		
					UDC, UEA, UDL,		-	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					UDN, USL, UAL,												
					UHL, UCL, NTCVG,												
					NTCUD, NTCD1,												
					U1TD1, U1TD3,												
					U1TDX, U1TS1,												
					U1TVX, UDF, UDFCX, UDLSX,												
					UE3, ULDD1,												
					ULDD3, ULDDX,												
					ULDS1, ULDVX,												
					UNC1X, UNC3X,												
		Maintenance of Service Charge, Basic Time, per half hour			UNCDX, UNCSX, UNCVX, ULS	MVVBT		80.00	55.00								
		IManiteriance of Service Charge, Basic Time, per hall hour			UDC, UEA, UDL,	IVIVVDI		80.00	55.00								
					UDN, USL, UAL,												
					UHL, UCL, NTCVG,												
					NTCUD, NTCD1,												
					U1TD1, U1TD3, U1TDX, U1TS1,												
					U1TVX, UDF,												
					UDFCX, UDLSX,												
					UE3, ULDD1,												
					ULDD3, ULDDX,												
					ULDS1, ULDVX,												
					UNC1X, UNC3X, UNCDX, UNCSX,												
		Maintenance of Service Charge, Overtime, per half hour			UNCVX, ULS	MVVOT		90.00	65.00								
					UDC, UEA, UDL,												
					UDN, USL, UAL,												
					UHL, UCL, NTCVG,												
					NTCUD, NTCD1, U1TD1, U1TD3,												
					U1TDX, U1TS1,												
					U1TVX, UDF,												
					UDFCX, UDLSX,												
					UE3, ULDD1,												
					ULDD3, ULDDX,												
					ULDS1, ULDVX, UNC1X, UNC3X,												
1					UNCDX, UNCSX,			l		1							
<u></u>		Maintenance of Service Charge, Premium, per half hour	<u> </u>		UNCVX, ULS	MVVPT	<u> </u>	100.00	75.00								<u> </u>
LOOP	MODIFIC	ATION															
					UAL, UHL, UCL,			l									
1		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UAL, UHL, UCL, UEQ, UEA, UEANL,			l		1							
		pair less than or equal to 18k ft. per Unbundled Loop			UEPSR, UEPSB	ULM2L		0.00	0.00								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less															
	<u> </u>	than or equal to 18K ft, per Unbundled Loop	ļ		UHL, UCL, UEA	ULM4L		0.00	0.00								
1					UAL, UHL, UCL,			l		1							
1		Unbundled Loop Modification Removal of Bridged Tap Removal,			UAL, UHL, UCL, UEQ, UEA, UEANL,			l		1							
		per unbundled loop			UEPSR, UEPSB	ULMBT		32.41	32.41								
SUB-L	OOPS				·												
<u> </u>	Sub-Lo	op Distribution				_						_					
1		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up			UEANL, UEF	USBSA		244.42		1							
-	†	Jop 	 		OLAINL, UEF	OODOA		244.42				 					
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL, UEF	USBSB		22.64									
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility															
	<u> </u>	Set-Up	ļ		UEANL	USBSC		177.45									
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set- Up	1		LIEANI	USBSD		55.15									
		lob			UEANL	O SROD		55.15				1				1	ı

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Att: 2 Exh: A			•
CATEGORY	RATE ELEMENTS	Interim	Zone	всѕ	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonred		Nonrecurring					Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		١.				65.80		45.05	0.70						1
	Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70						
	Zone 2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70						i
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			0271112	COBINE	11.01	00.00	00.00	10.20	0.70						
	Zone 3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70						
							0.45	0.45								1
-	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEANL	USBMC		8.15	8.15								
	Zone 1		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07						i
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07						
_	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		_													1
 	Zone 3		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEANL	USBMC		8.15	8.15								1
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		†	UEANL	USBR2	2.27	53.01	18.17	45.25	6.70						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	5.16	59.25	24.41	49.71	9.07						+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								1
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.16	0.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.85	19.85								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.22	65.80	30.96		6.70						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	8.76	65.80	30.96		6.70						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15								1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.11	79.03	44.19	49.71	9.07						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	12.61	79.03	44.19	49.71	9.07						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.36	79.03	44.19	49.71	9.07						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15								i
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-			UEF	OSBIMC		8.15	8.15								
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.93	0.88								i
	Loop Testing - Basic 1st Half Hour			UEF	URET1		34.16	0.00								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.85	19.85								
Unbun	dled Sub-Loop Modification			1	1	1	1		1					1	1	
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		175.78	5.10								1
	Unbundled Sub-loop Modification - 4-W Copper Dist Load			OL!	CLIVIZA		173.76	3.10								
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		175.78	5.10								
	Unbundled Loop Modification, Removal of Bridge Tap, per		1													1
I Imber	unbundled loop dled Network Terminating Wire (UNTW)		1	UEF	ULMBT	I .	278.20	6.11			1		<u> </u>	J		<u> </u>
Unbun	Unbundled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair		1	UENTW	UENPP	0.40	30.01									
Netwo	rk Interface Device (NID)			O-11111	OLIVI I	0.40	30.01				1		1	1		-
	Network Interface Device (NID) - 1-2 lines				UND12		43.23	28.38								
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		63.97	49.11								
	Network Interface Device Cross Connect - 2 W		<u> </u>	UENTW	UNDC2	ļ	5.87	5.87								
LINE OTHER S	Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE		1	UENTW	UNDC4		5.87	5.87	1							
ONE OTHER, F	MOVIDIONING ONLY - NO RATE			UAL, UCL, UDC,												
	Unbundled Contact Name, Provisioning Only - no rate			UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL	UNECN	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate		 	USL, NTCD1	CCOSF	0.00	0.00		1				1	 		
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL, NTCD1	CCOEF		0.00									
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
1 1	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00			·			1	<u> </u>		1

UNR	UNDI F	D NETWORK ELEMENTS - Alabama												Att: 2 Exh: A			
CATE		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOOP	MAKE-U																
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		20.00	20.00								
		Loop Makeup - Preordering With Reservation, per spare facility			OWIK	OWNER		20.00	20.00								
		queried (Manual).			UMK	UMKLP		21.00	21.00								
		Loop MakeupWith or Without Reservation, per working or spare															
	<u> </u>	facility queried (Mechanized)			UMK	UMKMQ		0.59	0.59								
LINE S	SPLITTIN	IG SER ORDERING-CENTRAL OFFICE BASED															
	ENDU	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61								1		1
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.01	21.19	20.02	9.83						
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83						
		SER ORDERING - REMOTE SITE LINE SPLITTING															
		NDLED EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP	1		T	1	 			1		1			1		1
1	1	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			02. 01. 02. 02	O E / NEO	12.00	01.01	11.00	20.10	0.00						
		Zone 1		1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_	LIEDOD LIEDOD	LIEADO	04.05	07.04	47.50	00.40	F 00						
-	-	Zone 2 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30						
		Zone 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		Ŭ	OEI OIL OEI OB	OLALO	04.04	07.01	17.00	20.40	0.00						
		Zone 3		3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30						
	PHYSI	CAL COLLOCATION															
		Physical Collocation-2 Wire Cross Connects (Loop) for Line				5541.0		40.00	44.00								
-	VIDTII	Splitting AL COLLOCATION			UEPSR UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44						
	VIKTO	AL COLLOCATION				1	1			l .					1		
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44						
UNBU		DEDICATED TRANSPORT															
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - 2-Wire Voice Grade - per mile			U1TVX	1L5XX	0.008838	40.54	07.44	40.74	0.00						
		Interoffice Channel - 2-Wire Voice Grade - Facility Termination Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile			U1TVX U1TVX	U1TV2 1L5XX	21.13 0.008838	40.54	27.41	16.74	6.90					-	
	+	Interoffice Charmer - 2-wife voice Grade Rev Bat per fille			UTIVA	ILSAA	0.006556										
		Interoffice Channel - 2-Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel - 4-Wire Voice Grade - per mile			U1TVX	1L5XX	0.008838										
1	1						I ¬					1					
-	1	Interoffice Channel - 4- Wire Voice Grade - Facility Termination	-	-	U1TVX U1TDX	U1TV4 1L5XX	18.73 0.008838	40.54	27.41	16.74	6.90					-	
	+	Interoffice Channel - 56 kbps - per mile Interoffice Channel - 56 kbps - Facility Termination			U1TDX U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
	1	Interoffice Channel - 64 kbps - per mile			U1TDX	1L5XX	0.008838	40.54	21.41	10.74	0.90					t	
		Interoffice Channel - 64 kbps - Facility Termination			U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
		Interoffice Channel - DS1 - per mile			U1TD1	1L5XX	0.18										
	1	Interoffice Channel - DS1 - Facility Termination			U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44						
-	1	Interoffice Channel - DS3 - per mile Interoffice Channel - DS3 - Facility Termination		1	U1TD3 U1TD3	1L5XX U1TF3	4.09 703.52	278.75	162.76	60.20	58.46					1	
-	1	Interoffice Channel - DS3 - Facility Termination Interoffice Channel - STS-1 - per mile			U1TS1	1L5XX	703.52 4.09	2/8./5	162./6	60.∠0	58.46	1				 	
	1	Interoffice Channel - STS-1 - per fille Interoffice Channel - STS-1 - Facility Termination			U1TS1	U1TFS	701.37	278.75	162.76	60.20	58.46						
	UNBU	NDLED DARK FIBER - Stand Alone or in Combination															
		Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per															
		Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	22.34										
1	1	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per			LIDE LIDEAY	UDE44		000.00	407.07	047.00	407.00						
HIGH 4	САРАСП	Route Mile Or Fraction Thereof Y UNBUNDLED LOCAL LOOP		<u> </u>	UDF, UDFCX	UDF14	 	639.09	137.87	317.06	197.66					-	
- non		TS-1 UNBUNDLED LOCAL LOOP - Stand Alone	I	1	<u> </u>		11			l	1	1			l	1	l
	- 3 5,0	DS3 Unbundled Local Loop - per mile			UE3	1L5ND	8.38										
		DS3 Unbundled Local Loop - Facility Termination			UE3	UE3PX	308.08	451.52	263.94	119.49	83.58						
	1	STS-1Unbundled Local Loop - per mile			UDLSX	1L5ND	8.38										
		STS-1 Unbundled Local Loop - Facility Termination			UDLSX	UDLS1	319.83	451.52	263.94	119.49	83.58						

UNBUNDI F	ED NETWORK ELEMENTS - Alabama												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NHANCED E	XTENDED LINK (EELs)															
Netwo	rk Elements Used in Combinations															
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						
-	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54					1	t
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
- 1	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	+	2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50				 	1	
- 1	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	+	3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50				1	1	
-		+	1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50				1	1	
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	+	2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64 UDL64	35.95	126.27	88.80	59.14	14.50						
		1	1		USLXX	82.55										
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X			252.47	157.54	44.70	11.71						ļ
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						ļ
	DS3 Local Loop in combination - per mile			UNC3X	1L5ND	8.38										<u> </u>
	DS3 Local Loop in combination - Facility Termination			UNC3X	UE3PX	308.08	451.52	263.94	119.49	83.58						<u> </u>
	STS-1 Local Loop in combination - per mile			UNCSX	1L5ND	8.38										
	STS-1 Local Loop in combination - Facility Termination			UNCSX	UDLS1	319.83	451.52	263.94	119.49	83.58						
	Interoffice Channel in combination - 2-wire VG - per mile			UNCVX	1L5XX	0.008838										
	Interoffice Channel in combination - 2-wire VG - Facility															
	Termination			UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel in combination - 4-wire VG - per mile			UNCVX	1L5XX	0.008838										
	Interoffice Channel in combination - 4-wire VG - Facility															
	Termination			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
	Interoffice Channel in combination - 4-wire 56 kbps - per mile			UNCDX	1L5XX	0.008838										
	Interoffice Channel in combination - 4-wire 56 kbps - Facility			CHOBA	120707	0.000000										
	Termination			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
	Interoffice Channel in combination - 4-wire 64 kbps - per mile			UNCDX	1L5XX	0.008838	40.04	21.71	10.74	0.50						
-	Interoffice Channel in combination - 4-wire 64 kbps - Facility	+		ONCDA	ILJAA	0.000030										
	Termination			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
	Interoffice Channel in combination - DS1 - per mile	+		UNC1X	1L5XX	0.18	40.54	27.41	10.74	0.30						
			_		U1TF1		00.07	04.04	10.05	14.44						
	Interoffice Channel in combination - DS1 Facility Termination	1		UNC1X		60.16	89.27	81.81	16.35	14.44						├──
	Interoffice Channel in combination - DS3 - per mile	-		UNC3X	1L5XX	4.09	070.75	400.70	00.00	50.40						
	Interoffice Channel in combination - DS3 - Facility Termination		_	UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46						
	Interoffice Channel in combination - STS-1 - per mile	1		UNCSX	1L5XX	4.09	278.75	400.70	00.00	58.46						├──
	Interoffice Channel in combination - STS-1 Facility Termination	_		UNCSX	U1TFS	701.37	2/8./5	162.76	60.20	58.46						
	NETWORK ELEMENTS															1
Option	al Features & Functions:	1		LIATEA			-					-	1	ı		1
1	los os so sim 5 s s s 5 s 5 s 5 s 5 s 5 s 5 s 5 s 5	1 .	1	U1TD1,]]					1	1	1
	Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF		0.00									<u> </u>
				U1TD1,												İ
	Clear Channel Capability Super FrameOption - per DS1			ULDD1,UNC1X	CCOSF		0.00									<u> </u>
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity -			ULDD1, U1TD1,												
	per DS1	- 1		UNC1X, USL	NRCCC		184.85	23.81	1.99	0.7741						
1		1	1	U1TD3, ULDD3,]								1	1	1
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.13	7.67	0.7355	0.00						
	DS1/DS0 Channel System			UNC1X	MQ1	107.19	91.04	62.57	10.54	9.79						
	DS3/DS1Channel System			UNC3X, UNCSX	MQ3	176.20	178.14	93.97	33.26	31.83						
	Voice Grade COCI in combination			UNCVX	1D1VG	0.56	6.58	4.72								
	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop	1	1	UEA	1D1VG	0.56	6.58	4.72]					1	1	1
	Voice Grade COCI - for connection to a channelized DS1 Local															
1	Channel in the same SWC as collocation	1	1	U1TUC	1D1VG	0.56	6.58	4.72]					1	1	1
	OCU-DP COCI (2.4-64kbs) in combination	1		UNCDX	1D1DD	2.41	6.58	4.72								
	OCU-DP COCI (2.4-64kbs) - for Unbundled Digital Loop			UDL	1D1DD	2.41	6.58	4.72								
	OCU-DP COCI (2.4-64kbs) - for connection to a channelized DS1				1	1										
	Local Channel in the same SWC as collocation	1	1	U1TUD	1D1DD	2.41	6.58	4.72						1	1	1
	2-wire ISDN COCI (BRITE) in combination	1		UNCNX	UC1CA	1.19	6.58	4.72	 					1	1	
	I 10514 0001 (BIGTE) III combination			0.1011/	00100	1.18	0.00	7.12	l					l	1	

UNBUN	IDLEI	D NETWORK ELEMENTS - Alabama												Att: 2 Exh: A			
CATEGOR		RATE ELEMENTS	Interim	Zone	BCS	USOC		Manage	RATES(\$)	N			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
$-\!+$							Rec	Nonrec		Nonrecurring Dis		001150	001111		Rates(\$)	001111	001111
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-wire ISDN COCI (BRITE) - for a Local Loop			UDN	UC1CA	1.19	6.58	4.72								
		2-wire ISDN COCI (BRITE) - for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUB	UC1CA	1.19	6.58	4.72								
		DS1 COCI in combination			UNC1X	UC1D1	13.47	6.58	4.72								
		DS1 COCI - for Stand Alone Local Channel			ULDD1	UC1D1	13.47	6.58	4.72								
		DS1 COCI - for Stand Alone Interoffice Channel			U1TD1	UC1D1	13.47	6.58	4.72								
		DS1 COCI - for DS1 Local Loop			USL, NTCD1	UC1D1	13.47	6.58	4.72								
		DS1 COCI - for connection to a channelized DS1 Local Channel in															
		the same SWC as collocation			U1TUA	UC1D1	13.47	6.58	4.72								
		Wholesale - UNE, Switch-As-Is Conversion Charge			UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, UDFCX, XDH1X, HFQC6, XDD2X, XDV6X, XDDFX, XDD4X, HFRST, UNCNX	UNCCC		5.59	5.59								
+		Wholesale - ONE, Switch-As-is Conversion Charge	-		U1TVX, U1TDX,	UNCCC		5.59	5.59								
		Unbundled Misc Rate Element, SNE SAI, Single Network Element]		U1TD1, U1TD3,]		l									
		Switch As Is Non-recurring Charge, per circuit (LSR)	1 .		U1TS1, UDF, UE3	URESL		5.59	5.59								
+		Unbundled Misc Rate Element, SNE SAI, Single Network Element	- '-		U1TVX, U1TDX,	UNLOL		5.55	5.55								
		Switch As Is Non-recurring Charge, incremental charge per circuit			U1TD1, U1TD3,												
		on a spreadsheet				URESP		5.59	5.59								
		to DCS - Customer Reconfiguration (FlexServ)	_ '		01131, ODF, OE3	UNESF	l l	5.58	5.59								
AC		Customer Reconfiguration (PlexServ)						1.48		1.84							
+		DS1 DCS Termination with DS0 Switching					29.46	25.55	19.66	16.63	13.38						
+		DS1 DCS Termination with DS0 Switching DS1 DCS Termination with DS1 Switching		1			9.94	18.47	12.58	12.21	8.96						
-+		DS3 DCS Termination with DS1 Switching DS3 DCS Termination with DS1 Switching					105.16	25.55	12.58	12.21	13.38						
							105.16	25.55	19.66	16.63	13.38						
NO.		SynchroNet)			UNCDX	UNCNT	15.77			-							
		Node per month	<u> </u>	<u> </u>	UNCDX	UNCNI	15.77										
56		Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement	I		U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETD		101.09	43.05								
		NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	ı		U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETB		3.16	3.16								
		NRC - Order Coordination Specific Time - Dedicated Transport	- 1	!	UNC1X, UNC3X	OCOSR		18.93	18.93								
COMMING																	
					UNCVX, UNCDX, UNC1X, UNC3X, UNC5X, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TVB, ULDVX, ULDD1, ULDD3, ULDS1	CMGAU	0.00	0.00	0.00	0.00	0.00						
Co		Commingling Authorization			UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDD3,	CMGAU	0.00	0.00	0.00	0.00	0.00						
Co					UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TVX, U1TDX, ULDD1, ULDD3, ULDS1	CMGAU 1D1VG	0.00	•		0.00	0.00						
Co		Commingling Authorization ngled (UNE part of single bandwidth circuit) Commingled VG COCI			UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDD3,		0.56	6.58	4.72	0.00	0.00						
Co		Commingling Authorization ngled (UNE part of single bandwidth circuit)			UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TD1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDD3, ULDS1	1D1VG		•		0.00	0.00						
Co		Commingling Authorization ngled (UNE part of single bandwidth circuit) Commingled VG COCI Commingled Digital COCI Commingled ISDN COCI			UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDD3, ULDS1 XDV2X XDV6X XDD4X	1D1VG 1D1DD	0.56 1.19 2.41	6.58 6.58	4.72 4.72	0.00	0.00						
Co	Commir	Commingling Authorization ngled (UNE part of single bandwidth circuit) Commingled VG COCI Commingled Digital COCI Commingled ISDN COCI Commingled 1:20N COCI Commingled 2-wire VG Interoffice Channel			UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDL5X, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDD3, ULDD1, ULDD1	1D1VG 1D1DD UC1CA	0.56 1.19	6.58 6.58 6.58	4.72 4.72 4.72								
Cı	Commir	Commingling Authorization ngled (UNE part of single bandwidth circuit) Commingled VG COCI Commingled Digital COCI Commingled ISDN COCI Commingled 2-wire VG Interoffice Channel Commingled 4-wire VG Interoffice Channel			UNC1X, UNC3X, UNC3X, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDD3, ULDS1 XDV2X XDV6X XDD4X XDD4X XDV2X	1D1VG 1D1DD UC1CA U1TV2	0.56 1.19 2.41 21.13	6.58 6.58 6.58 40.54	4.72 4.72 4.72 27.41	16.74	6.90						
C ₁	:ommir	Commingling Authorization ngled (UNE part of single bandwidth circuit) Commingled VG COCI Commingled Digital COCI Commingled ISDN COCI Commingled 2-wire VG Interoffice Channel Commingled 4-wire VG Interoffice Channel Commingled 4-wire VG Interoffice Channel			UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDD3, ULDS1 XDV2X XDV6X XDD4X XDV6X XDV6X XDV6X XDV6X XDV6X XDV6X XDV6X	1D1VG 1D1DD UC1CA U1TV2 U1TV4 U1TD5	0.56 1.19 2.41 21.13 18.73 15.12	6.58 6.58 6.58 40.54 40.54 40.54	4.72 4.72 4.72 27.41 27.41 27.41	16.74 16.74 16.74	6.90 6.90 6.90						
C	:ommir	Commingling Authorization ngled (UNE part of single bandwidth circuit) Commingled VG COCI Commingled Digital COCI Commingled ISDN COCI Commingled 2-wire VG Interoffice Channel Commingled 4-wire VG Interoffice Channel			UNC1X, UNC3X, UNC3X, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDD3, ULDS1 XDV2X XDV6X XDV6X XDV2X XDV6X XDV6X XDV6X XDV6X XDV6X XDV6X XDV6X XDV6X XDV6X XDD4X	1D1VG 1D1DD UC1CA U1TV2 U1TV4	0.56 1.19 2.41 21.13 18.73	6.58 6.58 6.58 40.54 40.54	4.72 4.72 4.72 27.41 27.41	16.74 16.74	6.90 6.90						
Co	ommir	Commingling Authorization ngled (UNE part of single bandwidth circuit) Commingled VG COCI Commingled Digital COCI Commingled ISDN COCI Commingled 1SDN COCI Commingled 2-wire VG Interoffice Channel Commingled 4-wire VG Interoffice Channel Commingled 56kbps Interoffice Channel Commingled 64kbps Interoffice Channel			UNC1X, UNC3X, U1TD1, UNC5X, U1TD1, U1TD3, U1TS1, UE3, UDL5X, U1TVX, U1TDX, U1TVX, U1TDB1, ULDVX, ULDD1, ULDD3, ULDS1 XDV2X XDV6X XDD4X XDV2X XDD4X XDD4X XDD4X XDD4X XDD4X XDD4X XDD4X XDD4X XDD4X XDD4X XDV2X, XDV6X,	1D1VG 1D1DD UC1CA U1TV2 U1TV4 U1TD5 U1TD6	0.56 1.19 2.41 21.13 18.73 15.12 15.12	6.58 6.58 6.58 40.54 40.54 40.54	4.72 4.72 4.72 27.41 27.41 27.41	16.74 16.74 16.74	6.90 6.90 6.90						
C.	ommir	Commingling Authorization ngled (UNE part of single bandwidth circuit) Commingled VG COCI Commingled Digital COCI Commingled SDN COCI Commingled 2-wire VG Interoffice Channel Commingled 4-wire VG Interoffice Channel Commingled 56kbps Interoffice Channel Commingled VG/DS0 Interoffice Channel		1	UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDD3, ULDS1 XDV2X XDV6X XDD4X XDV6X XDV6X XDD4X XDD4X XDD4X XDD4X XDD4X XDD4X XDD4X XDD4X, XDV6X, XDD4X, XDV2X, XDV6X, XDD4X	1D1VG 1D1DD UC1CA U1TV2 U1TV4 U1TD5 U1TD6	0.56 1.19 2.41 21.13 18.73 15.12 15.12 0.008838	6.58 6.58 6.58 40.54 40.54 40.54 40.54	4.72 4.72 4.72 27.41 27.41 27.41 27.41	16.74 16.74 16.74 16.74	6.90 6.90 6.90 6.90						
G:	ommir	Commingling Authorization ngled (UNE part of single bandwidth circuit) Commingled VG COCI Commingled Digital COCI Commingled ISDN COCI Commingled 1SDN COCI Commingled 2-wire VG Interoffice Channel Commingled 4-wire VG Interoffice Channel Commingled 56kbps Interoffice Channel Commingled 64kbps Interoffice Channel		1 2	UNC1X, UNC3X, U1TD1, UNC5X, U1TD1, U1TD3, U1TS1, UE3, UDL5X, U1TVX, U1TDX, U1TVX, U1TDB1, ULDVX, ULDD1, ULDD3, ULDS1 XDV2X XDV6X XDD4X XDV2X XDD4X XDD4X XDD4X XDD4X XDD4X XDD4X XDD4X XDD4X XDD4X XDD4X XDV2X, XDV6X,	1D1VG 1D1DD UC1CA U1TV2 U1TV4 U1TD5 U1TD6	0.56 1.19 2.41 21.13 18.73 15.12 15.12	6.58 6.58 6.58 40.54 40.54 40.54	4.72 4.72 4.72 27.41 27.41 27.41	16.74 16.74 16.74	6.90 6.90 6.90						

													Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Commingled 4-wire Local Loop Zone 1		1	XDV6X	UEAL4	25.34	131.97	94.51	59.14	14.50						
	Commingled 4-wire Local Loop Zone 2		2	XDV6X	UEAL4	38.58	131.97	94.51	59.14	14.50						l
\longrightarrow	Commingled 4-wire Local Loop Zone 3	1	3	XDV6X	UEAL4	60.02	131.97	94.51	59.14	14.50						<u> </u>
\longrightarrow	Commingled 56kbps Local Loop Zone 1	1	1	XDD4X	UDL56	26.09	126.27	88.80	59.14	14.50						<u> </u>
	Commingled 56kbps Local Loop Zone 2		2	XDD4X	UDL56	35.95	126.27	88.80	59.14	14.50						<u> </u>
	Commingled 56kbps Local Loop Zone 3		3	XDD4X	UDL56	37.88	126.27	88.80	59.14	14.50						<u> </u>
	Commingled 64kbps Local Loop Zone 1		1	XDD4X	UDL64	26.09	126.27	88.80	59.14	14.50						<u> </u>
	Commingled 64kbps Local Loop Zone 2	<u> </u>	2	XDD4X	UDL64	35.95	126.27	88.80	59.14	14.50						└
	Commingled 64kbps Local Loop Zone 3		3	XDD4X	UDL64	37.88	126.27	88.80	59.14	14.50						<u> </u>
	Commingled ISDN Local Loop Zone 1	<u> </u>	1	XDD4X	U1L2X	21.88	117.24	79.77	52.88	10.54						└
	Commingled ISDN Local Loop Zone 2	ļ	2	XDD4X	U1L2X	32.85	117.24	79.77	52.88	10.54						└
	Commingled ISDN Local Loop Zone 3		3	XDD4X	U1L2X	48.55	117.24	79.77	52.88	10.54						<u> </u>
	Commingled DS1 COCI			XDH1X	UC1D1	13.47	6.58	4.72								<u> </u>
	Commingled DS1 Interoffice Channel			XDH1X	U1TF1	60.16	89.27	81.81	16.35	14.44						<u> </u>
\longrightarrow	Commingled DS1 Interoffice Channel Mileage	1		XDH1X	1L5XX	0.18										<u> </u>
$\longrightarrow \longleftarrow$	Commingled DS1/DS0 Channel System			XDH1X	MQ1	107.19	91.04	62.57	10.54	9.79						↓
$\longrightarrow \longleftarrow$	Commingled DS1 Local Loop Zone 1		1	XDH1X	USLXX	82.55	252.47	157.54	44.70	11.71						↓
	Commingled DS1 Local Loop Zone 2		2	XDH1X	USLXX	154.18	252.47	157.54	44.70	11.71						<u> </u>
\longrightarrow	Commingled DS1 Local Loop Zone 3	1	3	XDH1X	USLXX	314.52	252.47	157.54	44.70	11.71						<u> </u>
$\longrightarrow \longleftarrow$	Commingled DS3 Local Loop			HFQC6	UE3PX	308.08	451.52	263.94	119.49	83.58						↓
$\longrightarrow \longleftarrow$	Commingled DS3/STS-1 Local Loop Mileage			HFQC6, HFRST	1L5ND	8.38										↓
$\longrightarrow \longleftarrow$	Commingled STS-1 Local Loop			HFRST	UDLS1	319.83	451.52	263.94	119.49	83.58						↓
\longrightarrow	Commingled DS3/DS1 Channel System	1		HFQC6	MQ3	176.20	178.14	93.97	33.26	31.83						<u> </u>
$\longrightarrow \longleftarrow$	Commingled DS3 Interoffice Channel			HFQC6	U1TF3	703.52	278.75	162.76	60.20	58.46						↓
	Commingled DS3 Interoffice Channel Mileage			HFQC6	1L5XX	4.09										<u> </u>
	Commingled STS-1Interoffice Channel			HFRST	U1TFS	701.37	278.75	162.76	60.20	58.46						<u> </u>
	Commingled STS-1Interoffice Channel Mileage			HFRST	1L5XX	4.09										<u> </u>
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			HEQDL	1L5DF	22.34										
-+-	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber			TILQUL	ILJUI	22.54										
	Strands, Per Route Mile Or Fraction Thereof			HEQDL	UDF14		639.09	137.87	317.06	197.66						
-+-	UNE to Commingled Conversion Tracking			XDH1X, HFQC6	CMGUN	0.00	0.00	0.00	0.00	0.00						+
-+-	SPA to Commingled Conversion Tracking	1		XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00						†
LNP Query Ser		1		ADITIA, III QOO	OWICOI	0.00	0.00	0.00	0.00	0.00						†
iti Query oci	LNP Charge Per query	1				0.000757										†
-+-	LNP Service Establishment Manual	1				0.000737	12.52		11.51							†
-+-	LNP Service Establishment Wahdai LNP Service Provisioning with Point Code Establishment	1					593.49	303.20	268.93	197.74						†
911 PBX LOCA		1			1		355.45	000.20	200.00							†
	BX LOCATE DATABASE CAPABILITY	1			1	l			L					L	1	
37	Service Establishment per CLEC per End User Account			9PBDC	9PBEU	I	1,813.00		ı					1		1
	Changes to TN Range or Customer Profile	1		9PBDC	9PBTN		181.44									
	Per Telephone Number (Monthly)	1		9PBDC	9PBMM	0.07	.0									
-	Change Company (Service Provider) ID	1		9PBDC	9PBPC	5.57	532.60							1		1
-	PBX Locate Service Support per CLEC (Monthlt)	1		9PBDC	9PBMR	181.33	302.00									†
-	Service Order Charge	1		9PBDC	9PBSC	.000	15.66									†
911 PF	BX LOCATE TRANSPORT COMPONENT				500	ı L	.0.00		ı L						1	
See At																-
		1			1		I		I							
1																

NBUNDLE	ED NETWORK ELEMENTS - Florida												Att: 2 Exh: A	-		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremen
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order v
											per LOIX	per Lor				
													Electronic-	Electronic-	Electronic-	Electron
													1st	Add'l	Disc 1st	Disc Add
							N		N	Discount			000	D-1(ft)		1
						Rec	Nonre		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "Z	one" shown in the sections for stand-alone loops or loops as pa	rt of a co	mbina	tion refers to Geograp	ohically Deav	eraged UNE Zo	nes. To view 0	Seographically I	Deaveraged UN	E Zone Design	ations by Ce	entral Office,	refer to interr	net Website:		
	www.interconnection.bellsouth.com/become a clec/html/interco				•	•			•	•	•					
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	1		I	1		1		1		1			1		
FERATIONS	SUFFORT STSTEMS (USS) - REGIONAL RATES	L			<u> </u>		l		l		l			l		<u> </u>
	40 ALEA I II														00	
	: (1) CLEC should contact its contract negotiator if it prefers the "															
the sta	ate specific Commission ordered rates for the service ordering ch	arges, c	r CLEC	may elect the region	al service or	dering charge, I	however, CLEC	can not obtain	a mixture of th	e two regardles	ss if CLEC h	as a interco	nnection cont	ract establishe	d in each of the	he 9 state
	: (2) Any element that can be ordered electronically will be billed															
ordere	d electronically at present per the LOH, the listed SOMEC rate in	this cate	gory re	eflects the charge that	t would be bi	illed to a CLEC	once electronic	ordering capab	pilities come on-	line for that ele	ment. Other	rwise, the m	anual ordering	g charge, SON	IAN, will be ap	oplied to
CLECS	s bill when it submits an LSR to BellSouth.															
	OSS - Electronic Service Order Charge, Per Local Service															
	Request (LSR) - UNE Only			1	SOMEC	1	3.50	0.00	3.50	0.00				l		1
		-			SOIVIEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request			1		1			l					l		1
	(LSR) - UNE Only				SOMAN		11.90	0.00	1.83	0.00						ļ
	DATE ADVANCEMENT CHARGE															
NOTE:	: The Expedite charge will be maintained commensurate with Be	ISouth'	s FCC	No.1 Tariff, Section 5	as applicable	э.										
				UAL, UEANL, UCL,												
				UEF, UDF, UEQ,												
				UDL, UENTW, UDN,												
				UEA, UHL, ULC,												
				USL, U1T12, U1T48,												
				U1TD1, U1TD3,												
				U1TDX, U1TO3,												
				U1TS1, U1TVX,												
				UC1BC, UC1BL,												
				UC1CC, UC1CL,												
				UC1DC, UC1DL,												
				UC1EC, UC1EL,												
				UC1FC, UC1FL,												
				UC1GC, UC1GL,												
				UC1HC, UC1HL,												
				UDL12, UDL48,												
				UDLO3, UDLSX,												
				UE3, ULD12.												
				ULD48. ULDD1.												
				ULDD3, ULDDX.												
				ULDO3, ULDS1,												
				ULDVX, UNC1X,												
				UNC3X, UNCDX,												
				UNCNX, UNCSX,												
				UNCVX, UNLD1,												
				UNLD3, UXTD1,	l	1	1		1					l		
				UXTD3, UXTS1,	l	ĺ	l		l					l		
		1			l	I	1		1			1		1		
1		1		U1TUC, U1TUD,	l	I	1		1			1		1		
1		1		U1TUB,	l	I	1		1			1		1		
	UNE Expedite Charge per Circuit or Line Assignable USOC, per	1		U1TUA,NTCVG,	l	I	1		1			1		1		
1	Day			NTCUD, NTCD1	SDASP	ĺ	200.00		l					l		
RDER MODIF	FICATION CHARGE															
	Order Modification Charge (OMC)				ĺ		26.21	0.00	0.00	0.00						i
	Order Modification Additional Dispatch Charge (OMCAD)	1					150.00	0.00	0.00	0.00						1
IDIINDI ED	EXCHANGE ACCESS LOOP	1	-	1	l	1	130.00	0.00	0.00	0.00	l			l		
PARTED	LAUTINITIE MULEGO LUUF		L	l	L	<u> </u>	L		L			L	İ	L		1
2-WIRE	E ANALOG VOICE GRADE LOOP			I	I	1						1				1
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	15.20	49.57	22.83	25.62	6.57						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	1	1	UEANL	UEASL	10.69	49.57	22.83	25.62	6.57						1
-+-			2	UEANL	UEASL	15.20	49.57	22.83	25.62	6.57	l	-		 		1
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-														1
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	26.97	49.57	22.83	25.62	6.57						
	Tag Loop at End User Premise			UEANL	URETL		8.93	0.88								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		77.09	0.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA	†	33.12	33.12	1		1			1		1
				UEANL	UEAMC		9.00	9.00						-		
-+-																
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAWC		9.00	9.00								
	Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		23.02	9.00								

JNBUNDLE	D NETWORK ELEMENTS - Florida												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Habitan Had Nam Davies Vales Land Billion (as DOT association associa	-					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Non-Design Voice Loop, billing for BST providing make up (Engineering Information - E.I.)	1		UEANL	UEANM		13.49									
	Unbundled Loop Service Rearrangement, change in loop facility,	-		UEANL	UEANIVI		13.49									├ ──
	per circuit			UEANL	UREWO		15.78	8.94	25.62	6.57						
	Bulk Migration, per 2 Wire Voice Loop-SL1			UEANL	UREPN		49.57	22.83	25.62	6.57						
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1			UEANL	UREPM		9.00	9.00	20.02	0.07						
	Unbundled COPPER LOOP									U			L.	L.		
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	7.69	44.98	20.90	24.88	6.45						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	10.92	44.98	20.90	24.88	6.45						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	19.38	44.98	20.90	24.88	6.45						
	Tag Loop at End User Premise			UEQ	URETL		8.93	0.88								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		48.65	0.00								
	Loop Testing - Basic Additional Half Hour		<u> </u>	UEQ	URETA		23.95	23.95								└
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-	l		LIEO	1100110		2.22									1
\longrightarrow	Designed (per loop) Unbundled Copper Loop - Non-Design, billing for BST providing	 	<u> </u>	UEQ	USBMC	-	9.00	9.00							-	
	make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49									
	Unbundled Loop Service Rearrangement, change in loop facility,	-	1	014	JEGINIO		15.48									
	per circuit			UEQ	UREWO		14.27	7.43	24.88	6.45						
	Bulk Migration, per 2 Wire UCL-ND			UEQ	UREPN		44.98	20.90	24.88	6.45						
	Bulk Migration Order Coordination, per 2 Wire UCL-ND			UEQ	UREPM		9.00	9.00	21.00	0.10						
	EXCHANGE ACCESS LOOP															
	ANALOG VOICE GRADE LOOP	•			•								•	•		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01						<u> </u>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1		LIEADO	40.04	405.75	00.47	00.50	40.04						
$\!\!\!+\!\!\!-$	Battery Signaling - Zone 1		1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01						
-+	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			ULA	OLANZ	17.40	133.73	02.47	03.33	12.01						
	Battery Signaling - Zone 3		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		Ť	02/1	0271112	00.07	100.70	02.11	00.00	12.01						
	DS0)			UEA	URESL		8.98	8.98								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per						Î									
	DS0)			UEA	URESP		8.98	8.98								
	Unbundled Loop Service Rearrangement, change in loop facility,															
	per circuit			UEA	UREWO		87.71	36.35								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10								
	Bulk Migration, per 2 Wire Voice Loop-SL2			UEA	UREPN		135.75	82.47								
4 14/105	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2			UEA	UREPM		0.00	0.00								
4-WIRE	ANALOG VOICE GRADE LOOP 4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	18.89	167.86	115.15	67.08	15.56						
	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2	-		UEA	UEAL4	26.84	167.86	115.15	67.08	15.56						
-+	4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3	-		UEA	UEAL4	47.62	167.86	115.15	67.08	15.56						
-+-	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1	3	ULA .	ULAL4	41.02	107.00	110.15	07.00	15.56					-	
l	DS0)			UEA	URESL		8.98	8.98								1
-	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		t —		1		5.55	0.00							l	
l	DS0)	l		UEA	URESP		8.98	8.98								1
	Unbundled Loop Service Rearrangement, change in loop facility,															
	per circuit			UEA	UREWO		87.71	36.35								<u> </u>
2-WIRE	ISDN DIGITAL GRADE LOOP			1	Transaction of the same											
	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	19.28	147.69	94.41	62.23	10.71						└
$-\!+\!-\!$	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	27.40	147.69	94.41	62.23	10.71						├
	2-Wire ISDN Digital Grade Loop - Zone 3	-	3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UDN	UREWO		91.61	44.15								1
				אוטט	UKEWU		וס.ופ	44.15							l	<u> </u>
2-WIDE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	TIRLE	OOP													
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA 2 Wire Unbundled ADSL Loop including manual service inquiry &	TIBLE L	_OOP	I		1	1					1				

<u>UNBU</u> NDLI	ED NETWORK ELEMENTS - Florida												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring		001150			Rates(\$)		
	2 Wire Unbundled ADSL Loop including manual service inquiry &				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	facility reservation - Zone 2		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63						
	2 Wire Unbundled ADSL Loop including manual service inquiry &			OAL	OALEX	11.00	140.00	100.00	70.00	10.00						
	facility reservation - Zone 3		3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry &	<u> </u>	1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12						
	facility reservaton - Zone 2		2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12						
	Unbundled Loop Service Rearrangement, change in loop facility,			UAL	UREWO		00.40	40.39								
2-WID	per circuit E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	IBI E I (OOP	UAL	UREWO	l l	86.19	40.39		l					l	
2-1111	2 Wire Unbundled HDSL Loop including manual service inquiry &	IDEL E	1			1				1					1	T
	facility reservation - Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63						
	2 Wire Unbundled HDSL Loop including manual service inquiry &															
	facility reservation - Zone 2		2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63						
	2 Wire Unbundled HDSL Loop without manual service inquiry and		3	UNL	UHLZX	10.21	159.09	113.41	75.05	15.05						-
	facility reservation - Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12						
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 2		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12						
	Unbundled Loop Service Rearrangement, change in loop facility,		3	UNL	UNLZW	10.21	134.40	80.09	60.64	9.12						
	per circuit			UHL	UREWO		86.12	40.39								
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	TIBLE LO	OOP	•			•		•	•			•	•		
	4 Wire Unbundled HDSL Loop including manual service inquiry and															
	facility reservation - Zone 1	1	1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61						1
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61						
	4-Wire Unbundled HDSL Loop including manual service inquiry and	i	_	0112	011217	10.11	100.01	100.00	77.10	12.01						
	facility reservation - Zone 3		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61						
	4-Wire Unbundled HDSL Loop without manual service inquiry and				l											
	facility reservation - Zone 1 4-Wire Unbundled HDSL Loop without manual service inquiry and		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22						
	facility reservation - Zone 2		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22						
	4-Wire Unbundled HDSL Loop without manual service inquiry and			0112	0	10.11	100.02	110.11	02.7 1							1
	facility reservation - Zone 3		3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22						
	Unbundled Loop Service Rearrangement, change in loop facility,			l			00.40	40.00								
4 WID	per circuit E DS1 DIGITAL LOOP	<u> </u>	<u> </u>	UHL	UREWO		86.12	40.39								<u> </u>
4-4411	4-Wire DS1 Digital Loop - Zone 1	1	1	USL	USLXX	70.74	313.75	181.48	61.22	13.53	1	1			I	Т
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	100.54	313.75	181.48	61.22	13.53						
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	178.39	313.75	181.48	61.22	13.53						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS1)			USL	URESL		8.98	8.98								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)			USL	URESP		8.98	8.98								
	Unbundled Loop Service Rearrangement, change in loop facility,			OOL	OILEGI		0.50	0.50								†
	per circuit	L_		USL	UREWO	l	101.07	43.04		<u> </u>						<u></u>
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	<u> </u>		UDL	UDL2X	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	-		UDL UDL	UDL2X UDL2X	31.56 55.99	161.56 161.56	108.85 108.85	67.08 67.08	15.56 15.56	-	-				
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	 	1	UDL	UDL4X	22.20	161.56	108.85	67.08	15.56	1	1				
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		2	UDL	UDL4X	31.56	161.56	108.85	67.08	15.56						1
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	UDL	UDL4X	55.99	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		1	UDL	UDL9X	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3		3	UDL UDL	UDL9X UDL9X	31.56 55.99	161.56 161.56	108.85 108.85	67.08 67.08	15.56 15.56	-	-				
	14 VVIII OLIDURURU DIORAI LOOD 9.0 KDDS - ZOTIE 3	1	J													
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56						

UNBUNDLE	D NETWORK ELEMENTS - Florida												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3			UDL	UDL19	55.99	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	31.56 55.99	161.56	108.85	67.08	15.56						
 	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		3	UDL UDL	UDL56 UDL64	22.20	161.56 161.56	108.85 108.85	67.08 67.08	15.56 15.56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	31.56	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	55.99	161.56	108.85	67.08	15.56						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per			ODL	ODL04	33.33	101.50	100.00	07.00	13.30						
	DS0)			UDL	URESL		8.98	8.98								ĺ
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UDL	URESP		8.98	8.98								
	Unbundled Loop Service Rearrangement, change in loop facility,															
\vdash	per circuit			UDL	UREWO		102.11	49.74								
2-WIRE	Unbundled COPPER LOOP			1	1	, ,	-		ı	ı			1	1	1	
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63						
	2-Wire Unbundled Copper Loop-Designed including manual															l
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63						
	2 Wire Unbundled Copper Loop-Designed including manual service				LIOL DD	00.04	440.50	400.00	75.05	45.00						ĺ
	inquiry & facility reservation - Zone 3 2-Wire Unbundled Copper Loop-Designed without manual service		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63						
	inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed without manual service		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12						
	inquiry and facility reservation - Zone 2 2-Wire Unbundled Copper Loop-Designed without manual service		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12						
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12						ļ
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		97.21	42.47								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UCL	UCLMC		9.00	9.00								
4-WIRE	COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73						
	4-Wire Copper Loop-Designed including manual service inquiry			OOL	00240	10.01	177.07	102.70	77.10	17.70						1
	and facility reservation - Zone 3		3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22						
	4-Wire Copper Loop-Designed without manual service inquiry and			UCL	UCL4W	10.01	153.16	100.03	62.74	11.22						
	facility reservation - Zone 3		3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22						ĺ
	Order Coordination for Unbundled Copper Loops (per loop)		Ť	UCL	UCLMC		9.00	9.00								
	Unbundled Loop Service Rearrangement, change in loop facility,															ĺ
	per circuit			UCL	UREWO		97.21	42.47								ł
				UEA, UDN, UAL,												
	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL,USL	OCOSL		23.02									<u> </u>
Rearrar	ngements															
	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop- SL2			UEA	UREEL		87.71	36.35								
																i
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop			UEA	UREEL		87.71	36.35								1
\vdash	EEL to UNE-L Retermination, per 2 Wire ISDN Loop		-	UDN	UREEL		91.61	44.15								
	EEL to UNE I Determination not 4385 University 4 Division			UDL	UREEL]	100.44	49.74			1	1				İ
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop						102.11									
UNE LOOP CO	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop		-	USL	UREEL	 	101.07	43.04	-	-			-	-	-	
	ANALOG VOICE GRADE LOOP - COMMINGLING	1	<u> </u>	l	ı	ı	<u> </u>		l	l .	l	l	l .	l	l .	
Z-WIKE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			1		1	T		I	I						
	Ground Start Signaling - Zone 1		1	NTCVG	UEAL2	12.24	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	NTCVG	UEAL2	17.40	135.75	82.47	63.53	12.01						1

ONBONDLE	ED NETWORK ELEMENTS - Florida												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	e BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	NTCVG	UEAL2	30.87	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	NTCVG	UEAR2	12.24	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	NTCVG	UEAR2	17.40	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	NTCVG	UEAR2	30.87	135.75	82.47	63.53	12.01						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			NTCVG	URESL		8.98	8.98								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0) Unbundled Loop Service Rearrangement, change in loop facility,			NTCVG	URESP		8.98	8.98								-
	per circuit			NTCVG	UREWO		87.71	36.35								
	Loop Tagging - Service Level 2 (SL2)			NTCVG	URETL		11.21	1.10								
4-WIRE	E ANALOG VOICE GRADE LOOP - COMMINGLING									•			•			
\vdash	4-Wire Analog Voice Grade Loop - Zone 1			NTCVG	UEAL4	18.89	167.86	115.15	67.08	15.56						
	4-Wire Analog Voice Grade Loop - Zone 2		2	NTCVG	UEAL4	26.84	167.86	115.15	67.08	15.56						<u> </u>
	4-Wire Analog Voice Grade Loop - Zone 3		3	NTCVG	UEAL4	47.62	167.86	115.15	67.08	15.56						-
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			NTCVG	URESL		8.98	8.98								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			NTCVG	URESP		8.98	8.98								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			NTCVG	UREWO		87.71	36.35								
4-WIRE	E DS1 DIGITAL LOOP - COMMINGLING															
	4-Wire DS1 Digital Loop - Zone 1		1	NTCD1	USLXX	70.74	313.75	181.48	61.22	13.53						
	4-Wire DS1 Digital Loop - Zone 2		2	NTCD1	USLXX	100.54	313.75	181.48	61.22	13.53						
	4-Wire DS1 Digital Loop - Zone 3		3	NTCD1	USLXX	178.39	313.75	181.48	61.22	13.53						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)			NTCD1	URESL		8.98	8.98								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)			NTCD1	URESP		8.98	8.98								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			NTCD1	UREWO		101.07	43.04								
4-WIRI	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLING			111001	OKEWO	1	101.07	40.04	l .	1				l .	l	
	3 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1		1	NTCUD	UDL2X	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2		2	NTCUD	UDL2X	31.56	161.56	108.85	67.08	15.56						1
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3		3	NTCUD	UDL2X	55.99	161.56	108.85	67.08	15.56						1
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1		1	NTCUD	UDL4X	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		2	NTCUD	UDL4X	31.56	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	NTCUD	UDL4X	55.99	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		1	NTCUD	UDL9X	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		2	NTCUD	UDL9X	31.56	161.56	108.85	67.08	15.56						ļ
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3		3	NTCUD	UDL9X	55.99	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1	NTCUD	UDL19	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2		2	NTCUD	UDL19	31.56	161.56	108.85	67.08	15.56						
+-	4 Wire Unbundled Digital 19.2 Kbps - Zone 3		3	NTCUD	UDL19 UDL56	55.99	161.56	108.85	67.08 67.08	15.56						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	NTCUD NTCUD	UDL56	22.20 31.56	161.56 161.56	108.85 108.85	67.08	15.56 15.56	-					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	NTCUD	UDL56	55.99	161.56	108.85	67.08	15.56						-
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	 	1	NTCUD	UDL64	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	NTCUD	UDL64	31.56	161.56	108.85	67.08	15.56						†
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	1		NTCUD	UDL64	55.99	161.56	108.85	67.08	15.56				İ	İ	
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per			NTCUD	URESL											
	DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per						8.98	8.98								
	DS0) Unbundled Loop Service Rearrangement, change in loop facility,			NTCUD	URESP		8.98	8.98								
\vdash	per circuit			NTCUD NTCVG, NTCUD,	UREWO		102.11	49.74								
1 1	Order Coordination for Specified Conversion Time (per LSR)		l	NTCD1	OCOSL	1	23.02			Ì				1	1	1

UNBU	NDLE	D NETWORK ELEMENTS - Florida												Att: 2 Exh: A			
CATEGO		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring				oss	Rates(\$)		
\longmapsto				1	UDC, UEA, UDL,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Maintenance of Service Charge, Basic Time, per half hour			UDN, USL, UAL, UDN, USL, UAL, UDN, USL, UAL, UTD1, UTD1, UTTD1, UTTD3, UTTD3, UTTD4, UTTVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDDX, UNCDX, UNCSX, UNCX, UNCSX, UNCX, ULS	MVVBT		80.00	55.00								
-		Maintenance of Service Charge, Basic Time, per hair hour			UDC, UEA, UDL,	MVVBI		80.00	55.00								
					UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TD1, U1TS1, U1TVX, UDF, UDFCX, ULD1, ULD1, ULD1, ULD1, ULD1, ULD1, ULD1, ULD1, UNC1X, UNC5X, UNCSX, U												
		Maintenance of Service Charge, Overtime, per half hour			UNCVX, ULS	MVVOT		90.00	65.00								
LOOP MG		Maintenance of Service Charge, Premium, per half hour			UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TD3, U1TD4, U1TD4, UTS1, U1TVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCSX, UNCVX, ULS	MVVPT		100.00	75.00								
LOOP M	ODIFICA	ATION			UAL, UHL, UCL,												
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00								
		Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		10.52	10.52								
SUB-LOC		nn Dietrikusten		<u> </u>	J												
		pp Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			LIEANI LIEE	LICDOA		407.00									
		Up			UEANL, UEF	USBSA		487.23									
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility			UEANL, UEF	USBSB		6.25									
$\vdash \vdash$		Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-		1	UEANL	USBSU		169.25			 	1				-	

UNBUNDLE	D NETWORK ELEMENTS - Florida												Att: 2 Exh: A			•
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec	Nonre		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.00						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			UEANL	USBINZ	0.40	60.19	21.70	47.50	5.26						
	Zone 2		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEAINL	USBIVIC		9.00	9.00								-
	Zone 1		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60						1
	ZUITE U		3	CEAINE	U3DI14	16.58	00.63	30.42	49.71	0.00	 					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00	<u> </u>					<u> </u>		<u> </u>
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.96	51.84	13.44	47.50	5.26						
	Onder Occardination for Habrardin 10.1.1			LIFANI	1100410			2.5-								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBMC USBR4	9.37	9.00 55.91	9.00 17.51	49,71	6.60						
	Sub-Loop 4-vviile illitabuliuling Network Cable (INC)			UEANL	USBN4	9.37	33.91	17.51	49.71	0.00						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		77.09	0.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		33.12	33.12								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF UEF	UCS2X UCS2X	7.31 12.98	60.19 60.19	21.78 21.78	47.50 47.50	5.26 5.26						
	2 Wife Copper Oriburialed Sub-Loop Distribution - Zone 3		3	UEF	0032X	12.90	00.19	21.76	47.30	5.20						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	7.61	68.83	30.42	49.71	6.60						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-						0.00	2.00								
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.93	0.88								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		48.65	0.00								
Unbun	Loop Testing - Basic Additional Half Hour			UEF	URETA		23.95	23.95								
Unbun	Unbundled Sub-Loop Modification - 2-W Copper Dist Load				1	1			1 1		1			1		
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		10.11	10.11								
	Unbundled Sub-loop Modification - 4-W Copper Dist Load															
	Coil/Equip Removal per 4-W PR		1	UEF	ULM4X		10.11	10.11								
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop			UEF	ULMBT		15.58	15.58								1
Unbun	Iled Network Terminating Wire (UNTW)	1	ı	10	CLIND	1	10.00	10.00	1		1		1	1	1	
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4572	18.02									
Netwo	k Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines		1	UENTW	UND12 UND16		71.49 113.89	48.87			1					
	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W		1	UENTW UENTW	UND16 UNDC2	1	7.63	89.07 7.63	1		1			1		
- 	Network Interface Device Cross Connect - 2 W			UENTW	UNDC4		7.63	7.63			1					
UNE OTHER, F	ROVISIONING ONLY - NO RATE						50									
	Unbundled Contact Name, Provisioning Only - no rate			UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL	UNECN	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL, NTCD1	CCOSF	2,00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL, NTCD1	CCOEF		0.00									
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00				1			ļ		
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00				1					1

Version: 4Q06 Std ICA 03/16/07

Page 18 of 102

UNBUNDLE	D NETWORK ELEMENTS - Florida												Att: 2 Exh: A			
											Submitted		Incremental Charge -	Charge -	Incremental Charge -	Incrementa Charge -
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'I	Manual Svc Order vs. Electronic- Disc 1st	Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	I.	<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOOP MAKE-L	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			имк	UMKLW		52.17	52.17								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		55.07	55.07								
	Loop MakeupWith or Without Reservation, per working or spare															
LINE SPLITTIN	facility queried (Mechanized)			UMK	UMKMQ		0.6784	0.6784								
	SER ORDERING-CENTRAL OFFICE BASED		1	I	-	1										
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61						
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61						<u> </u>
	SER ORDERING - REMOTE SITE LINE SPLITTING NDLED EXCHANGE ACCESS LOOP															
	E ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 1 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57						
	Zone 1 2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57						
	Zone 2		2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57						
	Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57						
	Zone 3		3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57						
PHYSI	CAL COLLOCATION			[10								L		L	
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58						
VIRTU	AL COLLOCATION			ı	1					1	1			1		
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00						
UNBUNDLED	DEDICATED TRANSPORT			021 011 021 02	12.20	0.0002	11.01	11.01	0.00	0.00						
	OFFICE CHANNEL - DEDICATED TRANSPORT			l.												
	Interoffice Channel - 2-Wire Voice Grade - per mile			U1TVX	1L5XX	0.0091										
	Interoffice Channel - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03						<u> </u>
	Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile			U1TVX	1L5XX	0.0091										ļ
	Interoffice Channel - 4-Wire Voice Grade - per mile			U1TVX	1L5XX	0.0091										
	Interoffice Channel - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03						
	Interoffice Channel - 56 kbps - per mile			U1TDX	1L5XX	0.0091										
	Interoffice Channel - 56 kbps - Facility Termination			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03						<u> </u>
	Interoffice Channel - 64 kbps - per mile Interoffice Channel - 64 kbps - Facility Termination			U1TDX U1TDX	1L5XX U1TD6	0.0091 18.44	47.35	31.78	18.31	7.03						
	Interoffice Channel - DS1 - per mile			U1TD1	1L5XX	0.1856	47.35	31.70	10.31	7.03						
	Interoffice Channel - DS1 - Facility Termination			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05						
	Interoffice Channel - DS3 - per mile			U1TD3	1L5XX	3.87										
	Interoffice Channel - DS3 - Facility Termination			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56						
	Interoffice Channel - STS-1 - per mile			U1TS1	1L5XX	3.87										<u> </u>
HNBH	Interoffice Channel - STS-1 - Facility Termination		1	U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56	l		l	l	l	<u> </u>
UNBU	NDLED DARK FIBER - Stand Alone or in Combination Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per				1	1	ı									
	Route Mile Or Fraction Thereof Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per			UDF, UDFCX	1L5DF	26.85										
	Route Mile Or Fraction Thereof			UDF, UDFCX	UDF14		751.34	193.88								1
	Y UNBUNDLED LOCAL LOOP															
DS-3/S	TS-1 UNBUNDLED LOCAL LOOP - Stand Alone															
 	DS3 Unbundled Local Loop - per mile			UE3	1L5ND	10.92	F=0.0-	0.000		20.5						
 	DS3 Unbundled Local Loop - Facility Termination			UE3 UDLSX	UE3PX 1L5ND	386.88 10.92	556.37	343.01	139.13	96.84						
 	STS-1Unbundled Local Loop - per mile STS-1 Unbundled Local Loop - Facility Termination			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84						
ENHANCED E	XTENDED LINK (EELs)			SOLON	35231	420.00	330.37	J-40.01	133.13	30.04						
	rk Elements Used in Combinations				•					•	•	•		•		

Page 19 of 102

UNBUNDL	ED NETWORK ELEMENTS - Florida												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonreci		Nonrecurring D					Rates(\$)		
			<u> </u>	1110101	115410		First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop (SL2) in Combination - Zone 1 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2 UEAL2	12.24 17.40	127.59 127.59	60.54 60.54	48.00 48.00	6.31 6.31				-		
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	48.00	6.31						
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	48.00	6.31						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	48.00	6.31						
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	48.00	6.31						
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.54	48.00	6.31						
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.54	48.00	6.31						
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.54	48.00	6.31						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		2	UNCDX UNCDX	UDL56 UDL56	22.20 31.56	127.59 127.59	60.54 60.54	48.00 48.00	6.31 6.31						
 	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	48.00	6.31						1
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	48.00	6.31				†		t
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	48.00	6.31					i	
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	48.00	6.31						
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	DS3 Local Loop in combination - per mile			UNC3X	1L5ND	10.92	244.42	45470	07.10							
+-	DS3 Local Loop in combination - Facility Termination		-	UNC3X UNCSX	UE3PX 1L5ND	386.88 10.92	244.42	154.73	67.10	26.27						
+-	STS-1 Local Loop in combination - per mile STS-1 Local Loop in combination - Facility Termination			UNCSX	UDLS1	426.60	244.42	154.73	67.10	26.27				-		
+	Interoffice Channel in combination - 2-wire VG - per mile			UNCVX	1L5XX	0.0091	244.42	134.73	67.10	20.27						
	Interoffice Channel in combination - 2-wire VG - Facility			ONOVA	ILOXX	0.0031										
	Termination			UNCVX	U1TV2	25.32	94.70	52.59	45.28	18.03						
	Interoffice Channel in combination - 4-wire VG - per mile			UNCVX	1L5XX	0.0091										
	Interoffice Channel in combination - 4-wire VG - Facility															
L	Termination			UNCVX	U1TV4	22.58	94.70	52.59	45.28	18.03						
<u> </u>	Interoffice Channel in combination - 4-wire 56 kbps - per mile			UNCDX	1L5XX	0.0091										
	Interoffice Channel in combination - 4-wire 56 kbps - Facility			LINODY	LIATOR	40.44	04.70	50.50	45.00	40.00						
	Termination Interoffice Channel in combination - 4-wire 64 kbps - per mile			UNCDX	U1TD5 1L5XX	18.44 0.0091	94.70	52.59	45.28	18.03						
-	Interoffice Channel in combination - 4-wire 64 kbps - Facility			UNCDX	ILSAA	0.0091	+									
	Termination			UNCDX	U1TD6	18.44	94.70	52.59	45.28	18.03						
	Interoffice Channel in combination - DS1 - per mile			UNC1X	1L5XX	0.1856										
	Interoffice Channel in combination - DS1 Facility Termination			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Interoffice Channel in combination - DS3 - per mile			UNC3X	1L5XX	3.87										
	Interoffice Channel in combination - DS3 - Facility Termination			UNC3X	U1TF3	1,071.00	320.00	138.20	38.60	18.81						
	Interoffice Channel in combination - STS-1 - per mile			UNCSX	1L5XX	3.87										
	Interoffice Channel in combination - STS-1 Facility Termination			UNCSX	U1TFS	1,056.00	320.00	138.20	38.60	18.81						
	NETWORK ELEMENTS nal Features & Functions:		1	l	I .							<u> </u>		L	<u> </u>	<u> </u>
Option	iai reatures & ruffctions:			U1TD1,	1	Г	1									
	Clear Channel Capability Extended Frame Option - per DS1	Li		ULDD1,UNC1X	CCOEF		0.00									
	, , , , , , , , , , , , , , , , , , ,			U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		0.00									
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity -			ULDD1, U1TD1,												
$oxed{oxed}$	per DS1	- 1	<u> </u>	UNC1X, USL	NRCCC		184.92	23.82	2.07	0.80						
			1	U1TD3, ULDD3,								1				
\vdash	C-bit Parity Option - Subsequent Activity - per DS3	i	 	UE3, UNC3X	NRCC3	146.77	219.09	7.67 14.74	0.773	0.00 1.34						ļ
\vdash	DS1/DS0 Channel System DS3/DS1Channel System		-	UNC1X UNC3X, UNCSX	MQ1 MQ3	146.77 211.19	57.28 115.60	14.74 56.54	1.50 12.16	1.34 4.26				-	-	-
 	Voice Grade COCI in combination		 	UNCVX	1D1VG	211.19	6.71	4.84	12.10	4.20				+		1
	VOICE STAGE GOOTHI COMBINATION		t	J.107A	15140	1.50	0.71	4.04								
	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop		1	UEA	1D1VG	1.38	6.71	4.84	0.00	0.00		1				
	Voice Grade COCI - for connection to a channelized DS1 Local															
	Channel in the same SWC as collocation			U1TUC	1D1VG	1.38	6.71	4.84	0.00	0.00						
	OCU-DP COCI (2.4-64kbs) in combination			UNCDX	1D1DD	2.10	6.71	4.84	0.00	0.00						
	OCU-DP COCI (2.4-64kbs) - for Unbundled Digital Loop	ı	1	UDL	1D1DD	2.10	6.71	4.84	0.00	0.00						
		_	_			_	-									
	OCU-DP COCI (2.4-64kbs) - for connection to a channelized DS1			LIATUD	40400											
				U1TUD UNCNX	1D1DD UC1CA	2.10 3.66	6.71 6.71	4.84 4.84	0.00	0.00						

JNBUNDLE	D NETWORK ELEMENTS - Florida												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						_	Nonrecu	ırrina	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-wire ISDN COCI (BRITE) - for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.66	6.71	4.84	0.00	0.00						
	DS1 COCI in combination			UNC1X	UC1D1	13.76	6.71	4.84	0.00	0.00						
	DS1 COCI - for Stand Alone Local Channel			ULDD1	UC1D1	13.76	6.71	4.84	0.00	0.00						
	DS1 COCI - for Stand Alone Interoffice Channel			U1TD1	UC1D1	13.76	6.71	4.84	0.00	0.00						
	DS1 COCI - for DS1 Local Loop		<u> </u>	USL, NTCD1	UC1D1	13.76	6.71	4.84	0.00	0.00						
	DS1 COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUA	UC1D1	13.76	6.71	4.84	0.00	0.00						
				UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, UDFCX, XDH1X, HFQC6, XDD2X, XDV6X, XDDFX, XDD4X,												
	Wholesale - UNE, Switch-As-Is Conversion Charge			HFRST, UNCNX	UNCCC		8.98	8.98								
	L			U1TVX, U1TDX,												
	Unbundled Misc Rate Element, SNE SAI, Single Network Element -			U1TD1, U1TD3,	LIDEOL		0.00	0.00								
	Switch As Is Non-recurring Charge, per circuit (LSR) Unbundled Misc Rate Element, SNE SAI, Single Network Element -			U1TS1, UDF, UE3 U1TVX, U1TDX,	URESL		8.98	8.98								
	Switch As Is Non-recurring Charge, incremental charge per circuit			U1TD1, U1TD3,												
	on a spreadsheet			U1TS1, UDF, UE3	URESP		8.98	8.98								
Access	s to DCS - Customer Reconfiguration (FlexServ)			01101,021,020	OTTEO!		0.00	0.00								I .
	Customer Reconfiguration Establishment						1.63		1.63							
	DS1 DCS Termination with DS0 Switching					27.39	32.89	23.58	16.96	12.77						
	DS1 DCS Termination with DS1 Switching					11.70	25.07	15.76	13.05	8.86						
	DS3 DCS Termination with DS1 Switching		<u> </u>			146.81	32.89	23.58	16.96	12.77						
Node (SynchroNet) Node per month		1	UNCDX	UNCNT	16.35		1	1						1	
Service	e Rearrangements		1	UNCDX	UNCIVI	10.33										
	NRC - Change in Facility Assignment per circuit Service Rearrangement	I		U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETD		101.07	43.04								
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	ı		U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETB		3.67	3.67								
	NRC - Order Coordination Specific Time - Dedicated Transport			UNC1X, UNC3X	OCOSR		18.90	18.90								
OMMINGLING	Commingling Authorization			UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TVB, ULDVX, ULDD1, ULDD3, ULDS1	CMGAU	0.00	0.00	0.00	0.00	0.00						
Comm	ingled (UNE part of single bandwidth circuit)			VB1/01/	Librida		0.7:1	1	1					1	1	_
	Commingled VG COCI Commingled Digital COCI		1	XDV2X XDV6X	1D1VG 1D1DD	1.38 2.10	6.71 6.71	4.84 4.84	0.00	0.00						
	Commingled Digital COCI Commingled ISDN COCI			XDV6X XDD4X	UC1CA	3.66	6.71	4.84	0.00	0.00						
	Commingled 19DN COCI Commingled 2-wire VG Interoffice Channel			XDV2X	U1TV2	25.32	94.70	52.59	45.28	18.03						
	Commingled 4-wire VG Interoffice Channel			XDV6X	U1TV4	22.58	94.70	52.59	45.28	18.03						
	Commingled 56kbps Interoffice Channel			XDD4X	U1TD5	18.44	94.70	52.59	45.28	18.03						
	Commingled 64kbps Interoffice Channel			XDD4X	U1TD6	18.44	94.70	52.59	45.28	18.03						
	<u> </u>			XDV2X, XDV6X,												
	Commingled VG/DS0 Interoffice Channel Mileage		1	XDD4X	1L5XX	0.0091									l	
	Commingled 2-wire Local Loop Zone 1		1	XDV2X	UEAL2	12.24	127.59	60.54	48.00	6.31						
	Commingled 2-wire Local Loop Zone 2		2	XDV2X	UEAL2	17.40	127.59	60.54	48.00	6.31						
	Commingled 2-wire Local Loop Zone 3		3	XDV2X	UEAL2	30.87	127.59	60.54	48.00	6.31						
	Commingled 2-wire Local Loop Zone 3 Commingled 4-wire Local Loop Zone 1		U	XDV6X	UEAL4	18.89	127.59	60.54	48.00	6.31						

UNBUNDLE	D NETWORK ELEMENTS - Florida												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonreci		Nonrecurring		001450	COMAN		Rates(\$)	001111	001111
	Occupation of Assistant As	-	_	VDVOV	LIE AL 4	26.84	First 127.59	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Commingled 4-wire Local Loop Zone 2		2	XDV6X XDV6X	UEAL4 UEAL4	26.84 47.62	127.59	60.54 60.54	48.00 48.00	6.31 6.31	<u> </u>					
	Commingled 4-wire Local Loop Zone 3 Commingled 56kbps Local Loop Zone 1		3	XDD4X	UDL56	22.20	127.59	60.54	48.00 48.00	6.31	<u> </u>					
	Commingled 56kbps Local Loop Zone 2	-	2	XDD4X XDD4X	UDL56	31.56	127.59	60.54	48.00	6.31	1					
	Commingled 56kbps Local Loop Zone 3		3	XDD4X	UDL56	55.99	127.59	60.54	48.00	6.31	1					
+	Commingled 30kbps Local Loop Zone 3 Commingled 64kbps Local Loop Zone 1	-	1	XDD4X XDD4X	UDL64	22.20	127.59	60.54	48.00	6.31	1					
+	Commingled 64kbps Local Loop Zone 2	-	2	XDD4X XDD4X	UDL64	31.56	127.59	60.54	48.00	6.31	1					
+	Commingled 64kbps Local Loop Zone 3	-	3	XDD4X XDD4X	UDL64	55.99	127.59	60.54	48.00	6.31	1					
+	Commingled ISDN Local Loop Zone 1	-	1	XDD4X XDD4X	U1L2X	19.28	127.59	60.54	48.00	6.31	1					
+	Commingled ISDN Local Loop Zone 2	-	2	XDD4X XDD4X	U1L2X	27.40	127.59	60.54	48.00	6.31	1					
+	Commingled ISDN Local Loop Zone 3	-	3	XDD4X XDD4X	U1L2X	48.62	127.59	60.54	48.00	6.31	1					
+	Commingled ISBN COCI	-	3	XDH1X	UC1D1	13.76	6.71	4.84	0.00	0.00	1					
-	Commingled DS1 COCI Commingled DS1 Interoffice Channel			XDH1X	U1TF1	88.44	174.46	122.46	45.61	17.95	1					
+	Commingled DS1 Interoffice Channel Mileage	-		XDH1X	1L5XX	0.1856	174.40	122.40	45.01	17.95	1					
-				XDH1X	MQ1	146.77	57.28	14.74	1.50	1.34	-					
+	Commingled DS1/DS0 Channel System Commingled DS1 Local Loop Zone 1	-	1	XDH1X	USLXX	70.74	217.75	121.62	51.44	14.45	1					
+	Commingled DS1 Local Loop Zone 1 Commingled DS1 Local Loop Zone 2	-	2	XDH1X	USLXX	100.54	217.75	121.62	51.44	14.45	1					
+	Commingled DS1 Local Loop Zone 3	-	3	XDH1X XDH1X	USLXX	178.39	217.75	121.62	51.44	14.45	1					
	Commingled DS1 Local Loop Commingled DS3 Local Loop	-	3	HFQC6	UE3PX	386.88	244.42	154.73	67.10	26.27						
-	Commingled DS3/STS-1 Local Loop Mileage			HFQC6, HFRST	1L5ND	10.92	244.42	154.73	67.10	20.27	-					├ ──
-	Commingled DS3/STS-T Local Loop Mileage Commingled STS-1 Local Loop			HFRST	UDLS1	426.60	244.42	154.73	67.10	26.27	-					
-				HFQC6	MQ3	211.19	115.60	56.54	12.16	4.26	-					
	Commingled DS3/DS1 Channel System				U1TF3	1.071.00					ļ					
	Commingled DS3 Interoffice Channel			HFQC6	1L5XX		320.00	138.20	38.60	18.81	ļ					
	Commingled DS3 Interoffice Channel Mileage					3.87	200.00	400.00	00.00	40.04	ļ					
	Commingled STS-1Interoffice Channel			HFRST	U1TFS	1,056.00	320.00	138.20	38.60	18.81	ļ					
	Commingled STS-1Interoffice Channel Mileage			HFRST	1L5XX	3.87	-				ļ					
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber															
	Strands, Per Route Mile Or Fraction Thereof			HEQDL	1L5DF	26.85	-				ļ					
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber						754.04									1
	Strands, Per Route Mile Or Fraction Thereof			HEQDL	UDF14	0.00	751.34	193.88	0.00	0.00	ļ					
	UNE to Commingled Conversion Tracking			XDH1X, HFQC6	CMGUN	0.00	0.00	0.00	0.00	0.00	ļ					
LND O	SPA to Commingled Conversion Tracking			XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00	ļ					
LNP Query Ser				-	-	0.000050	-				ļ					
	LNP Charge Per query			-	-	0.000852	40.00	40.00	40.74	40.74	ļ					
	LNP Service Establishment Manual			-	-		13.83	13.83	12.71	12.71	ļ					
044 DDV I 004	LNP Service Provisioning with Point Code Establishment			-	-		655.50	334.88	297.03	218.40	ļ					
911 PBX LOCA											l .					<u>i</u>
911 PB	X LOCATE DATABASE CAPABILITY	1	_	opppo	ODDELL		4 000 00				ı	1	1	1	ı	1
 	Service Establishment per CLEC per End User Account	-		9PBDC	9PBEU		1,820.00				1			 	-	
 	Changes to TN Range or Customer Profile	-	-	9PBDC	9PBTN	0.07	182.14				1			 	 	
 	Per Telephone Number (Monthly)	-		9PBDC 9PBDC	9PBMM 9PBPC	0.07	534.66				1			 	-	
 	Change Company (Service Provider) ID	-				470.00	534.66				1			 	-	
 	PBX Locate Service Support per CLEC (Monthlt)	-		9PBDC	9PBMR	178.80	11.00				1			 	-	
044.55	Service Order Charge	1		9PBDC	9PBSC		11.90		l		l			L	L	<u> </u>
	X LOCATE TRANSPORT COMPONENT															
See Att	13 	1	1	1	1	1					1			ı	1	
																1

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonro	ourring.	Monrocurring	Disconnect			000	Rates(\$)		
						Rec	Nonred First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							1 1131	Auu	1 1131	Auu	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
The "Zo	one" shown in the sections for stand-alone loops or loops as pa	rt of a co	ombina	tion refers to Geograp	hically Deav	eraged UNE Zo	nes. To view G	eographically	Deaveraged UN	E Zone Design	ations by Ce	entral Office,	refer to interr	net Website:	•	
	ww.interconnection.bellsouth.com/become_a_clec/html/interco	nnectio	n.htm													
OPERATIONS :	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE:	(1) CLEC should contact its contract negotiator if it prefers the '	'otata ar	ooifio"	OSS oborgos os orde	rad by the S	tata Cammiccia	nc The OSS o	haraas aurrant	ly contained in t	hic rate exhibit	are the Bell	South "roak	nal" convice	ordoring oborg	CI EC ma	v alaat aitha
	te specific Commission ordered rates for the service ordering ch															
NOTE:	(2) Any element that can be ordered electronically will be billed	accordir	ng to the	e SOMEC rate listed i	n this catego	ory. Please refe	r to BellSouth's	Local Ordering	Handbook (LO	H) to determin	e if a produc	t can be ord	lered electroni	cally. For thos	se elements th	nat cannot b
	d electronically at present per the LOH, the listed SOMEC rate in	this cate	egory re	flects the charge that	t would be b	illed to a CLEC	once electronic	ordering capal	oilities come on-	line for that ele	ment. Othe	rwise, the m	anual orderin	g charge, SON	IAN, will be ap	oplied to a
CLECs	bill when it submits an LSR to BellSouth.					1			ı				1	1	1	
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request				JOINILO		3.30	0.00	3.30	0.00						
	(LSR) - UNE Only		<u>L</u>		SOMAN		11.71	0.00	6.13	0.00						<u></u>
	OSS - Electronic Service Order Charge, Per Local Service															
NE CERVICE	Request (LSR) - UNE Only Per First 1000 Orders Per Month DATE ADVANCEMENT CHARGE			SSOSS	SOMGA	0.00										
	The Expedite charge will be maintained commensurate with Be	llSouth'	's ECC I	No 1 Tariff Section 5	ae annlicahl				l					l		
NOTE.	The Expedite charge will be maintained commensurate with be	lioutii	1	VO.1 Tarin, Section 5	as applicabl	i.			1					1		
				UAL, UEANL, UCL, UEF, UDC, UDF, UDC, UDD, UENTW, UDN, UEA, UHITW, UDN, UEA, UHITD3, UHITD3, UHITD3, UHITD3, UHITD3, UHITD3, UHITD3, UHITD3, UCHBL, UCHBL, UCHBL, UCHCL, UCHCL, UCHCL, UCHCL, UCHCL, UCHCL, UCHL, UCHL, UCHL, UCHL, UDLHA, UDLD3, UDLSX, UEA, ULDD1, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, UNCDX, UNCDX, UNCNX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UXTD3, UTT12,												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			U1TUD, U1TUB, U1TUA,NTCVG, NTCUD, NTCD1	SDASP		200.00									
RDER MODIF	ICATION CHARGE						26.24	0.00	0.00	0.00						1
	Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD)						26.21 150.00	0.00	0.00	0.00						1
NBUNDLED E	EXCHANGE ACCESS LOOP						100.00	0.00	5.50	5.50						
2-WIRE	ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.08	39.98	9.98	5.61	1.72						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	17.43	39.98	9.98	5.61	1.72						ļ
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	35.09	39.98	9.98	5.61	1.72						1
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-	1 2	UEANL UEANL	UEASL UEASL	12.08 17.43	39.98 39.98	9.98 9.98	5.61 5.61	1.72 1.72		-		 		1
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	35.09	39.98	9.98	5.61	1.72						
	Tag Loop at End User Premise		J	UEANL	URETL	33.09	8.92	0.88	5.01	1.72						1
			-			 						1		l		1
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		26.64	0.00 15.15								

UNBUN	DLE	D NETWORK ELEMENTS - Georgia												Att: 2 Exh: A			
CATEGOR		·	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring		COMEC	COMAN		Rates(\$)	COMAN	COMAN
-		Manual Order Coordiantion for UVL-SL1s (per loop)			UEANL	UEAMC		First 18.90	Add'I 18.90	First	Add'l 1.72	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		Order Coordination for Specified Conversion Time for UVL-SL1		1	UEANL	UEANIC	+	16.90	16.90	5.61	1.72	-					-
		(per LSR)			UEANL	OCOSL		57.73									
		Unbundled Non-Design Voice Loop, billing for BST providing make up (Engineering Information - E.I.)			UEANL	UEANM		7.29	7.29								
		Unbundled Loop Service Rearrangement, change in loop facility,															
		per circuit			UEANL	UREWO		15.75	8.92	5.61	1.72						
		Bulk Migration, per 2 Wire Voice Loop-SL1			UEANL	UREPN		39.98	9.98	5.61	1.72						
		Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1			UEANL	UREPM		18.90	18.90								
2-		UNBUNDLED COPPER LOOP - NON-DESIGNED									1						
		2 Wire Unbundled Copper Loop Non-Designed- Zone 1		1	UEQ	UEQ2X	11.02	44.69	22.40								
		2 Wire Unbundled Copper Loop Non-Designed- Zone 2		2	UEQ	UEQ2X	12.72	44.69	22.40								
$\vdash \!$		2 Wire Unbundled Copper Loop Non-Designed-Zone 3		3	UEQ	UEQ2X	20.22	44.69	22.40							ļ	
$\vdash \!$		Tag Loop at End User Premise		↓	UEQ	URETL		8.92	0.88							ļ	
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		26.64	0.00								
-		Loop Testing - Basic Additional Half Hour		1	UEQ	URETA		15.15	15.15	ļ				 		 	
		Manual Order Coordination 2 Wire Unbundled Copper Loop - Non- Designed (per loop)			UEQ	USBMC		18.90	18.90								
		Unbundled Copper Loop - Non-Design, billing for BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		7.29	7.29								
	l.	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UEQ	UREWO		14.25	7.42								
-		Bulk Migration, per 2 Wire UCL-ND		1	UEQ	UREPN	+	44.69	22.40			-					ļ
		Bulk Migration Order Coordination, per 2 Wire UCL-ND			UEQ	UREPM		18.90	18.90								
IINBIINDI		XCHANGE ACCESS LOOP			UEQ	UKEFIVI		10.90	10.90								
		ANALOG VOICE GRADE LOOP				1	li			1		1		1		1	I
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.32	79.78	24.62	18.90	7.86						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	18.66	79.78	24.62	18.90	7.86						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.33	79.78	24.62	18.90	7.86						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	13.32	79.78	24.62	18.90	7.86						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		<u> </u>	02/1	OL/ II L	10.02	10.10	21.02	10.00	7.00						
		Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA	UEAR2	18.66	79.78	24.62	18.90	7.86						
		Battery Signaling - Zone 3		3	UEA	UEAR2	36.33	79.78	24.62	18.90	7.86						
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			UEA	URESL		6.54	6.54								
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UEA	URESP		6.54	6.54								
		Unbundled Loop Service Rearrangement, change in loop facility,			ue.	LIDENIC	[.= =-	22.5]				l		l	
\vdash		per circuit Loop Tagging - Service Level 2 (SL2)		 	UEA UEA	UREWO URETL		87.72 11.19	36.36 1.10							 	
-		Bulk Migration, per 2 Wire Voice Loop-SL2		1	UEA	UREPN	+	79.78	24.62			-					ļ
\vdash		Bulk Migration, per 2 Wire Voice Loop-SL2 Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2	-	1	UEA	UREPM	+	0.00	0.00	 				 		 	1
4-1		ANALOG VOICE GRADE LOOP			UEA	UKEFIVI	l l	0.00	0.00								
 		4-Wire Analog Voice Grade Loop - Zone 1		1 1	UEA	UEAL4	21.04	92.92	28.14	19.50	8.12			1		1	
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	24.49	92.92	28.14	19.50	8.12						
\vdash		4-Wire Analog Voice Grade Loop - Zone 2		3	UEA	UEAL4	33.40	92.92	28.14	19.50	8.12			 		l	
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			UEA	URESL	30.10	6.54	6.54	.5.50	0.12						
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UEA	URESP		6.54	6.54								
		Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UEA	UREWO		87.72	36.36								
100	WIPE	per circuit ISDN DIGITAL GRADE LOOP		1	UEA	UKEWU	I	81.12	36.36	l		<u> </u>		<u> </u>	1	<u> </u>	L
 2-		2-Wire ISDN Digital Grade Loop - Zone 1		1 1	UDN	U1L2X	21.89	180.06	35.25	18.23	6.97			1		1	
\vdash		2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25.27	180.06	35.25	18.23	6.97			 		 	
\vdash		2-Wire ISDN Digital Grade Loop - Zone 2		3	UDN	U1L2X	40.17	180.06	35.25	18.23	6.97					-	
\vdash		Unbundled Loop Service Rearrangement, change in loop facility,		-	5511	J.LL/	40.17	100.00	55.25	10.20	5.97						
1 1		per circuit			UDN	UREWO		120.98	33.04							1	
		ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA															

Version: 4Q06 Std ICA 03/16/07

Page 24 of 102

<u>INBU</u> NDLE	D NETWORK ELEMENTS - Georgia												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring		001450	001111		Rates(\$)	001111	001141
	2 Wire Unbundled ADSL Loop including manual service inquiry &						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	facility reservation - Zone 1		1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop including manual service inquiry &			UAL	UALZA	11.23	44.03	31.33	0.00	0.00						
	facility reservation - Zone 2		2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop including manual service inquiry &															
	facility reservation - Zone 3		3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1		1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop without manual service inquiry &			UAL	UALZVV	11.23	44.09	31.00	0.00	0.00						
	facility reservaton - Zone 2		2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00						ļ
	Unbundled Loop Service Rearrangement, change in loop facility,			UAL	UREWO		44.69	29.29								
2-WIDE	Per circuit HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	I I I I I I I I I I I I I I I I I I I	OOP.	UAL	UREWO	L	44.69	29.29	l	l				l		<u>. </u>
2 11111	2 Wire Unbundled HDSL Loop including manual service inquiry &	l lock to	<u> </u>													T
	facility reservation - Zone 1		1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop including manual service inquiry &															
	facility reservation - Zone 2		2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00						<u> </u>
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	14.48	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry and		3	UNL	UHLZA	14.40	44.09	31.55	0.00	0.00						
	facility reservation - Zone 1		1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry and			-												
	facility reservation - Zone 2		2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry and		_													
_	facility reservation - Zone 3 Unbundled Loop Service Rearrangement, change in loop facility,		3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00						
	per circuit			UHL	UREWO		44.69	31.55								
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	TIBLE LO	OOP	OTIL	OKEWO		44.00	01.00	ı	ı	l					
	4 Wire Unbundled HDSL Loop including manual service inquiry and	ı														
	facility reservation - Zone 1		1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop including manual service inquiry and	i	2	UHL	111111 437	40.00	44.00	04.55	0.00	0.00						
-	facility reservation - Zone 2 4-Wire Unbundled HDSL Loop including manual service inquiry and			UHL	UHL4X	12.00	44.69	31.55	0.00	0.00						-
	facility reservation - Zone 3	1	3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop without manual service inquiry and		Ť	****												
	facility reservation - Zone 1		1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 2 4-Wire Unbundled HDSL Loop without manual service inquiry and		2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00						-
	facility reservation - Zone 3		3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00						
	Unbundled Loop Service Rearrangement, change in loop facility,			-												
	per circuit			UHL	UREWO		44.69	31.55								
4-WIRE	DS1 DIGITAL LOOP													1	1	
_	4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2		2	USL USL	USLXX	49.41 52.55	211.72 211.72	72.42 72.42	38.20 38.20	7.19 7.19						
	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	68.40	211.72	72.42	38.20	7.19						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		Ŭ	002	OOLXX	00.40	211.72	12.72	00.20	7.10						
	DS1)			USL	URESL		6.54	6.54								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS1)	<u> </u>		USL	URESP		6.54	6.54	ļ	ļ						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			USL	UREWO		100.91	42.97			1					1
	271 - 4-Wire DS1 Digital Loop - Zone 1	1	1	USL	271UC	85.97	211.72	72.42	38.20	7.19						
	271 - 4-Wire DS1 Digital Loop - Zone 2		2	USL	271UC	81.27	211.72	72.42	38.20	7.19						
	271 - 4-Wire DS1 Digital Loop - Zone 3		3	USL	271UC	128.28	211.72	72.42	38.20	7.19						
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP						,									_
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	 	1 2	UDL UDL	UDL2X UDL2X	25.81 31.54	196.47 196.47	36.96 36.96	18.80 18.80	7.19 7.19						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	I	3	UDL	UDL2X	42.38	196.47	36.96	18.80	7.19						\vdash
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1		1	UDL	UDL4X	25.81	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		2	UDL	UDL4X	31.54	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	UDL	UDL4X	42.38	196.47	36.96	18.80	7.19	l					

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
						Rec	Nonreci	urring	Nonrecurring I					Rates(\$)		
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		1	UDL	UDL9X	25.81	First 196.47	Add'I 36.96	First 18.80	Add'l 7.19	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		2	UDL	UDL9X	31.54	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3		3	UDL	UDL9X	42.38	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1	UDL	UDL19	25.81	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2		2	UDL	UDL19	31.54	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3		3	UDL	UDL19	42.38	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	25.81	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	31.54	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	1	3	UDL UDL	UDL56 UDL64	42.38 25.81	196.47 196.47	36.96	18.80 18.80	7.19 7.19						-
_	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	1	1 2	UDL	UDL64	31.54	196.47	36.96 36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	42.38	196.47	36.96	18.80	7.19						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		Ť	052	ODEO:	12.00	100.11	00.00	10.00	7.10						
	DS0)			UDL	URESL		6.54	6.54								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)			UDL	URESP		6.54	6.54								
	Unbundled Loop Service Rearrangement, change in loop facility,															
0.14/11	per circuit			UDL	UREWO		101.95	49.66								
2-WII	RE Unbundled COPPER LOOP				1 1											
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed including manual			UCL	UCLFB	12.02	44.09	31.00	0.00	0.00						
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00						
	2 Wire Unbundled Copper Loop-Designed including manual service	9														
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed without manual service															
	inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00						
	Order Coordination for Unbundled Copper Loops (per loop)	1	3	UCL	UCLMC	22.07	18.90	18.90	0.00	0.00						
	Unbundled Loop Service Rearrangement, change in loop facility,			OCL	OCLIVIC		10.90	10.30								
	per circuit			UCL	UREWO		44.69	31.55								
4-WIF	RE COPPER LOOP				1											
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed including manual service inquiry					00.55		04.55								
	and facility reservation - Zone 3		3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00						
 	4-Wire Copper Loop-Designed without manual service inquiry and	 	+-	OOL	UCLAW	10.05	44.09	31.00	0.00	0.00						
	facility reservation - Zone 2		2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed without manual service inquiry and	1						220		2.30						
	facility reservation - Zone 3	<u> </u>	3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.90	18.90		·						
	Unbundled Loop Service Rearrangement, change in loop facility,															
	per circuit	1	 	UCL	UREWO		44.69	31.55								
	Order Coordination for Specified Companies Time - (LOD)			UEA, UDN, UAL,	00000		E7 70									
Door	Order Coordination for Specified Conversion Time (per LSR)	1	l .	UHL, UDL, USL	OCOSL		57.73								1	
rean	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-					1	1		ı							
	SL2			UEA	UREEL		79.85	24.65								
		1			1			00								
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop	<u> </u>	L l	UEA	UREEL		79.85	24.65							<u> </u>	<u></u>
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop			UDN	UREEL		120.98	33.02		·						
-						1	I		U							
	EEL to UNE-L Retermination, per 4 Wire Unmbundled Digital Loop)		UDL	UREEL		101.95	49.66								
INE LOSS S	EEL to UNE-L Retermination, per 4 Wire Unmbundled Digital Loop EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop OMMINGLING)		UDL USL	UREEL UREEL		101.95 100.91	49.66 42.97								

Version: 4Q06 Std ICA 03/16/07

Page 26 of 102

[CCCS Amendment 80 of 173]

UNBUNDLE	ED NETWORK ELEMENTS - Georgia				·			·					Att: 2 Exh: A	·		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring		001450	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SUMAN	SUMAN	SUMAN
	Ground Start Signaling - Zone 1		1	NTCVG	UEAL2	13.32	79.78	24.62	18.90	7.86						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 2		2	NTCVG	UEAL2	18.66	79.78	24.62	18.90	7.86						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		3	NTCVG	UEAL2	00.00	70.70	24.62	18.90	7.00						
 	Ground Start Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3	NICVG	UEALZ	36.33	79.78	24.02	16.90	7.86						+
i l	Battery Signaling - Zone 1		1	NTCVG	UEAR2	13.32	79.78	24.62	18.90	7.86						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
$\vdash \vdash \vdash$	Battery Signaling - Zone 2		2	NTCVG	UEAR2	18.66	79.78	24.62	18.90	7.86						
i l	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	NTCVG	UEAR2	36.33	79.78	24.62	18.90	7.86						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	NICVO	OLAKZ	30.33	79.70	24.02	10.90	7.00						
	DS0)			NTCVG	URESL		6.54	6.54								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)	-		NTCVG	URESP		6.54	6.54								
1	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			NTCVG	UREWO		87.72	36.36								
	Loop Tagging - Service Level 2 (SL2)			NTCVG	URETL		11.19	1.10								†
4-WIRI	E ANALOG VOICE GRADE LOOP	•				•			•	•			•	•	•	
	4-Wire Analog Voice Grade Loop - Zone 1		1	NTCVG	UEAL4	21.04	92.92	28.14	19.50	8.12						
	4-Wire Analog Voice Grade Loop - Zone 2		2	NTCVG NTCVG	UEAL4 UEAL4	24.49 33.40	92.92 92.92	28.14 28.14	19.50 19.50	8.12 8.12						
	4-Wire Analog Voice Grade Loop - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1	3	NICVG	UEAL4	33.40	92.92	28.14	19.50	8.12						+
i l	DS0)			NTCVG	URESL		6.54	6.54								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)			NTCVG	URESP		6.54	6.54								
i l	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			NTCVG	LIDEWO		87.72	36.36								
4-WIRI	E DS1 DIGITAL LOOP - COMMINGLING	1	11	NICVG	UREWO		87.72	36.36			l	l				
1 11	4-Wire DS1 Digital Loop - Zone 1		1	NTCD1	USLXX	49.41	211.72	72.42	38.20	7.19						
	4-Wire DS1 Digital Loop - Zone 2		2	NTCD1	USLXX	52.55	211.72	72.42	38.20	7.19						
\vdash	4-Wire DS1 Digital Loop - Zone 3		3	NTCD1	USLXX	68.40	211.72	72.42	38.20	7.19						
i l	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)			NTCD1	URESL		6.54	6.54								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			NICDI	UNESL		0.54	0.54								+
i l	DS1)			NTCD1	URESP		6.54	6.54								
	Unbundled Loop Service Rearrangement, change in loop facility,															
	per circuit			NTCD1	UREWO		100.91	42.97								
4-WIRE	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLING	i I	1 1	NTCUD	UDL2X	25.81	196.47	36.96	18.80	7.19	1	1			1	
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2		2	NTCUD	UDL2X	31.54	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3		3	NTCUD	UDL2X	42.38	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1		1	NTCUD	UDL4X	25.81	196.47	36.96	18.80	7.19						
\vdash	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		2	NTCUD	UDL4X	31.54	196.47	36.96	18.80	7.19						
\vdash	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	3	NTCUD NTCUD	UDL4X UDL9X	42.38 25.81	196.47 196.47	36.96 36.96	18.80 18.80	7.19 7.19						+
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		2	NTCUD	UDL9X	31.54	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3		3	NTCUD	UDL9X	42.38	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1	NTCUD	UDL19	25.81	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2		2	NTCUD	UDL19	31.54	196.47	36.96	18.80	7.19						
\vdash	4 Wire Unbundled Digital 19.2 Kbps - Zone 3 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		3	NTCUD NTCUD	UDL19 UDL56	42.38 25.81	196.47 196.47	36.96 36.96	18.80 18.80	7.19 7.19						+
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	NTCUD	UDL56	31.54	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	NTCUD	UDL56	42.38	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	NTCUD	UDL64	25.81	196.47	36.96	18.80	7.19						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	1	2	NTCUD	UDL64	31.54	196.47	36.96	18.80	7.19						
$\vdash\!\!\!-\!\!\!\!\!-$	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	<u> </u>	3	NTCUD	UDL64	42.38	196.47	36.96	18.80	7.19						+
1 1	DS0)			NTCUD	URESL		6.54	6.54								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per						2.01	2.01								
1	DS0)			NTCUD	URESP		6.54	6.54								<u> </u>
	Unbundled Loop Service Rearrangement, change in loop facility,								i							

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring				oss	Rates(\$)		
\vdash				NTCVG, NTCUD,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time (per LSR)			NTCD1	OCOSL		57.73									
End-to-End Te	sting															
MAINTENANC	E OF SERVICE			LIDO LIEA LIDI												
				UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDSX, UE3, ULDD1, ULDD3, ULDVX, ULDS1, ULDVX,												
				UNC1X, UNC3X,												
	Maintenance of Service Charge, Basic Time, per half hour			UNCDX, UNCSX, UNCVX, ULS	MVVBT		80.00	55.00								
	Maintenance of Service Charge, Overtime, per half hour			UDC, UEA, UDL, UDN, USL, UAL, UL, UCN, NTCUD, NTCD1, U1TD1, U1TD1, U1TD3, U1TD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD4, UNC1X, UTD1, UTD1, UTD1, UTD1, UTD1, UTD1, UTD1, UTD3, UTD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDD3, ULDX, UNC1X, UNC1X, UNC1X, UNC1X, UNC1X, UNC1X, UNC1X, UNC1X, UNC1X, UNC1X, UNC1X, UNC1X, UTD1, ULD NTC UNT UNT UNT UNT UNT UNT UNT UNT UNT UNT	MVVOT		90.00	65.00								
	Maintenance of Service Charge, Premium, per half hour			UNCDX, UNCSX, UNCVX, ULS	MVVPT		100.00	75.00								
LOOP MODIFIC				JINOVA, OLO	IVI V V I I		100.00	7 3.00								
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		29.97									
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		68.11									
	Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		17.91									
SUB-LOOPS	Platellantan															
Sub-Lo	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up			UEANL, UEF	USBSA		255.51									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL, UEF	USBSB		7.29									

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Att: 2 Exh: A		-	
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonred		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility			LIFANI	LIODOO		474.00									
	Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-			UEANL	USBSC		174.92		1							
	Up			UEANL	USBSD		51.56									
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working and															
	Spare Loop Activation			UEANL	USBRC	3.71	28.43	3.85	2.20	0.01						
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working and			LIFANI	HODDD	7.00	04.04	4.70	0.07	0.04						
	Spare Loop Activation Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1 1	UEANL	USBRD	7.90	31.04	4.79	2.27	0.01						
	Zone 1		1	UEANL	USBN2	7.45	28.43	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			02/1112	002.12	7.10	20.10	0.00	2.20	0.01						
	Zone 2		2	UEANL	USBN2	11.18	28.43	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN2	21.46	28.43	3.85	2.20	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	6.91	31.04	4.79	2.27	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEANL	USBIN4	0.91	31.04	4.79	2.21	0.01						
	Zone 2		2	UEANL	USBN4	10.98	31.04	4.79	2.27	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	20.32	31.04	4.79	2.27	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL UEANL	USBMC USBR2	0.74	18.90	18.90	0.00	0.04						
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.71	28.43	3.85	2.20	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.90	18.90								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	7.90	31.04	4.79	2.27	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.90	18.90								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		26.64	0.00								
	Loop Testing - Basic Additional Half Hour		1	UEANL UEF	URETA	6.00	15.15 28.43	15.15 3.85		0.01						
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X UCS2X	6.88 8.32	28.43	3.85	2.20 2.20	0.01	1					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		3	UEF	UCS2X	10.26	28.43	3.85		0.01						
																
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.90	18.90								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	7.55	31.04	4.79		0.01						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	7.12	31.04	4.79		0.01						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	10.26	31.04	4.79	2.27	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.90	18.90								
	Loop tagging Service Level 1, Unbundled Copper Loop, Non-			OLI	CODIVIC		10.50	10.50								
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.92	0.88								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		26.64	0.00								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		15.15	15.15								
Unbun	dled Sub-Loop Modification	1							1	1				1	1	1
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		0.00	0.00								
_	Unbundled Sub-loop Modification - 4-W Copper Dist Load		\vdash	OL1	OLIVIZA		0.00	0.00	1	1	t			1		†
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		0.00	0.00								
	Unbundled Loop Modification, Removal of bridge Tap, per															
	unbundled loop			UEF	ULMBT		0.00	0.00	<u> </u>							<u></u>
Unbun	dled Network Terminating Wire (UNTW)			LIENTA/	LIENDE	0.5005	05.10	40.00	T	ı						
Notres	Unbundled Network Terminating Wire (UNTW) per Pair rk Interface Device (NID)			UENTW	UENPP	0.5325	25.10	12.27	I	I	L		<u> </u>	<u> </u>	<u> </u>	
NetWO	Network Interface Device (NID) - 1-2 lines			UENTW	UND12	1	32.82	20.67	I	I						T
	Network Interface Device (NID) - 1-2 lines Network Interface Device (NID) - 1-6 lines			UENTW	UND16		55.97	43.82								
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		2.45	2.45								
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		2.45	2.45								
NE OTHER, I	PROVISIONING ONLY - NO RATE															L

UNRI	INDI F	D NETWORK ELEMENTS - Georgia												Att: 2 Exh: A			
CATEG		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		<u> </u>
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Contact Name, Provisioning Only - no rate			UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL,	UNECN	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option - no	-		USL, NTCD1	CCOSF		0.00									
		rate			USL, NTCD1	CCOEF		0.00									
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	<u> </u>	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
LOOP I	MAKE-U		-	-		1											├
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		15.18	15.18								<u> </u>
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).		<u></u>	UMK	UMKLP		19.83	19.83								<u> </u>
		Loop MakeupWith or Without Reservation, per working or spare															
		facility queried (Mechanized)			UMK	UMKMQ		0.823	0.823								
LINE S	PLITTIN	G SER ORDERING-CENTRAL OFFICE BASED		<u> </u>			<u> </u>										<u> </u>
	END U	Line Splitting - per line activation DLEC owned splitter		1	UEPSR UEPSB	UREOS	0.61								I	I	
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.0197	34.43	22.35	10.38	7.34						
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.0188	34.43	22.35	10.38	7.34						
	END US	SER ORDERING - REMOTE SITE LINE SPLITTING															
		Remote Site Shared Loop Line Activation for End Users - CLEC Owned Splitter			UEPSR UEPSB	URERS	0.61	57.13	23.12	7.11	7.11						
		Remote Site Shared Loop - Subsequent Activity - CLEC Owned Splitter			UEPSR UEPSB	URERA		54.10	21.46								
	UNBUN	IDLED EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1- Line Splitting - CLEC Owned Splitter - Zone 1		1	UEPSR UEPSB	UEARS	6.52	28.46	3.85	2.20	0.01						
		Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1- Line Splitting - CLEC Owned Splitter - Zone 2		2	UEPSR UEPSB	UEARS	10.18	28.46	3.85	2.20	0.01						
		Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1- Line Splitting - CLEC Owned Splitter - Zone 3		3	UEPSR UEPSB	UEARS	19.51	28.46	3.85	2.20	0.01						
	UNE Lo	pop Rates for Line Splitting (In Ga. PSC ordered the line splitting		SOCs													
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1		1	UEPSR UEPSB	UEALS	10.98	10.04	7.35	1.37	1.28						
	!	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2		2	UEPSR UEPSB UEPSR UEPSB	UEABS UEALS	10.98 16.30	10.04 10.04	7.35 7.35	1.37 1.37	1.28 1.28	_					
	1	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	<u> </u>	2	UEPSR UEPSB	UEABS	16.30	10.04	7.35	1.37	1.28				1	1	<u> </u>
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3	i	3	UEPSR UEPSB	UEALS	34.73	10.04	7.35	1.37	1.28						
		2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	ı	3	UEPSR UEPSB	UEABS	34.73	10.04	7.35	1.37	1.28						
	PHYSIC	CAL COLLOCATION															
	ĺ	Physical Collocation-2 Wire Cross Connects (Loop) for Line			HEDED HEDED	DE4LC	0.0000	0.00	0.00								1
	VIRTII	Splitting AL COLLOCATION	<u> </u>	<u> </u>	UEPSR UEPSB	PE1LS	0.0202	0.00	0.00	l l		<u> </u>			L	L	
	VIICIO	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0192	0.00	0.00	0.00	0.00						
		HARING															
		The Line Sharing monthly recurring rates for all installations co	mpleted	on or a	after October 02, 2003	3 shall be bille	ed as follows:										<u> </u>
	SPLITT	ERS-CENTRAL OFFICE BASED		1	ULS	ULSDA	117 18	243.66	0.00	90.11	0.00	1					
	-	Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity	 	\vdash	ULS	ULSDA	117.18 29.30	243.66	0.00	90.11	0.00						
		Line Sharing Splitter, Per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	9.77	243.66	0.00	90.11	0.00						
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD)			ULS	ULSDG		72.34	0.00	68.76	0.00						
LINE S	HARING				510	02000		72.04	0.00	55.75	0.00						
		SER ORDERING-CENTRAL OFFICE BASED LINE SHARING	•		•	•						•					
		Line Sharing - per Line Activation (BST Owned splitter)			ULS	ULSDC	0.61	10.51	7.70	7.00	4.20						
		Line Sharing - per Line Activation (BST Owned splitter)			ULS	ULSDT	6.50	24.53	0.00	12.26	0.00						
		Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter			ULS	ULSDS		48.91	17.86	22.87	2.28						1

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
			1			Rec	Nonrec		Nonrecurring		00150			Rates(\$)		
	Line Sharing - per Subsequent Activity per Line						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Rearrangement(BST Owned Splitter			ULS	ULSCS		36.23	13.23	16.94	1.69						
	Line Sharing - per Line Activation (DLEC owned Splitter)			ULS	ULSCC		29.88	16.28	12.08	7.34						-
	Line Sharing - per Line Activation (DLEC owned Splitter)			ULS	ULSCT		29.88	16.28	12.08							
REMC	TE SITE HIGH FREQUENCY SPECTRUM															
	TERS-REMOTE SITE															
	Remote Site Line Share BellSouth Owned Splitter, 24 Port			ULS	ULSRB	31.64	90.65		64.74							
	Remote Site Line Share Line Activationfor End User Served at															
	RS, BST Splitter			ULS	ULSRT		43.54	17.28	6.82	3.82						
	Remote Site Line Share Cable Pair Activation CLEC Owned at RS															
	and Deactivation			ULS	ULSTG		75.02		47.17							
	MAINTENANCE															
	No Trouble Found - per 1/2 hour increments - Basic						80.00	0.00								
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	0.00								
	No Trouble Found - per 1/2 hour increments - Premium		-				160.00	0.00								ļ
	DEDICATED TRANSPORT										l .					<u> </u>
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT			LIATION	1L5XX	0.0050				1		1	1	1	1	
\vdash	Interoffice Channel - 2-Wire Voice Grade - per mile Interoffice Channel - 2-Wire Voice Grade - Facility Termination	-	+	U1TVX U1TVX	U1TV2	0.0059 13.15	48.41	19.46	16.56	4.99						
\vdash	Interoffice Channel - 2-Wire Voice Grade - Facility Termination Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile		+ +	U1TVX	1L5XX	0.0059	40.41	19.46	10.30	4.99					-	
+-	Interoffice Charmer - 2-wire voice Grade Rev Bat per mile		+ +	UTIVA	ILSAA	0.0059									-	
	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	13.15	48.41	19.46	16.56	4.99						
	Interoffice Channel - 4-Wire Voice Grade - per mile	-	+	U1TVX	1L5XX	0.0059	40.41	13.40	10.50	4.33						-
	Interoffice Charmer 4-vviile voice Grade - per fillie	-	+	UTIVA	ILOXX	0.0033										-
	Interoffice Channel - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	11.01	48,41	19.46	16.56	4.99						
 	Interoffice Channel - 56 kbps - per mile			U1TDX	1L5XX	0.0059	40.41	10.40	10.00	4.00					1	
	Interoffice Channel - 56 kbps - Facility Termination			U1TDX	U1TD5	8.00	48,41	19.46	16.56	4.99					1	
	Interoffice Channel - 64 kbps - per mile			U1TDX	1L5XX	0.0059	10.11	10.10	10.00							
	Interoffice Channel - 64 kbps - Facility Termination			U1TDX	U1TD6	8.00	48.41	19.46	16.56	4.99						†
	Interoffice Channel - DS1 - per mile			U1TD1	1L5XX	0.1199										†
	Interoffice Channel - DS1 - Facility Termination			U1TD1	U1TF1	34.93	110.92	80.20	31.33	21.71						
	Interoffice Channel - DS3 - per mile			U1TD3	1L5XX	2.63										
	Interoffice Channel - DS3 - Facility Termination			U1TD3	U1TF3	349.42	320.16	86.24	66.71	52.76						
	Interoffice Channel - STS-1 - per mile			U1TS1	1L5XX	2.63										
	Interoffice Channel - STS-1 - Facility Termination			U1TS1	U1TFS	366.43	320.16	86.24	66.71	52.76						
UNBU	NDLED DARK FIBER															
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per															
	Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	24.17										
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per															
	Route Mile Or Fraction Thereof			UDF, UDFCX	UDF14		1,774.79	89.66	73.57	18.69						
	TY UNBUNDLED LOCAL LOOP										l					<u> </u>
DS-3/S	STS-1 UNBUNDLED LOCAL LOOP - Stand Alone	1		LIEO	41 END	44.40			ı		1		ı	ı		1
\vdash	DS3 Unbundled Local Loop - per mile DS3 Unbundled Local Loop - Facility Termination	-	+	UE3 UE3	1L5ND UE3PX	11.40 258.44	1,751.51	131.77	112.80	75.81						
	STS-1Unbundled Local Loop - Pacility Termination		+	UDLSX	1L5ND	11.40	1,/51.51	131.77	112.00	75.61						
	STS-1 Unbundled Local Loop - Facility Termination		+ +	UDLSX	UDLS1	349.42	1,751.51	131.77	112.80	75.81					-	
ENHANCED E	EXTENDED LINK (EELs)		+ +	UDLOX	ODEST	349.42	1,751.51	131.77	112.00	75.61						
	ork Elements Used in Combinations				1	l I	I			l .	l					
Herme	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	13.32	195.75	36.35	18.40	6.86	I					1
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	18.66	195.75	36.35	18.40	6.86						
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	36.33	195.75	36.35	18.40	6.86						
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	21.04	195.75	36.35	18.40	6.86			İ	İ		
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	24.49	195.75	36.35	18.40	6.86						
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	33.40	195.75	36.35	18.40	6.86						
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	22.73	195.75	36.35	18.40	6.86						
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	29.11	195.75	36.35	18.40	6.86						
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	46.42	195.75	36.35	18.40	6.86						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	25.81	195.75	36.35	18.40	6.86						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	31.54	195.75	36.35	18.40	6.86						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	42.38	195.75	36.35	18.40	6.86						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	25.81	195.75	36.35	18.40	6.86						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	31.54	195.75	36.35	18.40	6.86						
oxdot	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	42.38	195.75	36.35	18.40	6.86						
	4-Wire DS1 Digital Loop in Combination - Zone 1		1 1 T	UNC1X	USLXX	49.41	209.25	70.37	37.87	6.86	_	· ·			1	1

UNBUNDLE	ED NETWORK ELEMENTS - Georgia												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Luis Bours III I o II i i 7			11110414	1101 101		First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop in Combination - Zone 2 4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X UNC1X	USLXX	52.55 68.40	209.25 209.25	70.37 70.37	37.87 37.87	6.86						
	DS3 Local Loop in combination - per mile		3	UNC3X	1L5ND	11.40	209.25	10.31	31.01	0.00						-
	DS3 Local Loop in combination - Facility Termination			UNC3X	UE3PX	258.44	1,259.23	628.22	41.49	20.74						
	STS-1 Local Loop in combination - per mile			UNCSX	1L5ND	11.40	,									
	STS-1 Local Loop in combination - Facility Termination			UNCSX	UDLS1	349.42	1,259.23	628.22	41.49	20.74						
	Interoffice Channel in combination - 2-wire VG - per mile			UNCVX	1L5XX	0.0059										
	Interoffice Channel in combination - 2-wire VG - Facility			LINCVIV	U1TV2	12.15	66.47	33.57	43.38	27.57						İ
h + +	Termination Interoffice Channel in combination - 4-wire VG - per mile	-	1	UNCVX	1L5XX	13.15 0.0059	66.47	33.57	43.30	27.57						.
	Interoffice Channel in combination - 4-wire VG - Facility			ONCVA	TESKA	0.0039										
	Termination		1	UNCVX	U1TV4	10.78	66.47	33.57	43.38	27.57						1
	Interoffice Channel in combination - 4-wire 56 kbps - per mile			UNCDX	1L5XX	0.0059										
	Interoffice Channel in combination - 4-wire 56 kbps - Facility															
	Termination			UNCDX	U1TD5	8.00	66.47	33.57	43.38	27.57						
	Interoffice Channel in combination - 4-wire 64 kbps - per mile Interoffice Channel in combination - 4-wire 64 kbps - Facility			UNCDX	1L5XX	0.0059										-
	Termination			UNCDX	U1TD6	8.00	66.47	33.57	43.38	27.57						İ
	Interoffice Channel in combination - DS1 - per mile			UNC1X	1L5XX	0.1199	00.47	00.01	40.00	21.01						
	Interoffice Channel in combination - DS1 Facility Termination			UNC1X	U1TF1	34.93	87.67	45.69	43.76	27.95						
	Interoffice Channel in combination - DS3 - per mile			UNC3X	1L5XX	2.63										
	Interoffice Channel in combination - DS3 - Facility Termination			UNC3X	U1TF3	349.42	325.59	76.99	49.51	32.85						
	Interoffice Channel in combination - STS-1 - per mile			UNCSX	1L5XX	2.63	005.50	70.00	10.51	20.05						
ADDITIONAL	Interoffice Channel in combination - STS-1 Facility Termination			UNCSX	U1TFS	366.43	325.59	76.99	49.51	32.85						1
	al Features & Functions:	l	<u> </u>				I		l l				l			
				U1TD1,												
	Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CCOEF		0.00									
				U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1	ı		ULDD1,UNC1X	CCOSF		0.00									
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	١,		ULDD1, U1TD1,	NRCCC		184.62	23.78	2.03	0.79						İ
h + +	per DS1	-		UNC1X, USL U1TD3, ULDD3,	NRCCC		184.62	23.78	2.03	0.79						-
	C-bit Parity Option - Subsequent Activity - per DS3	l i		UE3, UNC3X	NRCC3		218.74	7.66	0.7591	0.00						
	DS1/DS0 Channel System			UNC1X	MQ1	71.23	86.01	0.00	0.00	0.00						
	DS3/DS1Channel System			UNC3X, UNCSX	MQ3	124.39	0.00	0.00	0.00	0.00						
	Voice Grade COCI in combination			UNCVX	1D1VG	0.479	27.30	2.90	16.85	1.04						
					45.040		07.00		40.05							
	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop Voice Grade COCI - for connection to a channelized DS1 Local			UEA	1D1VG	0.479	27.30	2.90	16.85	1.04						
	Channel in the same SWC as collocation			U1TUC	1D1VG	0.479	27.30	2.90	16.85	1.04						İ
	OCU-DP COCI (2.4-64kbs) in combination			UNCDX	1D1DD	1.02	27.30	2.90	16.85	1.04						
	OCU-DP COCI (2.4-64kbs) - for Unbundled Digital Loop			UDL	1D1DD	1.02	27.30	2.90	16.85	1.04						
	OCU-DP COCI (2.4-64kbs) - for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.02	27.30	2.90	16.85	1.04						
	2-wire ISDN COCI (BRITE) in combination			UNCNX	UC1CA	1.70	27.30	2.90	16.85	1.04						1
h + +	2-wire ISDN COCI (BRITE) - for a Local Loop 2-wire ISDN COCI (BRITE) - for connection to a channelized DS1			UDN	UC1CA	1.70	27.30	2.90	16.85	1.04						-
	Local Channel in the same SWC as collocation			U1TUB	UC1CA	1.70	27.30	2.90	16.85	1.04						İ
	DS1 COCI in combination			UNC1X	UC1D1	7.50	27.30	2.90	16.85	1.04						
	DS1 COCI - for Stand Alone Local Channel			ULDD1	UC1D1	7.50	27.30	2.90	16.85	1.04						
	DS1 COCI - for Stand Alone Interoffice Channel			U1TD1	UC1D1	7.50	27.30	2.90	16.85	1.04						
 	DS1 COCI - for DS1 Local Loop	<u> </u>	 	USL, NTCD1	UC1D1	7.50	27.30	2.90	16.85	1.04					1	
	DS1 COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUA	UC1D1	7.50	27.30	2.90	16.85	1.04						İ
	ure same swe as conocanon			UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, UDFCX, XDH1X, HFQC6, XDD2X, XDV6X,	00101	7.50	21.30	2.90	10.65	1.04						
	Wholesale - UNE, Switch-As-Is Conversion Charge			XDDFX, XDD4X, HFRST, UNCNX	UNCCC		5.69	5.69	6.60	6.60						

UNBU	INDLE	D NETWORK ELEMENTS - Georgia												Att: 2 Exh: A			
CATEG		RATE ELEMENTS	Interim	Zone	BCS	usoc		Nonrec	RATES(\$)	Nonrecurring	Disconnect	Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
					U1TVX, U1TDX,	-	-	riist	Add I	riist	Add I	SOIVIEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
		Unbundled Misc Rate Element, SNE SAI, Single Network Element			U1TD1, U1TD3,												
		Switch As Is Non-recurring Charge, per circuit (LSR)	1.		U1TS1, UDF, UE3	URESL		5.69	5.69	6.60	6.60						
		Unbundled Misc Rate Element, SNE SAI, Single Network Element	- '-		U1TVX, U1TDX,	UKESL	 	5.09	5.09	0.00	6.60						+
		Switch As Is Non-recurring Charge, incremental charge per circuit	1		U1TD1, U1TD3,												
		on a spreadsheet	l i		U1TS1, UDF, UE3	URESP		5.69	5.69	6.60	6.60						
	Access	to DCS - Customer Reconfiguration (FlexServ)	· · · ·		01101,021,020	O.LEO.	1	0.00	0.00	0.00	0.00						
	7.00000	Customer Reconfiguration Establishment						1.40		1.63							
		DS1 DCS Termination with DS0 Switching					20.08	24.87	18.91	15.02	11.94						
		DS1 DCS Termination with DS1 Switching					7.24	18.16	12.19	11.13	8.05						
		DS3 DCS Termination with DS1 Switching					128.34	24.87	18.91	15.02	11.94						
	Node (S	SynchroNet)	•				•	•				•	•	•			*
		Node per month			UNCDX	UNCNT	13.98										
		Rearrangements															
					U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX,												
		NRC - Change in Facility Assignment per circuit Service Rearrangement	ı		ULDDX, UNCVX, UNCDX, UNC1X	URETD		100.91	42.97								
		NRC - Change in Facility Assignment per circuit Project			U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX,												
		Management (added to CFA per circuit if project managed)	l ,		UNCDX, UNC1X	URETB		3.68	3.68								
		NRC - Order Coordination Specific Time - Dedicated Transport	l i		UNC1X, UNC3X	OCOSR		18.89	18.89								
COMMI	NGLING				,												
		Commingling Authorization			UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDD3, ULDS1	CMGAU	0.00	0.00	0.00	0.00	0.00						
		ngled (UNE part of single bandwidth circuit and interfaces)	l		ULDST	CIVIGAU	0.00	0.00	0.00	0.00	0.00	l .			l .	l .	
		Commingled VG COCI			XDV2X	1D1VG	0.479	27.30	2.90	16.85	1.04	I					1
		Commingled Digital COCI			XDV6X	1D1DD	1.02	27.30	2.90	16.85	1.04						1
		Commingled ISDN COCI			XDD4X	UC1CA	1.70	27.30	2.90	16.85	1.04						
		Commingled 2-wire VG Interoffice Channel			XDV2X	U1TV2	13.15	66.47	33.57	43.38	27.57						
		Commingled 4-wire VG Interoffice Channel			XDV6X	U1TV4	10.78	66.47	33.57	43.38	27.57						
		Commingled 56kbps Interoffice Channel			XDD4X	U1TD5	8.00	66.47	33.57	43.38	27.57						
		Commingled 64kbps Interoffice Channel			XDD4X	U1TD6	8.00	66.47	33.57	43.38	27.57						
					XDV2X, XDV6X,												
		Commingled VG/DS0 Interoffice Channel Mileage			XDD4X	1L5XX	0.0059										
		Commingled 2-wire Local Loop Zone 1		1	XDV2X	UEAL2	13.32	195.75	36.35	18.40	6.86						
		Commingled 2-wire Local Loop Zone 2		2	XDV2X	UEAL2	18.66	195.75	36.35	18.40	6.86						
		Commingled 2-wire Local Loop Zone 3		3	XDV2X	UEAL2	36.33	195.75	36.35	18.40	6.86						
-		Commingled 4-wire Local Loop Zone 1	<u> </u>	2	XDV6X XDV6X	UEAL4	21.04 24.49	195.75	36.35	18.40	6.86						
		Commingled 4-wire Local Loop Zone 2 Commingled 4-wire Local Loop Zone 3	1	3	XDV6X XDV6X	UEAL4 UEAL4	33.40	195.75 195.75	36.35 36.35	18.40 18.40	6.86 6.86				 	 	
\vdash		Commingled 4-wire Local Loop Zone 3 Commingled 56kbps Local Loop Zone 1	 	1	XDD4X	UDL56	25.81	195.75	36.35	18.40	6.86						
\vdash		Commingled 56kbps Local Loop Zone 1 Commingled 56kbps Local Loop Zone 2	 	2	XDD4X XDD4X	UDL56	31.54	195.75	36.35	18.40	6.86				 	 	
		Commingled 56kbps Local Loop Zone 3	1	3	XDD4X XDD4X	UDL56	42.38	195.75	36.35	18.40	6.86				1	1	†
		Commingled 64kbps Local Loop Zone 1	1	1	XDD4X XDD4X	UDL64	25.81	195.75	36.35	18.40	6.86						
		Commingled 64kbps Local Loop Zone 2	†	2	XDD4X	UDL64	31.54	195.75	36.35	18.40	6.86				l	l	
		Commingled 64kbps Local Loop Zone 3	1	3	XDD4X	UDL64	42.38	195.75	36.35	18.40	6.86				İ	İ	1
		Commingled ISDN Local Loop Zone 1	1	1	XDD4X	U1L2X	22.73	195.75	36.35	18.40	6.86				İ	İ	1
		Commingled ISDN Local Loop Zone 2	1	2	XDD4X	U1L2X	29.11	195.75	36.35	18.40	6.86				1	1	
		Commingled ISDN Local Loop Zone 3	<u></u>	3	XDD4X	U1L2X	46.42	195.75	36.35	18.40	6.86						
		Commingled DS1 COCI			XDH1X	UC1D1	7.50	27.30	2.90	16.85	1.04						
		Commingled DS1 Interoffice Channel			XDH1X	U1TF1	34.93	87.67	45.69	43.76	27.95						
		Commingled DS1 Interoffice Channel Mileage	1 -		XDH1X	1L5XX	0.1199			I	I	l			l		1
		Commingled DS1/Interoffice Charmer Wileage Commingled DS1/DS0 Channel System			XDH1X	MQ1	71,23	86.01	0.00	0.00	0.00						

UNBUNDLED	NETWORK ELEMENTS - Georgia												Att: 2 Exh: A			
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
								- (.,			per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Commingled DS1 Local Loop Zone 1		1	XDH1X	USLXX	49.41	209.25	70.37	37.87	6.86	0020	00	00.12.11			
	Commingled DS1 Local Loop Zone 2		2	XDH1X XDH1X	USLXX	52.55	209.25	70.37	37.87	6.86						†
	Commingled DS1 Local Loop Zone 3		3	XDH1X XDH1X	USLXX	68.40	209.25	70.37	37.87	6.86						†
	Commingled DS3 Local Loop		Ŭ	HFQC6	UE3PX	258.44	1.751.51	131.77	112.80	75.81						
	Commingled DS3/STS-1 Local Loop Mileage			HFQC6, HFRST	1L5ND	11.40	1,701.01	101.77	112.00	70.01						
	Commingled STS-1 Local Loop			HFRST	UDLS1	349.42	1.751.51	131.77	112.80	75.81						
	Commingled DS3/DS1 Channel System			HFQC6	MQ3	124.39	0.00	0.00	0.00	0.00						
	Commingled DS3 Interoffice Channel			HFQC6	U1TF3	349.42	325.59	76.99	49.51	32.85						
	Commingled DS3 Interoffice Channel Mileage			HFQC6	1L5XX	2.63										
	Commingled STS-1Interoffice Channel			HFRST	U1TFS	366.43	325.59	76.99	49.51	32.85						
	Commingled STS-1Interoffice Channel Mileage			HFRST	1L5XX	2.63										1
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber			-												1
	Strands, Per Route Mile Or Fraction Thereof			HEQDL	1L5DF	24.17										
C	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber															
s	Strands, Per Route Mile Or Fraction Thereof			HEQDL	UDF14		1,774.79	89.66	73.57	18.69						
U	JNE to Commingled Conversion Tracking			XDH1X, HFQC6	CMGUN	0.00	0.00	0.00	0.00	0.00						
S	SPA to Commingled Conversion Tracking			XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00						
LNP Query Service	ce															
L	NP Charge Per query					0.0008034										
L	NP Service Establishment Manual						12.49		11.09							
L	NP Service Provisioning with Point Code Establishment						574.87	293.68	251.47	184.91						
911 PBX LOCATI	E															
911 PBX	LOCATE DATABASE CAPABILITY															
S	Service Establishment per CLEC per End User Account			9PBDC	9PBEU		1,825.00									
C	Changes to TN Range or Customer Profile			9PBDC	9PBTN		182.67									
P	Per Telephone Number (Monthly)			9PBDC	9PBMM	0.07										
C	Change Company (Service Provider) ID			9PBDC	9PBPC		536.23									
	PBX Locate Service Support per CLEC (Monthlt)			9PBDC	9PBMR	176.96		•		•						
	Service Order Charge			9PBDC	9PBSC		11.73									
911 PBX	LOCATE TRANSPORT COMPONENT				·								•		·	
See Att 3	· · · · · · · · · · · · · · · · · · ·															
Note: Rat	tes displaying an "I" in Interim column are interim as a result o	of a Comi	mission	order.												

UNBUNDLI	ED NETWORK ELEMENTS - Kentucky												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
ı							Manag		Nemesium	Discounces			220	Detec(\$)		
						Rec	First	curring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
							11131	Auu i	11131	Auu	JOIVILO	SOMAN	JONAN	JONAN	JOHIAN	JOINAIN
The "Z	Zone" shown in the sections for stand-alone loops or loops as pa	rt of a co	ombina	tion refers to Geogra	hically Deav	eraged UNE Zo	nes. To view 0	eographically	Deaveraged UN	E Zone Design	ations by Ce	entral Office	refer to interr	net Website:		
	www.interconnection.bellsouth.com/become_a_clec/html/interco	nnectio	n.htm													
PERATIONS	S SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE	: (1) CLEC should contact its contract negotiator if it prefers the '	etata er	acific"	OSS charges as orde	rad by the S	tata Commissio	ne The OSS o	harase current	ly contained in	hie rate evhibit	are the Bell	South "roak	anal" corvice (ordering charg	ne CIEC ma	v alact aithe
	ate specific Commission ordered rates for the service ordering ch															
NOTE	: (2) Any element that can be ordered electronically will be billed	accordir	ng to th	e SOMEC rate listed i	n this catego	ory. Please refe	r to BellSouth's	Local Ordering	Handbook (LC	H) to determin	e if a produc	t can be ord	lered electroni	ically. For thos	se elements th	hat cannot b
	ed electronically at present per the LOH, the listed SOMEC rate in	this cate	egory re	eflects the charge tha	t would be b	illed to a CLEC	once electronic	ordering capal	oilities come on	line for that ele	ment. Othe	rwise, the m	nanual orderin	g charge, SON	MAN, will be ap	pplied to a
CLEC	s bill when it submits an LSR to BellSouth. OSS - Electronic Service Order Charge, Per Local Service		1	1	1		1		1		1	1	1	1		1
	Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request				CONILO		0.00	0.00	0.00	0.00						
	(LSR) - UNE Only				SOMAN		7.86	0.00	0.99	0.00						
	E DATE ADVANCEMENT CHARGE		- 500	N- 4 T												
NOTE	: The Expedite charge will be maintained commensurate with Be	eliSouth'	s FCC	No.1 Tariff, Section 5 UAL, UEANL, UCL,	as applicabl	e. T	I		1		l	ı	l	1	1	1
				UEF, UDF, UEQ,												
				UDL, UENTW, UDN,												
				UEA, UHL, ULC,												
				USL, U1T12, U1T48,												
				U1TD1, U1TD3,												
				U1TDX, U1TO3,												
				U1TS1, U1TVX,												
				UC1BC, UC1BL, UC1CC, UC1CL,												
				UC1DC, UC1DL,												
				UC1EC, UC1EL,												
				UC1FC, UC1FL,												
				UC1GC, UC1GL,												
				UC1HC, UC1HL,												
				UDL12, UDL48, UDLO3, UDLSX,												
				UE3, ULD12,												
				ULD48, ULDD1,												
				ULDD3, ULDDX,												
				ULDO3, ULDS1,												
				ULDVX, UNC1X,												
				UNC3X, UNCDX,												
				UNCNX, UNCSX,												
				UNCVX, UNLD1, UNLD3, UXTD1,												
				UXTD3, UXTS1,												
				U1TUC, U1TUD,												
				U1TUB,												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUA,NTCVG,												
DDED MOST	Day CHARGE		<u> </u>	NTCUD, NTCD1	SDASP		200.00		 							1
NODEK MODI	FICATION CHARGE Order Modification Charge (OMC)						33.37	0.00	0.00	0.00						1
	Order Modification Additional Dispatch Charge (OMCAD)					1	150.00	0.00	0.00	0.00						1
	EXCHANGE ACCESS LOOP															
	E ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65						1
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL UEANL	UEAL2 UEAL2	15.34 31.11	46.66 46.66	22.57 22.57	26.65 26.65	7.65 7.65						1
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2 UEASL	10.56	46.66	22.57	26.65	7.65						1
<u> </u>	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2		2	UEANL	UEASL	15.34	46.66	22.57	26.65	7.65						1
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	31.11	46.66	22.57	26.65	7.65						
	Tag Loop at End User Premise			UEANL	URETL		8.93	0.88								
1 -	Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	0.00								1
				UEANL	URETA		24.16	24.16	1		1	1	1			1
	Loop Testing - Basic Additional Half Hour															
	Loop Testing - Basic Additional Half Hour Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1			UEANL	UEAMC		9.00	9.00								

JNBUNDLE	D NETWORK ELEMENTS - Kentucky					•							Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonreci		Nonrecurring		COMEO	SOMAN		Rates(\$)	SOMAN	SOMAN
	Unbundled Non-Design Voice Loop, billing for BST providing make		-			-	First	Add'l	First	Add'l	SOMEC	SUMAN	SOMAN	SOMAN	SUMAN	SUMAN
	up (Engineering Information - E.I.)			UEANL	UEANM		13.49	13.49								
	Unbundled Loop Service Rearrangement, change in loop facility,			UEANL	UEAINIVI	 	13.49	13.49								
	per circuit			UEANL	UREWO		15.78	8.94	26.65	7.65						
	Bulk Migration, per 2 Wire Voice Loop-SL1			UEANL	UREPN		46.66	22.57	26.65	7.65						
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1			UEANL	UREPM		9.00	9.00								
2-WIRE	Unbundled COPPER LOOP				_											
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.58	44.97	20.89	25.64	6.65						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	11.51	44.97	20.89	25.64	6.65						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Tag Loop at End User Premise		3	UEQ UEQ	UEQ2X URETL	13.19	44.97 8.93	20.89 0.88	25.64	6.65						
	Loop Testing - Basic 1st Half Hour		1	UEQ	URET1		46.88	0.00								
	Loop Testing - Basic 1st Hall Hour		<u> </u>	UEQ	URETA	+	24.16	24.16							l	
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-		<u> </u>		CILLIA	 	27.10	24.10								
	Designed (per loop)			UEQ	USBMC	<u> </u>	9.00	9.00	<u> </u>	<u> </u>					<u></u>	<u> </u>
	Unbundled Copper Loop - Non-Design, billing for BST providing															
	make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49	13.49								ļ
	Unbundled Loop Service Rearrangement, change in loop facility,															
	per circuit			UEQ	UREWO		14.27	7.43	25.64	6.65						
	Bulk Migration, per 2 Wire UCL-ND		1	UEQ UEQ	UREPN UREPM	 	44.97 9.00	20.89	25.64	6.65						
	Bulk Migration Order Coordination, per 2 Wire UCL-ND EXCHANGE ACCESS LOOP		1	UEQ	UKEPIVI		9.00	9.00								
	ANALOG VOICE GRADE LOOP		ı	l	-1	l L	<u> </u>		l	<u> </u>					l	l
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1													
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	1154	LIEADO	40.07	404.00	04.07	70.05	44.00						
	Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88						
	Battery Signaling - Zone 2		2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			OLA	OEMIZ	17.40	104.00	01.07	70.00	14.00						
	Battery Signaling - Zone 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)			UEA	URESL		24.96	3.52								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)			UEA	URESP		26.44	5.01								
	Unbundled Loop Service Rearrangement, change in loop facility,			l												
	per circuit Loop Tagging - Service Level 2 (SL2)	-	1	UEA UEA	UREWO URETL	 	87.72 11.21	36.36 1.10								
	Bulk Migration, per 2 Wire Voice Loop-SL2	1	1	UEA	UREPN		134.89	81.87								1
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2			UEA	UREPM	 	0.00	0.00							1	1
4-WIRE	ANALOG VOICE GRADE LOOP			1	121121111		3.30	5.00					1			
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	29.26	164.11	112.36	78.91	18.66						
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	34.25	164.11	112.36	78.91	18.66						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	85.06	164.11	112.36	78.91	18.66						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per				Lunes]										
	DS0)			UEA	URESL		24.96	3.52								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UEA	URESP		26.44	5.01								
-+-	Unbundled Loop Service Rearrangement, change in loop facility,		1	UEA	UKESP	+	∠6.44	5.01	1						-	}
	per circuit			UEA	UREWO]	87.72	36.36								
2-WIRE	ISDN DIGITAL GRADE LOOP			1	,		02	00.00					1	1	•	
	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	18.44	146.77	95.02	71.38	13.83						
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	25.08	146.77	95.02	71.38	13.83						
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	42.87	146.77	95.02	71.38	13.83						
	Unbundled Loop Service Rearrangement, change in loop facility,				Luneuro]										
0.1405=	per circuit	TID! F :	000	UDN	UREWO	1	91.63	44.16	l .	l .					<u> </u>	1
	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	INBLE	-006													
Z-WINE	2 Wire Unbundled ADSL Loop including manual service inquiry &						I									

<u>UNBU</u> NDLE	ED NETWORK ELEMENTS - Kentucky												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)					Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
			<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54						
	Unbundled Loop Service Rearrangement, change in loop facility,		3			12.07			09.09	11.54						
2 WIDI	per circuit E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	TIDLE L	200	UAL	UREWO		86.20	40.40								
Z-WIRI	2 Wire Unbundled HDSL Loop including manual service inquiry &	I IBLE LO	JOP	1	1	ı				ı					1	ı
	facility reservation - Zone 1		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54						
	2 Wire Unbundled HDSL Loop without manual service inquiry and		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54						
	facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry and		2	UHL	UHLZW	9.56	130.74	78.56	69.09	11.54						
	facility reservation - Zone 3 Unbundled Loop Service Rearrangement, change in loop facility,		3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54						
	per circuit			UHL	UREWO		86.14	40.40								
4-WIRI	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	TIBLE LO	OOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	i	1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69						
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	t	2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69						
	4-Wire Unbundled HDSL Loop including manual service inquiry and	i	<u> </u>													
	facility reservation - Zone 3 4-Wire Unbundled HDSL Loop without manual service inquiry and		3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69						
	facility reservation - Zone 1 4-Wire Unbundled HDSL Loop without manual service inquiry and		1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80						
	facility reservation - Zone 2		2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UHL	UREWO		86.14	40.40								
4-WIRI	E DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	86.47	306.69	174.44	65.83	14.55						
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	114.10	306.69	174.44	65.83	14.55						
	4-Wire DS1 Digital Loop - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	USL	USLXX	297.76	306.69	174.44	65.83	14.55						
	DS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			USL	URESL		24.96	3.52								
	DS1) Unbundled Loop Service Rearrangement, change in loop facility,	-		USL	URESP		26.44	5.01								
4 140-	per circuit			USL	UREWO		101.09	43.04								
4-WIRI	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	4	UDL	UDL2X	27.59	157.81	106.06	78.91	18.66					1	1
-	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1			UDL	UDL2X	32.48	157.81	106.06	78.91	18.66						
1	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	1		UDL	UDL2X	36.37	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1		1	UDL	UDL4X	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		2	UDL	UDL4X	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	UDL	UDL4X	36.37	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	<u> </u>	1	UDL	UDL9X	27.59	157.81	106.06	78.91	18.66						<u> </u>
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	1	3	UDL UDL	UDL9X UDL9X	32.48 36.37	157.81 157.81	106.06 106.06	78.91 78.91	18.66 18.66						-
				IODL				100.00	10.91							1
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1	UDL	UDL19	27.59	157.81	106.06	78.91	18.66						

UNBUN	DLED	NETWORK ELEMENTS - Kentucky												Att: 2 Exh: A			
CATEGOR		RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonreci		Nonrecurring					Rates(\$)		
		A Mice Hele and Benjaria I AO O Marca - Zana O		3	LIDI	UDL19	36.37	First	Add'I	First	Add'l 18.66	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4 Wire Unbundled Digital 19.2 Kbps - Zone 3 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		-	UDL UDL	UDL19	27.59	157.81 157.81	106.06 106.06	78.91 78.91	18.66						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	32.48	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	36.37	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	32.48	157.81	106.06	78.91	18.66						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	36.37	157.81	106.06	78.91	18.66						
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
		DS0)			UDL	URESL		24.96	3.52								
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UDL	URESP		26.44	5.01								
	ι	Unbundled Loop Service Rearrangement, change in loop facility,															
	r	per circuit			UDL	UREWO		102.13	49.75								<u></u>
2-1		Unbundled COPPER LOOP													-		
		2-Wire Unbundled Copper Loop-Designed including manual									-					1	1
igsqcut		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54						└
		2-Wire Unbundled Copper Loop-Designed including manual	l	1 _			1]									l	1
$\vdash \vdash$		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54						├
		2 Wire Unbundled Copper Loop-Designed including manual service		_													
		nquiry & facility reservation - Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54						
		2-Wire Unbundled Copper Loop-Designed without manual service			UCL	UCLPW	10.82	120.15	67.97	69.09	11.54						
_		nquiry and facility reservation - Zone 1		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54						├──
	i	2-Wire Unbundled Copper Loop-Designed without manual service nquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54						L
		2-Wire Unbundled Copper Loop-Designed without manual service		_													
		nquiry and facility reservation - Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								⊢—
		CLEC to CLEC Conversion Charge without outside dispatch (UCL- Des)			UCL	UREWO		97.23	42.48								
4-1		COPPER LOOP			UCL	UKEWO	l l	91.23	42.40							l .	
		4-Wire Copper Loop-Designed including manual service inquiry						1								I	
		and facility reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69						
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69						
	4	4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69						
		4-Wire Copper Loop-Designed without manual service inquiry and acility reservation - Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69						
		4-Wire Copper Loop-Designed without manual service inquiry and															
	f	acility reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69						
	4	4-Wire Copper Loop-Designed without manual service inquiry and															
	f	acility reservation - Zone 3		3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
		Unbundled Loop Service Rearrangement, change in loop facility,															
	F	per circuit			UCL	UREWO		97.23	42.48								.
		2-d 0 l' (1 0 D)			UEA, UDN, UAL,	00001		00.04									
D.		Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL, USL	OCOSL		23.01									<u> </u>
I TE		gements EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-					1									1	
		SL2			UEA	UREEL		87.72	36.36								
		JLE .			OLA	OKELL		01.12	00.00								
	F	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop			UEA	UREEL		87.72	36.36								
		EEL to UNE-L Retermination, per 2 Wire ISDN Loop			UDN	UREEL		91.63	44.16								
		EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop	<u></u>		UDL	UREEL		102.13	49.75							<u></u>	
	E	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop			USL	UREEL		101.09	43.04								
		IMINGLING															
2-1		ANALOG VOICE GRADE LOOP - COMMINGLING			1	-											
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			NITOVO	115410	40.05	40.00	24.2-	=							1
$\vdash \vdash$		Ground Start Signaling - Zone 1		1	NTCVG	UEAL2	12.67	134.89	81.87	73.65	14.88					-	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	NTCVG	UEAL2	17.45	134.89	81.87	73.65	14.88						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															

JNBUNDLE	D NETWORK ELEMENTS - Kentucky												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring I					Rates(\$)	•	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			1,701/0		40.07	404.00	04.07	70.05							
	Battery Signaling - Zone 1		1	NTCVG	UEAR2	12.67	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		_	NTCVG	UEAR2	17.45	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			NICVG	UEARZ	17.45	134.09	01.07	73.00	14.00						
	Battery Signaling - Zone 3		3	NTCVG	UEAR2	33.22	134.89	81.87	73.65	14.88						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)			NTCVG	URESL		24.96	3.52								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)			NTCVG	URESP		26.44	5.01								
	Unbundled Loop Service Rearrangement, change in loop facility,				[<u>.</u>]	l										
	per circuit		<u> </u>	NTCVG	UREWO		87.72	36.36							-	
4 14/155	Loop Tagging - Service Level 2 (SL2)	1	l	NTCVG	URETL	l.	11.21	1.10	I J		l	l			I	L
4-WIRE	ANALOG VOICE GRADE LOOP - COMMINGLING 4-Wire Analog Voice Grade Loop - Zone 1	1	1	NTCVG	UEAL4	29.26	164.11	112.36	78.91	18.66	1	1			1	T
	4-Wire Analog Voice Grade Loop - Zone 1	1		NTCVG	UEAL4	34.25	164.11	112.36	78.91	18.66						
	4-Wire Analog Voice Grade Loop - Zone 2	1		NTCVG	UEAL4	85.06	164.11	112.36	78.91	18.66						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		Ť		1				12.21							
	DS0)			NTCVG	URESL		24.96	3.52								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)			NTCVG	URESP		26.44	5.01								
	Unbundled Loop Service Rearrangement, change in loop facility,															
	per circuit			NTCVG	UREWO		87.72	36.36								
4-WIRE	DS1 DIGITAL LOOP - COMMINGLING			I	1											
	4-Wire DS1 Digital Loop - Zone 1		1	NTCD1	USLXX	86.47	306.69	174.44	65.83	14.55						
	4-Wire DS1 Digital Loop - Zone 2		2	NTCD1	USLXX	114.10	306.69	174.44	65.83	14.55						
	4-Wire DS1 Digital Loop - Zone 3		3	NTCD1	USLXX	297.76	306.69	174.44	65.83	14.55						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)			NTCD1	URESL		24.96	3.52								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			NICDI	UNESL		24.90	3.32								
	DS1)			NTCD1	URESP		26.44	5.01								
	Unbundled Loop Service Rearrangement, change in loop facility,															†
	per circuit			NTCD1	UREWO		101.09	43.04								
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLING			•		•	•						•	•	•	
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1		1	NTCUD	UDL2X	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2			NTCUD	UDL2X	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	ļ	3	NTCUD	UDL2X	36.37	157.81	106.06	78.91	18.66					ļ	ļ
_	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	<u> </u>	1	NTCUD	UDL4X	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	1	2	NTCUD	UDL4X	32.48	157.81	106.06	78.91	18.66						├
_	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	3	NTCUD NTCUD	UDL4X UDL9X	36.37 27.59	157.81 157.81	106.06 106.06	78.91 78.91	18.66 18.66	 	 				
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	!	2	NTCUD	UDL9X UDL9X	32.48	157.81	106.06	78.91 78.91	18.66						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3		3	NTCUD	UDL9X	36.37	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1	i e	1	NTCUD	UDL19	27.59	157.81	106.06	78.91	18.66					i	†
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	1	2	NTCUD	UDL19	32.48	157.81	106.06	78.91	18.66					İ	1
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3		3	NTCUD	UDL19	36.37	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	NTCUD	UDL56	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	NTCUD	UDL56	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	NTCUD	UDL56	36.37	157.81	106.06	78.91	18.66						<u> </u>
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	ļ	1	NTCUD	UDL64	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	NTCUD	UDL64	32.48	157.81	106.06	78.91	18.66					-	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	1	3	NTCUD	UDL64	36.37	157.81	106.06	78.91	18.66	 	 			1	
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			NTCUD	URESL	l	24.96	2.50							l	1
-	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1	!	IN I COD	UKESL	1	24.96	3.52	1						1	
	DS0)			NTCUD	URESP	l	26.44	5.01								
	Unbundled Loop Service Rearrangement, change in loop facility,	i e	t	505	320.	İ	20.14	0.01							i	†
	per circuit			NTCUD	UREWO	l	102.13	49.75							l	1
				NTCVG, NTCUD,			İ		İ							
	Order Coordination for Specified Conversion Time (per LSR)			NTCD1	OCOSL		23.01								1	
	OF SERVICE			ı 							1	1			1 .	

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring				oss	Rates(\$)		
		1		UDC, UEA, UDL,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Maintenance of Service Charge, Basic Time, per half hour			UDN, USL, UAL, UDN, USL, UAL, UDN, USL, UAL, UTD1, UTD1, UTTD1, UTTD3, UTTD3, UTTDX, UTTS1, UTTVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDDX, UNCDX, UNCSX, UNCOX, UNCSX, UNCOX, UNCSX, UNCYX, ULS	MVVBT		80.00	55.00								
	Maintenance of Service Charge, Basic Time, per half hour			UDC, UEA, UDL,	MVVBI		80.00	55.00								
				UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UNCSX, UNCSX, UNCSX, UNCSX,												
	Maintenance of Service Charge, Overtime, per half hour			UNCVX, ULS	MVVOT		90.00	65.00								
LOOP MODIFIC	Maintenance of Service Charge, Premium, per half hour			UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCSX, UNCVX, ULS	MVVPT		100.00	75.00								
LOOP MODIFIC	T			UAL, UHL, UCL,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		9.24	9.24								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop	1		UHL, UCL, UEA	ULM4L		9.24	9.24								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		10.47	10.47								
SUB-LOOPS	Distribution	<u> </u>	<u> </u>													
Sub-Lo	pop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			HEANIL LISS	HODG:		607.0	0075								
	Up			UEANL, UEF	USBSA		207.91	207.91								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility			UEANL, UEF	USBSB		12.50	12.50								
	Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-	-		UEANL	USBSC		80.87	80.87								
	Up			UEANL	USBSD		45.04	45.04								

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec		curring	Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88						
	Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00	<u> </u>	<u> </u>						<u> </u>
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.57	68.35	22.36	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4.98	76.49	30.51	65.24	10.88						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	0.00								
	Loop Testing - Basic Additional Half Hour		_	UEANL	URETA	5.45	24.16	24.16 39.05	50.04	7.90						
+	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF UEF	UCS2X UCS2X	5.45 7.06	85.03 85.03	39.05	59.81 59.81	7.90						<u> </u>
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS2X	9.67	85.03	39.05	59.81	7.90						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	7.09	102.31	56.32	65.24	10.88						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	8.66	102.31	56.32	65.24	10.88						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	19.40	102.31	56.32	65.24	10.88						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non- Designed and Distribution Subloops			UEF, UEANL	URETL		8.93	0.88								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		46.88	0.00								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		24.16	24.16								
Unbun	dled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		5.23	5.23								
	Unbundled Sub-loop Modification - 4-W Copper Dist Load Coil/Equip Removal per 4-W PR			UEF	ULM4X		5.23	5.23								
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop			UEF	ULMBT		7.97	7.97								
	dled Network Terminating Wire (UNTW)				1						1		1	1	ı	
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.53	23.51	23.51								<u>i</u>
NetWol	k Interface Device (NID) Network Interface Device (NID) - 1-2 lines			UENTW	UND12		73.53	49.47	1	1				1		
	Network Interface Device (NID) - 1-5 lines			UENTW	UND16		115.96	91.91	1	1				1		
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		8.56	8.56						<u> </u>		
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		8.56	8.56								
UNE OTHER, F	ROVISIONING ONLY - NO RATE Unbundled Contact Name. Provisioning Only - no rate			UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1. USL	UNECN	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL, NTCD1	CCOSF	0.00	0.00		†	†						—
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL, NTCD1	CCOEF		0.00									
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00	1								1

UNBUNDI	ED NETWORK ELEMENTS - Kentucky												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring I					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOOP MAKE-																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		23.40	23.40								
	Loop Makeup - Preordering With Reservation, per spare facility			OWIN	UIVIKLVV		23.40	23.40								+
	queried (Manual).			UMK	UMKLP		24.85	24.85								
	Loop MakeupWith or Without Reservation, per working or spare				1											1
	facility queried (Mechanized)			UMK	UMKMQ		0.67	0.67								
LINE SPLITTI																
END (JSER ORDERING-CENTRAL OFFICE BASED													•	•	
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										ļ
-	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB UEPSR UEPSB	UREBP UREBV	0.61	37.02	21.20	21.10	9.87						
END	Line Splitting - per line activation BST owned - virtual JSER ORDERING - REMOTE SITE LINE SPLITTING			DEPSK DEPSB	UKEBV	0.61	37.02	21.20	21.10	9.87						,L
LIND	Remote Site Shared Loop Line Activation for End Users - CLEC				1	1										1
	Owned Splitter			UEPSR UEPSB	URERS	0.61	56.73	22.96	7.20	7.20						
	Remote Site Shared Loop - Subsequent Activity - CLEC Owned															1
	Splitter			UEPSR UEPSB	URERA		53.73	21.31								
	NDLED EXCHANGE ACCESS LOOP															
2-WIR	E ANALOG VOICE GRADE LOOP				1											т
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			HEDOD HEDOD	115416	40.50	40.00	22.57	00.05	7.05						
-	Zone 1 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65						-
	Zone 1		1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		+-	OLI SIX OLI SB	OLABO	10.30	40.00	22.51	20.03	7.03						+
	Zone 2		2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	Zone 2		2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 3		3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65						
+	Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-		3	UEPSK UEPSB	UEABS	31.11	40.00	22.57	20.00	7.00						1
	Line Splitting - CLEC Owned Splitter - Zone 1		1	UEPSR UEPSB	UEARS	6.34	85.03	39.05	59.81	7.90						
	Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-		<u> </u>	02. 01. 02. 03	027.110	0.01	00.00	00.00	00.01	7.00						
	Line Splitting - CLEC Owned Splitter - Zone 2		2	UEPSR UEPSB	UEARS	9.06	85.03	39.05	59.81	7.90						
	Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-															
	Line Splitting - CLEC Owned Splitter - Zone 3		3	UEPSR UEPSB	UEARS	14.82	85.03	39.05	59.81	7.90						
PHYS	ICAL COLLOCATION													•	•	
	Physical Collocation-2 Wire Cross Connects (Loop) for Line				5541.0		0.4.00			40.05						
VIDTI	Splitting JAL COLLOCATION			UEPSR UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95						<u></u>
VIKIC	JAL COLLOCATION				1	1										
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0309	24.68	23.68	12.14	10.95						
UNBUNDLED	DEDICATED TRANSPORT				1											
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT			•			•							•	•	
	Interoffice Channel - 2-Wire Voice Grade - per mile			U1TVX	1L5XX	0.01										
	Interoffice Channel - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75						
	Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile			U1TVX	1L5XX	0.01										
	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	00.44	47.34	31.78	22.77	8.75						
-	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination Interoffice Channel - 4-Wire Voice Grade - per mile			U1TVX	1L5XX	29.11 0.01	47.34	31.78	22.11	8.75						-
 	Interoffice Chaffiel - 4-vville voice Grade - per fille			OTIVA	ILUAA	0.01			1					 	 	\vdash
	Interoffice Channel - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75						
	Interoffice Channel - 56 kbps - per mile			U1TDX	1L5XX	0.0115				20						
	Interoffice Channel - 56 kbps - Facility Termination			U1TDX	U1TD5	20.97	47.34	31.78	22.77	8.75						
	Interoffice Channel - 64 kbps - per mile			U1TDX	1L5XX	0.0115		•								
	Interoffice Channel - 64 kbps - Facility Termination			U1TDX	U1TD6	20.97	47.34	31.78	22.77	8.75						1
 	Interoffice Channel - DS1 - per mile			U1TD1	1L5XX	0.23	105.50	20.72	00.00	00.70						
 	Interoffice Channel - DS1 - Facility Termination Interoffice Channel - DS3 - per mile		1	U1TD1 U1TD3	U1TF1 1L5XX	96.04 4.97	105.52	98.46	23.09	20.49						
 	Interoffice Channel - DS3 - per mile Interoffice Channel - DS3 - Facility Termination	1		U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75				1	1	\vdash
 	Interoffice Channel - STS-1 - per mile			U1TS1	1L5XX	4.97	333.40	213.24	09.57	01.10						\vdash
	Interoffice Channel - STS-1 - Facility Termination			U1TS1	U1TFS	1,149.51	335.40	219.24	89.57	87.75						
LINDI	INDLED DARK FIBER					.,										

UNBUNDL	ED NETWORK ELEMENTS - Kentucky												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring		00150			Rates(\$)		
	Ded Fiber Jeles #ier Terror of Des Ferre Fiber Observed Bon				_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	30.74										
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per			ODF, ODFCX	ILSDF	30.74										+
	Route Mile Or Fraction Thereof			UDF, UDFCX	UDF14		732.53	192.67	377.27	241.67						
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP			ODI, ODI OX	ODI 14		702.00	102.01	011.21	241.07						1
	STS-1 UNBUNDLED LOCAL LOOP - Stand Alone			I		1	ı		ı	ı						
	DS3 Unbundled Local Loop - per mile			UE3	1L5ND	9.25										
	DS3 Unbundled Local Loop - Facility Termination			UE3	UE3PX	308.31	551.38	338.08	173.00	120.42						
	STS-1Unbundled Local Loop - per mile			UDLSX	1L5ND	9.25										
	STS-1 Unbundled Local Loop - Facility Termination			UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42						
	EXTENDED LINK (EELs)															
Netwe	ork Elements Used in Combinations			Lucio a	lueno	1 40.5-1	105 1		E0					1	1	
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84			-	1	1	+
	2-Wire VG Loop (SL2) in Combination - Zone 2	-	3	UNCVX	UEAL2 UEAL2	17.45 33.22	125.22 125.22	60.48 60.48	59.69 59.69	7.84 7.84				 	 	
	2-Wire VG Loop (SL2) in Combination - Zone 3 4-Wire Analog Voice Grade Loop in Combination - Zone 1	1	3	UNCVX	UEAL2 UEAL4	29.26	125.22 125.22	60.48	59.69	7.84			1	1	1	+
 	4-Wire Analog Voice Grade Loop in Combination - Zone 1		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						+
- I	4-Wire Analog Voice Grade Loop in Combination - Zone 3			UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84				1	1	
	2-Wire ISDN Loop in Combination - Zone 1		_	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84						
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						1
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						1
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						<u> </u>
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						4
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	DS3 Local Loop in combination - per mile DS3 Local Loop in combination - Facility Termination			UNC3X UNC3X	1L5ND UE3PX	9.25 308.31	237.36	147.69	83.43	32.67						
	STS-1 Local Loop in combination - per mile			UNCSX	1L5ND	9.25	237.30	147.09	03.43	32.07						+
	STS-1 Local Loop in combination - per fille STS-1 Local Loop in combination - Facility Termination			UNCSX	UDLS1	320.51	237.36	147.69	83.43	32.67						+
	Interoffice Channel in combination - 2-wire VG - per mile			UNCVX	1L5XX	0.01	257.50	147.03	03.43	32.07						+
	Interoffice Channel in combination - 2-wire VG - Facility			ONOTA	120707	0.01										1
	Termination			UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Channel in combination - 4-wire VG - per mile			UNCVX	1L5XX	0.01										1
	Interoffice Channel in combination - 4-wire VG - Facility															1
	Termination			UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42						
	Interoffice Channel in combination - 4-wire 56 kbps - per mile			UNCDX	1L5XX	0.01										
	Interoffice Channel in combination - 4-wire 56 kbps - Facility															
	Termination			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
	Interoffice Channel in combination - 4-wire 64 kbps - per mile			UNCDX	1L5XX	0.01										
	Interoffice Channel in combination - 4-wire 64 kbps - Facility			LINGSY		47.05		=0.0=	=0.04							
	Termination			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						
	Interoffice Channel in combination - DS1 - per mile		-	UNC1X	1L5XX	0.19	101.01	100 F0	FC 70	22.22						
-+	Interoffice Channel in combination - DS1 Facility Termination Interoffice Channel in combination - DS3 - per mile	-		UNC1X UNC3X	U1TF1 1L5XX	79.02 4.09	181.24	123.53	56.72	22.32				1	1	+
	Interoffice Channel in combination - DS3 - per fille Interoffice Channel in combination - DS3 - Facility Termination	1	_	UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39			-	 	l	+
	Interoffice Channel in combination - BSS - Facility Termination Interoffice Channel in combination - STS-1 - per mile		+	UNCSX	1L5XX	4.09	330.30	141.30	40.00	20.09			1	-	 	
	Interoffice Channel in combination - STS-1 Facility Termination			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39				i	i	†
ADDITIONAL	NETWORK ELEMENTS															
	nal Features & Functions:				•											
	Clear Channel Capability Extended Frame Option - per DS1	ı		U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	0. 0. 10 17. 0 5 07	Ι.		U1TD1,		1					1					
——	Clear Channel Capability Super FrameOption - per DS1		-	ULDD1,UNC1X	CCOSF	 	0.00	0.00	0.00	0.00	 		 	1	1	+
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1			ULDD1, U1TD1, UNC1X, USL	NRCCC		184.91	23.82	1.99	0.78				l	l	
				U1TD3, ULDD3, UE3, UNC3X	NRCCC NRCC3		205.70	7.20	0.6924	0.78						
	C-bit Parity Option - Subsequent Activity - per DS3		 	UNC1X	MQ1	113.33	205.70 57.26	14.74	1.86	1.67			 	 	 	+
1]	DS1/DS0 Channel System															

UNBUNDLE	D NETWORK ELEMENTS - Kentucky					-				-			Att: 2 Exh: A			-
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonred		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Voice Grade COCI in combination			UNCVX	1D1VG	0.6228	6.71	4.84								
	V				45.040											
	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop		<u> </u>	UEA	1D1VG	0.6228	6.71	4.84								
	Voice Grade COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.6228	6.71	4.84								
\vdash	OCU-DP COCI (2.4-64kbs) in combination			UNCDX	1D10D	1.32	6.71	4.84								
	OCU-DP COCI (2.4-64kbs) - for Unbundled Digital Loop		†	UDL	1D1DD	1.32	6.71	4.84								
	OCU-DP COCI (2.4-64kbs) - for connection to a channelized DS1				1		•									
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.32	6.71	4.84								
	2-wire ISDN COCI (BRITE) in combination			UNCNX	UC1CA	2.84	6.71	4.84								
	2-wire ISDN COCI (BRITE) - for a Local Loop			UDN	UC1CA	2.84	6.71	4.84								
	2-wire ISDN COCI (BRITE) - for connection to a channelized DS1						-									
	Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.84	6.71	4.84								
<u> </u>	DS1 COCI in combination		<u> </u>	UNC1X	UC1D1	11.80	6.71	4.84	.				ļ	ļ	ļ	
	DS1 COCI - for Stand Alone Local Channel	-	_	ULDD1	UC1D1	11.80	6.71	4.84	1				 	1	 	├
	DS1 COCI - for Stand Alone Interoffice Channel DS1 COCI - for DS1 Local Loop	-	1	U1TD1 USL, NTCD1	UC1D1 UC1D1	11.80 11.80	6.71 6.71	4.84 4.84	 							
	DS1 COCI - for connection to a channelized DS1 Local Channel in			USL, NICDI	UCIDI	11.60	0.71	4.04			-					
	the same SWC as collocation			U1TUA	UC1D1	11.80	6.71	4.84								İ
	and same ovvo as conocation			UNCVX, UNCDX,	COIDI	11.00	0.71	4.04								
				UNC1X, UNC3X, UNCSX, UDFCX, XDH1X, HFQC6, XDD2X, XDV6X, XDDFX, XDD4X,												
	Wholesale - UNE, Switch-As-Is Conversion Charge			HFRST, UNCNX	UNCCC		8.98	8.98								
				U1TVX, U1TDX,												
	Unbundled Misc Rate Element, SNE SAI, Single Network Element -			U1TD1, U1TD3,												
	Switch As Is Non-recurring Charge, per circuit (LSR)	i	<u> </u>	U1TS1, UDF, UE3	URESL		36.80	16.10								
	Unbundled Misc Rate Element, SNE SAI, Single Network Element			U1TVX, U1TDX,												İ
	Switch As Is Non-recurring Charge, incremental charge per circuit on a spreadsheet			U1TD1, U1TD3, U1TS1, UDF, UE3	URESP		1.49	1.49								
Access	to DCS - Customer Reconfiguration (FlexServ)	<u> </u>	l	01131, 0DF, 0E3	UNESF		1.49	1.49					l .		l .	1
	Customer Reconfiguration Establishment						1.63		2.03				l		l	
	DS1 DCS Termination with DS0 Switching					25.69	32.88	23.58		15.88						
	DS1 DCS Termination with DS1 Switching					12.41	25.07	15.76		11.02						
	DS3 DCS Termination with DS1 Switching					154.20	32.88	23.58		15.88						
Node (S	SynchroNet)				•											
	Node per month			UNCDX	UNCNT											
Service	Rearrangements															
	NRC - Change in Facility Assignment per circuit Service Rearrangement	ı		U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETD		101.09	43.04								
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	ı		U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETB		3.67	3.67								
COMMINGLING	NRC - Order Coordination Specific Time - Dedicated Transport	ı	 	UNC1X, UNC3X	OCOSR	+ +	18.87	18.87	-				ļ		ļ	⊢—
COMMINGLING				UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX.												
	Comminging Authorization			ULDD1, ULDD3,	CMGAU	0,00	0,00	0.00	0,00	0.00						
Commin	Commingling Authorization ngled (UNE part of single bandwidth circuit)				CMGAU	0.00	0.00	0.00	0.00	0.00						
	Commingling Authorization ngled (UNE part of single bandwidth circuit) Commingled VG COCI			ULDD1, ULDD3,	CMGAU 1D1VG	0.00	0.00 6.71	0.00		0.00	<u> </u>					

UNBUNDLE	ED NETWORK ELEMENTS - Kentucky												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)					Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
							Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Commingled ISDN COCI			XDD4X	UC1CA	2.84	6.71	4.84								
	Commingled 2-wire VG Interoffice Channel			XDV2X	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Commingled 4-wire VG Interoffice Channel			XDV6X	U1TV4	21.28	98.09	53.67	56.31	22.42						
	Commingled 56kbps Interoffice Channel			XDD4X	U1TD5	20.97	98.09	53.67	56.31	22.42						
	Commingled 64kbps Interoffice Channel			XDD4X	U1TD6	17.25	98.09	53.67	56.31	22.42						ļ
	Commingled VG/DS0 Interoffice Channel Mileage			XDV2X, XDV6X, XDD4X	1L5XX	0.01										
	Commingled 2-wire Local Loop Zone 1		1	XDV2X	UEAL2	12.67	125.22	60.48	59.69	7.84						
	Commingled 2-wire Local Loop Zone 2		2	XDV2X	UEAL2	17.45	125.22	60.48	59.69	7.84						
	Commingled 2-wire Local Loop Zone 3		3	XDV2X	UEAL2	33.22	125.22	60.48	59.69	7.84						
	Commingled 4-wire Local Loop Zone 1	 	1	XDV6X	UEAL4	29.26	125.22	60.48	59.69	7.84					ļ	
	Commingled 4-wire Local Loop Zone 2	1	3	XDV6X	UEAL4	34.25	125.22	60.48	59.69	7.84				-	 	
	Commingled 4-wire Local Loop Zone 3 Commingled 56kbps Local Loop Zone 1	+	1	XDV6X XDD4X	UEAL4 UDL56	85.06 27.59	125.22 125.22	60.48 60.48	59.69 59.69	7.84 7.84				-	-	
-	Commingled 56kbps Local Loop Zone 1 Commingled 56kbps Local Loop Zone 2	1	2	XDD4X XDD4X	UDL56	32.48	125.22	60.48	59.69	7.84				1	1	
-	Commingled 56kbps Local Loop Zone 3	1	3	XDD4X XDD4X	UDL56	36.37	125.22	60.48	59.69	7.84				1		
	Commingled 64kbps Local Loop Zone 1		1	XDD4X XDD4X	UDL64	27.59	125.22	60.48	59.69	7.84						
	Commingled 64kbps Local Loop Zone 2		2	XDD4X	UDL64	32.48	125.22	60.48	59.69	7.84						
	Commingled 64kbps Local Loop Zone 3		3	XDD4X	UDL64	36.37	125.22	60.48	59.69	7.84						
	Commingled ISDN Local Loop Zone 1		1	XDD4X	U1L2X	18.44	125.22	60.48	59.69	7.84						
	Commingled ISDN Local Loop Zone 2		2	XDD4X	U1L2X	25.08	125.22	60.48	59.69	7.84						
	Commingled ISDN Local Loop Zone 3		3	XDD4X	U1L2X	42.87	125.22	60.48	59.69	7.84						
	Commingled DS1 COCI			XDH1X	UC1D1	11.80	6.71	4.84								
	Commingled DS1 Interoffice Channel			XDH1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Commingled DS1 Interoffice Channel Mileage			XDH1X	1L5XX	0.19										
	Commingled DS1/DS0 Channel System			XDH1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	Commingled DS1 Local Loop Zone 1		1	XDH1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	Commingled DS1 Local Loop Zone 2		2	XDH1X	USLXX	114.10	210.70	114.60	63.96	17.97						-
	Commingled DS1 Local Loop Zone 3 Commingled DS3 Local Loop		3	XDH1X HFQC6	USLXX UE3PX	297.76 308.31	210.70	114.60	63.96	17.97						
	Commingled DS3/STS-1 Local Loop Mileage			HFQC6, HFRST	1L5ND	9.25	+		-							-
_	Commingled STS-1 Local Loop			HFRST	UDLS1	320.51	237.36	147.69	83.43	32.67						
	Commingled S13-1 Edda 200p Commingled DS3/DS1 Channel System			HFQC6	MQ3	158.20	115.48	56.53	15.12	5.30						
	Commingled DS3 Interoffice Channel			HFQC6	U1TF3	966.89	350.56	141.58	48.00	23.39						-
	Commingled DS3 Interoffice Channel Mileage			HFQC6	1L5XX	4.09										
	Commingled STS-1Interoffice Channel			HFRST	U1TFS	945.79	350.56	141.58	48.00	23.39						
	Commingled STS-1Interoffice Channel Mileage			HFRST	1L5XX	4.09										
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber															
	Strands, Per Route Mile Or Fraction Thereof			HEQDL	1L5DF	30.74										
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	1				Ι Τ	⊣		I 7						i	1
	Strands, Per Route Mile Or Fraction Thereof	1	-	HEQDL	UDF14	0.55	732.53	192.67	377.27	241.67						<u> </u>
	UNE to Commingled Conversion Tracking	1	-	XDH1X, HFQC6	CMGUN	0.00	0.00	0.00	0.00	0.00				-	 	
NP Query Ser	SPA to Commingled Conversion Tracking	+		XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00				-	-	-
vr Query Ser	LNP Charge Per query	1			1	0.0008695									1	
	LNP Charge Per query LNP Service Establishment Manual	1	\vdash		1	0.0000033	13.82	13.82	12.71	12.71				 	 	
	LNP Service Provisioning with Point Code Establishment	1			1	1	953.27	487.00	431.95	317.61				l	 	†
1 PBX LOCA		1				1	333.27	.000	.000	001					i	—
	BX LOCATE DATABASE CAPABILITY			1	1								l .			
	Service Establishment per CLEC per End User Account			9PBDC	9PBEU		1,814.00									
	Changes to TN Range or Customer Profile			9PBDC	9PBTN		181.57									
	Per Telephone Number (Monthly)			9PBDC	9PBMM	0.07										
	Change Company (Service Provider) ID			9PBDC	9PBPC		533.00									
	PBX Locate Service Support per CLEC (Monthlt)			9PBDC	9PBMR	179.88										<u> </u>
	Service Order Charge			9PBDC	9PBSC		7.86							l		
	3X LOCATE TRANSPORT COMPONENT															
See At	13	1	1	1	1	1	1								1	
			1	1	1				1	l	1				I	

JNBUI	NDLE	NETWORK ELEMENTS - Louisiana												Att: 2 Exh: A			
CATEGO		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
$\overline{}$							D	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		ne" shown in the sections for stand-alone loops or loops as par			tion refers to Geograp	ohically Deav	eraged UNE Zo	nes. To view G	eographically I	Deaveraged UN	E Zone Design	ations by Ce	entral Office,	refer to intern	net Website:		
		ww.interconnection.bellsouth.com/become_a_clec/html/interco	nnection	1.ntm												1	
		(330) N. 200 L. 100 (330)	I												l	1	1
ľ	NOTE: (1) CLEC should contact its contract negotiator if it prefers the "	state sp	ecific"	OSS charges as orde	ered by the S	tate Commissio	ns. The OSS cl	harges current	y contained in t	his rate exhibit	are the Bell	South "region	onal" service o	ordering charg	es. CLEC ma	y elect either
-	ne state	e specific Commission ordered rates for the service ordering ch (2) Any element that can be ordered electronically will be billed	arges, c	or CLEC	may elect the region	n this catego	dering charge, r	to BellSouth's	Local Ordering	a mixture of th	e two regardles	s if CLEC h	as a interco	nnection conti	ract establishe	ed in each of the	ne 9 states.
		electronically at present per the LOH, the listed SOMEC rate in															
		bill when it submits an LSR to BellSouth.															
		OSS - Electronic Service Order Charge, Per Local Service				SOMEC		3.50	0.00	3.50	0.00						
		Request (LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service Request				SOMEC		3.50	0.00	3.50	0.00						
		(LSR) - UNE Only	<u> </u>			SOMAN		15.20	0.00	15.20	0.00					<u></u>	<u> </u>
		DATE ADVANCEMENT CHARGE							: -		-						
1	NOTE:	The Expedite charge will be maintained commensurate with Be	ISouth'	s FCC	No.1 Tariff, Section 5 UAL, UEANL, UCL,	as applicable	e. I							1	1	1	
					UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TD4, UC1BC,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			U1TUA,NTCVG, NTCUD, NTCD1	SDASP		200.00									
RDER	MODIFIC	Day CATION CHARGE			INTOOD, INTODI	JUNJP		200.00									
		Order Modification Charge (OMC)						26.21	0.00	0.00	0.00						
		Order Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00	0.00						
		XCHANGE ACCESS LOOP	l			<u> </u>	1								<u> </u>	ļ	1
		ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	l	1 1	UEANL	UEAL2	12.90	36.54	16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	23.33	36.54	16.87								1
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	48.43	36.54	16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.90	36.54	16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	23.33	36.54	16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	<u> </u>	3	UEANL	UEASL	48.43	36.54	16.87								
		Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour			UEANL UEANL	URETL URET1		8.92 33.17	0.88								
+		Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour	 	-	UEANL	URETA		33.17 19.28	19.28								
+		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		7.92	7.92								1
		Order Coordination for Specified Conversion Time for UVL-SL1				· · ·	İ								İ	İ	
		(per LSR)	1	l	UEANL	OCOSL		17.56	17.56						l		l

ARTE BLEMENTS November Novemb	UNDLED N	NETWORK ELEMENTS - Louisiana											Att: 2 Exh: A			
March Press Add Press Add South			Interim	Zone	BCS	USOC				T	Submitte Elec per LSF	d Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
Wilsonder Non-Despty Viscol. Losp, Entire for 18th providing made with Providing State of the				<u> </u>			Rec									
Progressing Homelands	11	handled New Design Veirs Land 1985 of a DOT and idian and a						First	Add'l	First Add	d'I SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Disturbed Loop Service Recording to Loop Service Legal 1 LEAN, USERN 1964 1967 1964 1967 1964 1967 1964 1967 1964 1967 1964 1967 1964 1967 1964 1967 1966 1967					LIFANI	LIFANINA		42.04	12.04							
Description Description					UEAINL	UEANIVI		13.04	13.04			_				-
But Migration per 2 Viter Victor Loop St. 1					ΠΕΔΝΙ	LIREWO		15.75	8 93							
Bight Margained Open Coordination, part 2 Wire Loop Sci. UEANU UECEPY 1 1 1 10 10 10 10 10																1
2- 200																
2 Wite Liberander Copper Losp - Non-Designed - Zone 2 1 2 LECO						•				•		•				
2 Wine Liberanded Capper Loop: Non-Designed - Zone 3 1 3 UEO UECOX 16.87 35.27 15.00			- 1	1												
United Miscelland Research (17 (200 on Empty) UEO URST1 8.22 0.88 UEO URST1 1.20 URST1 URST1 1.20 URST1 1.20 URST1 1.20 URST1 1.20 URST1 1.20 URST1 1.20 URST1 1.20 URST1 1.20 URST1 URST1 1.20 URST1 1																
Piernise UPC			- 1	3	UEQ	UEQ2X	16.87	35.27	15.60							
Loop Testing - Basic 164-list Hour DEC DIRETT \$3.17 0.00																
												-				-
Marad Ocider Coordination 2 Wire Urbunded Copper Loop - Non-Designating from Proceedings (1997) Maradian Control C	Loo	pp resumg - Basic 1st Half Hour	-	 			+			 		1	1			
Designed (per loop) UFC	Loo	upual Order Coordination 2 Wire Unbundled Copper Loop - Non-			UEQ	UKETA	+	19.20	19.20			+				-
Urbundled Cooper Loop-Non-Design, billing for BST providing makes_Efficience in professions. Urbundled Loop Service Rearrangement, drarge in bop facility, USO					UEQ	USBMC	1	7 92	7 92							
master_up (Engineering reformation = E.)				1	1		† †	1.02				1	1	İ	İ	
Dec circuit					UEQ	UEQMU		13.04	13.04							
Dec circuit UEC	Unb	oundled Loop Service Rearrangement, change in loop facility,														
Bisk Migration Order Coordenation, per 2 Wire UCL-ND UEQ UREPM 7.92 7.92	per	r circuit														
UNBUNIDLED EXCHANGE ACCESS LOOP																
2-WINE ANALOS VOICE GRADE LOOP	Bull	k Migration Order Coordination, per 2 Wire UCL-ND			UEQ	UREPM		7.92	7.92							
2-Wire Analog Voice Grade Loop - Service Level 2 witcop or 1																
Ground Start Signaling - Zone 1				,	1					1		_	1	1	1	
2 2 2 2 2 2 2 2 2 2						115410	44.00	400.40	05.70							
Ground Start Signating - Zone 2 2 UEA UEAL 25.55 102.10 65.72				1	UEA	UEAL2	14.93	102.10	65.72			_				-
2-Wire Arabog Voice Grade Loop - Service Level 2 wiLoop or Ground Start Signaling - Zone 3 3 UEA				2	HΕΔ	HEAL2	25 35	102 10	65.72							
Ground Start Signating - Zone 3 3 UEA UEAL2 50.46 102.10 65.72					OLA	OLALZ	23.33	102.10	03.72			+				
2-Wire Analog Voice Grade Loop - Service Level 2 wReverse 1				3	UEA	UEAL2	50.46	102.10	65.72							
Battery Signaling - Zone 1																
Battery Signaling - Zone 2				1	UEA	UEAR2	14.93	102.10	65.72							
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse 3 UEA	2-W	Vire Analog Voice Grade Loop - Service Level 2 w/Reverse														
Battery Signaling - Zone 3 3 UEA				2	UEA	UEAR2	25.35	102.10	65.72							
Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)																
DSO Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DSO) UEA URESP 26.47 5.01 URESP 26.47 5.01 URESP 26.47 5.01 URESP 26.47 5.01 URESP 26.47 5.01 URESP 26.47 5.01 URESP 26.47 5.01 URESP 26.47 5.01 URESP 26.47 5.01 URESP 26.47 5.01 URESP 26.47 5.01 URESP 26.47 5.01 URESP 26.47 5.01 URESP 26.47 5.01 URESP 26.47 5.01 URESP 26.47 26				3	UEA	UEAR2	50.46	102.10	65.72							
Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)									0.50							
DSO UREA URESP 26.47 5.01 UREA URESP 26.47 5.01 UREA URESP UREA UREWO 87.59 36.30 UREWO 87.59 36.30 UREWO UREA UREWO UREWO UREA UREWO UREA UREWO					UEA	URESL	1	24.98	3.52			+				
Unbundled Loop Service Rearrangement, change in loop facility, per circuit					HΕΛ	LIDESD		26.47	5.01							
Der circuit					UEA	UNESF		20.47	5.01			_				
Loop Tagging - Service Level 2 (SL2)					UEA	UREWO		87.59	36.30							
Bulk Migration, per 2 Wire Voice Loop-SL2					UEA			11.20	1.10							
4-WIRE ANALOG VOICE GRADE LOOP					UEA	UREPN		102.10	65.72							
4-Wire Analog Voice Grade Loop - Zone 1					UEA	UREPM		0.00	0.00							
4-Wire Analog Voice Grade Loop - Zone 2 2 UEA																
4-Wire Analog Voice Grade Loop - Zone 3 3 UEA																
Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)																
DS0 UEA				3	UEA	UEAL4	60.39	127.40	91.02							
Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DSO)									0.50							
DS0 UEA URESP 26.47 5.01 UDA URESP 26.47 5.01 UDA URESP UDA URESP 26.47 5.01 UDA URESP 26.47 5.01 UDA URESP URESP 26.47 5.01 UDA URESP 26.47 5.01 UDA URESP 26.47 5.01 UDA URESP 26.47 5.01 UDA URESP 26.47 5.01 UDA URESP 26.47 5.01 UDA URESP 26.47 5.01 UDA URESP 26.47 5.01 UDA UDA URESP 26.47 5.01 UDA					UEA	URESL	1	24.98	3.52			+				
Unbundled Loop Service Rearrangement, change in loop facility, per circuit UEA					LIEA	LIDEED		26.47	E 01							
Der circuit					UEA	UNESF		20.47	5.01			_				
2-Wire ISDN Digital Grade Loop - Zone 1				1	UEA	UREWO	1	87.59	36.30	1						
2-Wire ISDN Digital Grade Loop - Zone 1						1		230	22.00			•	•	•	•	
2-Wire ISDN Digital Grade Loop - Zone 2 2 UDN U1L2X 35.28 113.34 76.96				1	UDN	U1L2X	22.09	113.34	76.96							
2-Wire ISDN Digital Grade Loop - Zone 3 3 UDN U1L2X 65.18 113.34 76.96 Unbundled Loop Service Rearrangement, change in loop facility, per circuit UDN UREWO 91.49 44.09 2 2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP	2-W	Vire ISDN Digital Grade Loop - Zone 2														
per circuit UDN UREWO 91.49 44.09 2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP	2-W	Vire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	65.18	113.34	76.96							
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP									·							
			L	<u> </u>	UDN	UREWO		91.49	44.09				l	l	l	<u> </u>
10 Miles Halomadia (ADOLLa se francisco de f			IBLEL	OOP	1		1 1			1	1	1	ı	1	1	1
2 Wire Unbundled ADSL Loop including manual service inquiry &					LIAI	LIALOV	40.00	447.00	00.00	j				İ	İ	1

Page 47 of 102

<u>UNBU</u> NDLE	D NETWORK ELEMENTS - Louisiana											Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)		Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring Disconnec				Rates(\$)		
	OME-Habada AROL Lasa indulation and a final and a						First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	14.09	117.08	68.36							
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	15.75	117.08	68.36							
	2 Wire Unbundled ADSL Loop without manual service inquiry &		Ŭ												
	facility reservaton - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry &	-	1	UAL	UAL2W	12.29	92.83	56.02							
	facility reservaton - Zone 2		2	UAL	UAL2W	14.09	92.83	56.02							
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3		3	UAL	UAL2W	15.75	92.83	56.02							
	Unbundled Loop Service Rearrangement, change in loop facility,														
	per circuit			UAL	UREWO		86.07	40.34							
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATE WITH UNBURNER STREET	I IBLE FO	JOP			1				1	1	ı	ı	1	T
	facility reservation - Zone 1		1	UHL	UHL2X	9.79	125.50	76.77							
	2 Wire Unbundled HDSL Loop including manual service inquiry &			OTIL	UTILLY	0.70	120.00								
	facility reservation - Zone 2		2	UHL	UHL2X	11.52	125.50	76.77							
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	12.74	125.50	76.77							
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	9.79	101.24	64.43							
	2 Wire Unbundled HDSL Loop without manual service inquiry and														
	facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry and		2	UHL	UHL2W	11.52	101.24	64.43							
	facility reservation - Zone 3		3	UHL	UHL2W	12.74	101.24	64.43							
	Unbundled Loop Service Rearrangement, change in loop facility,			UHL	UREWO		86.00	40.34							
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	ООР	0.12	io	1	00.00	10.01	l l		l				
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	16.24	153.26	104.54							
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	ı	2	UHL	UHL4X	16.65	153.26	104.54							
	4-Wire Unbundled HDSL Loop including manual service inquiry and	1					153.20								
	facility reservation - Zone 3 4-Wire Unbundled HDSL Loop without manual service inquiry and		3	UHL	UHL4X	17.34	153.26	104.54							
	facility reservation - Zone 1		1	UHL	UHL4W	16.24	129.00	92.20							
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	16.65	129.00	92.20							
	4-Wire Unbundled HDSL Loop without manual service inquiry and														
	facility reservation - Zone 3 Unbundled Loop Service Rearrangement, change in loop facility,	1	3	UHL	UHL4W	17.34	129.00	92.20		+					
	per circuit			UHL	UREWO		86.00	40.34							
4-WIRE	DS1 DIGITAL LOOP														
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	85.70	245.16	152.98							
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	194.96	245.16	152.98							-
	4-Wire DS1 Digital Loop - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	USL	USLXX	491.94	245.16	152.98							
	DS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1		USL	URESL		24.98	3.52							
	DS1)			USL	URESP		26.47	5.01							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			USL	UREWO		100.93	42.98							
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP														
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1			UDL	UDL2X	30.99	121.86	85.48							
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	1		UDL	UDL2X	36.78	121.86	85.48							
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3 4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1	1	3 1	UDL UDL	UDL2X UDL4X	38.92 30.99	121.86 121.86	85.48 85.48	 			-	-		
 	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	!	2	UDL	UDL4X	36.78	121.86	85.48	 	+	 				
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	1	3	UDL	UDL4X	38.92	121.86	85.48							
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		1	UDL	UDL9X	30.99	121.86	85.48		İ					
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		2	UDL	UDL9X	36.78	121.86	85.48							
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3		3	UDL	UDL9X	38.92	121.86	85.48							
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1	ļ	1	UDL	UDL19	30.99	121.86	85.48							ļ
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2		2	UDL	UDL19	36.78	121.86	85.48							1

UNBUND	DLED I	NETWORK ELEMENTS - Louisiana		•			_						Att: 2 Exh: A			
CATEGORY		RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)		Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrecu		Nonrecurring Disconnect				Rates(\$)		
	4.1	Affect Holografied Divide 40.0 Messa 7-2-2		3	LIDI	LIDI 40	38.92	First	Add'I	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
 		Nire Unbundled Digital 19.2 Kbps - Zone 3 Nire Unbundled Digital Loop 56 Kbps - Zone 1			UDL UDL	UDL19 UDL56	38.92	121.86 121.86	85.48 85.48		+					
 		Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	36.78	121.86	85.48							
\vdash		Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	38.92	121.86	85.48		+					
		Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	30.99	121.86	85.48							
		Vire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	36.78	121.86	85.48							
		Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.92	121.86	85.48							
		vitch-As-Is Conversion rate per UNE Loop, Single LSR, (per														
i l		60)			UDL	URESL		24.98	3.52							
		witch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per So)			UDL	URESP		26.47	5.01							
	Un	bundled Loop Service Rearrangement, change in loop facility,														
$oxed{oxed}$	pe	r circuit			UDL	UREWO		101.97	49.67							
2-W		nbundled COPPER LOOP														
1 1		Wire Unbundled Copper Loop-Designed including manual		l -		L]	T			1			1	1	1
\vdash		rvice inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.29	116.18	67.46							
i l		Wire Unbundled Copper Loop-Designed including manual		2			44.00		07.40							
		rvice inquiry & facility reservation - Zone 2		2	UCL	UCLPB	14.09	116.18	67.46							
i I		Wire Unbundled Copper Loop-Designed including manual service		3	UCL	UCLPB	45.75	116.10	67.46							
		quiry & facility reservation - Zone 3		3	UCL	UCLPB	15.75	116.18	67.46		+					
i I		Wire Unbundled Copper Loop-Designed without manual service		1	UCL	UCLPW	12.29	91.92	55.12							
		quiry and facility reservation - Zone 1 Wire Unbundled Copper Loop-Designed without manual service			UCL	UCLFVV	12.29	91.92	33.12							
		quiry and facility reservation - Zone 2		2	UCL	UCLPW	14.09	91.92	55.12							
		Wire Unbundled Copper Loop-Designed without manual service														
i l		quiry and facility reservation - Zone 3		3	UCL	UCLPW	15.75	91.92	55.12							
	Or	der Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92							
	Un	bundled Loop Service Rearrangement, change in loop facility,														
		r circuit			UCL	UREWO		91.92	42.47							
4-W		OPPER LOOP														
i I		Wire Copper Loop-Designed including manual service inquiry		١.				400.00								
\vdash		d facility reservation - Zone 1		1	UCL	UCL4S	22.27	139.69	90.96							
i I		Wire Copper Loop-Designed including manual service inquiry d facility reservation - Zone 2		2	UCL	UCL4S	18.95	139.69	90.96							
\vdash					UCL	UCL45	10.95	139.09	90.96		+					
i I		Wire Copper Loop-Designed including manual service inquiry d facility reservation - Zone 3		3	UCL	UCL4S	10.99	139.69	90.96							
\vdash		Wire Copper Loop-Designed without manual service inquiry and		3	OCL	00L40	10.55	153.03	30.30		+					
i I		cility reservation - Zone 1		1	UCL	UCL4W	22.27	115.43	78.63							
		Wire Copper Loop-Designed without manual service inquiry and														
i I		cility reservation - Zone 2		2	UCL	UCL4W	18.95	115.43	78.63							
		Wire Copper Loop-Designed without manual service inquiry and														
	fac	cility reservation - Zone 3		3	UCL	UCL4W	10.99	115.43	78.63							
<u> </u>		der Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92							
i I		abundled Loop Service Rearrangement, change in loop facility,														
\vdash	pe	r circuit			UCL	UREWO		91.92	42.47							
i I	0	de Occidentico (co Occidio do Occidio do Occidentico (co Occidentico do Occidenti			UEA, UDN, UAL,	00001		47.50								
Bor		der Coordination for Specified Conversion Time (per LSR)			UHL, UDL, USL	OCOSL		17.56								
Rea	arrange	EL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-			I		1				1			1	1	
i I	SL				UEA	UREEL		87.59	36.30							
 	0.	2			OLA	OKELL		07.00	00.00							
1 1	EE	EL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop	l	1	UEA	UREEL]	87.59	36.30		1				1	
		L to UNE-L Retermination, per 2 Wire ISDN Loop			UDN	UREEL		91.49	44.09							
<u> </u>		L to UNE-L Retermination, per 4 Wire Unbundled Digital Loop			UDL	UREEL		101.97	49.67							
	EE	L to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop			USL	UREEL	ļļ	100.93	42.98					ļ		
UNE LOOP				l										l	l	l
2-W		NALOG VOICE GRADE LOOP - COMMINGLING			T	_										
		Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		_	NTCVC	LIEALO	44.00	100.40	ee 70							1
	Gr	ound Start Signaling - Zone 1		1	NTCVG	UEAL2	14.93	102.10	65.72		+					
	2 1									i I	1		i l	ī		i
		Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	NTCVG	LIEAL 2	25 35	102 10	65.72							
	Gr	ound Start Signaling - Zone 2 Nire Analog Voice Grade Loop - Service Level 2 w/Loop or Vire Analog Voice Grade Loop - Service Level 2 w/Loop or		2	NTCVG	UEAL2	25.35	102.10	65.72							

<u>JNBU</u> NDLE	ED NETWORK ELEMENTS - Louisiana												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			l												
	Battery Signaling - Zone 1		1	NTCVG	UEAR2	14.93	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_	NITOVO	LIEADO	05.05	400.40	05.70								
	Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1		NTCVG	UEAR2	25.35	102.10	65.72								
	Battery Signaling - Zone 3		3	NTCVG	UEAR2	50.46	102.10	65.72								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		Ť		0271112	00.10	102.10	00.72								†
	DS0)			NTCVG	URESL		24.98	3.52								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)			NTCVG	URESP		26.47	5.01								
	Unbundled Loop Service Rearrangement, change in loop facility,															1
	per circuit	ļ	<u> </u>	NTCVG	UREWO		87.59	36.30								.
,	Loop Tagging - Service Level 2 (SL2)		<u> </u>	NTCVG	URETL		11.20	1.10			l	l			1	<u> </u>
4-WIRI	E ANALOG VOICE GRADE LOOP	1	1 4	NTCVC	IUEALA I	20.04	407.40	01.00	0.00	0.00			1	1		
_	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2	-		NTCVG NTCVG	UEAL4 UEAL4	30.81 38.32	127.40 127.40	91.02 91.02	0.00	0.00					-	├
	4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3	1		NTCVG	UEAL4	60.39	127.40	91.02	0.00	0.00						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	NICVO	ULAL4	00.55	127.40	31.02	0.00	0.00						
	DS0)			NTCVG	URESL		24.98	3.52								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per				UNLUL		21.00	0.02								
	DS0)			NTCVG	URESP		26.47	5.01								
	Unbundled Loop Service Rearrangement, change in loop facility,															
	per circuit			NTCVG	UREWO		87.59	36.30								
4-WIRI	DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1			NTCD1	USLXX	85.70	245.16	152.98								
	4-Wire DS1 Digital Loop - Zone 2		2	NTCD1	USLXX	194.96	245.16	152.98								
	4-Wire DS1 Digital Loop - Zone 3		3	NTCD1	USLXX	491.94	245.16	152.98								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS1)	1		NTCD1	URESL		24.98	3.52								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			NITODA	LIDEOD		00.47	5.04								
_	DS1)	1		NTCD1	URESP		26.47	5.01								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			NTCD1	UREWO		100.93	42.98								
4-WID	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	1		NICDI	UKEWO		100.93	42.90			l .	l .				
4-1111	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	1	NTCUD	UDL2X	30.99	121.86	85.48			ı	ı			1	
-	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	1		NTCUD	UDL2X	36.78	121.86	85.48								1
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3	1		NTCUD	UDL2X	38.92	121.86	85.48								1
-	4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1	1	1	NTCUD	UDL4X	30.99	121.86	85.48								1
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	1	2	NTCUD	UDL4X	36.78	121.86	85.48							1	1
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	NTCUD	UDL4X	38.92	121.86	85.48								
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		1	NTCUD	UDL9X	30.99	121.86	85.48								1
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		2	NTCUD	UDL9X	36.78	121.86	85.48								
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3		3	NTCUD	UDL9X	38.92	121.86	85.48								
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1	NTCUD	UDL19	30.99	121.86	85.48								
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2		2	NTCUD	UDL19	36.78	121.86	85.48								
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3		3	NTCUD	UDL19	38.92	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	NTCUD	UDL56	30.99	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	NTCUD	UDL56	36.78	121.86	85.48								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	NTCUD	UDL56	38.92	121.86	85.48								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	NTCUD	UDL64	30.99	121.86	85.48								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	NTCUD	UDL64	36.78	121.86	85.48								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	NTCUD	UDL64	38.92	121.86	85.48								<u> </u>
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per				1	\exists					1	1				1
	DS0)	1	<u> </u>	NTCUD	URESL		24.98	3.52								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			LITOLIB												1
	DS0)	1	<u> </u>	NTCUD	URESP		26.47	5.01							1	₩
	Unbundled Loop Service Rearrangement, change in loop facility,			NITCUID	LIDEWO		101.07	40.07								
	per circuit	1	<u> </u>	NTCUD	UREWO		101.97	49.67							 	
	Order Coordination for Specified Conversion Time (per LSR)			NTCVG, NTCUD, NTCD1	OCOSL		17.56									I
	TOTAL COOLUMN TO SPECIFIED CONVERSION TIME (DECLOR)	1	1	INICUI	UUUUSL		00.11				l	l			1	

CATEGORY RATE ELEMENTS Interim Zone BCS USOC Rec	R.			Svc Order Submitted	Svc Order Submitted	Incremental	Incremental	Incremental	Incremental
		RATES(\$)		Elec per LSR	Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
LIDC LIEA LID	Nonrecurri		Nonrecurring Disconnect			oss	Rates(\$)		
	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UDN, USL, UAL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TD1, U1TD3, U1TD5, U1TS1, U1TVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X, UNC0X,	80.00	55.00							
Maintenance of Service Charge, Basic Lime, per nair nour UNCVX, ULS MVVB UDC, UEA, UDL,	80.00	55.00							
UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TD1, U1TB1, U1TVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULD3, ULDDX, ULDS1, ULDVX, ULDS1, ULDVX, UNC1X, UNC3X, UNC1X, UNCSX, UNCSX, UNCSX, UNCSX,									
Maintenance of Service Charge, Overtime, per half hour UNCVX, ULS MVVOT	90.00	65.00							
UDC, UEA, UDL, UDN, USL, UAL, UDN, USL, UAL, ULH, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TD1, U1TD3, U1TDX, UTS1, U1TVX, UDF, UDFCX, UDLSX, UES, ULDD1, ULDD3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, ULDS1, ULDVX, UNC1X, UNC3X, UNC1X, UNCSX, UNCDX, UNCSX, UNCVX, ULS MVVPT LOOP MODIFICATION	100.00	75.00							
LOOP MODIFICATION UAL, UHL, UCL,				_					
Unbundled Loop Modification, Removal of Load Coils - 2 Wire UEANL, UEPSR, pair less than or equal to 18k ft, per Unbundled Loop UEPSB ULM2L	0.00	0.00							
Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop UHL, UCL, UEA ULM4L	0.00	0.00							
UAL, UHL, UCL, UEQ, ULS, UEA, Uhbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop UEANL, UEPSR, UEPSB ULMBT	12.15	12.15							
SUB-LOOPS									
Sub-Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	444.00	444.60							
Up UEANL, UEF USBSA	144.09	144.09							
Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up UEANL, UEF USBSB Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility	10.99	10.99							
Set-Up UEANL USBSC Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set- Up UEANL USBSD UEANL USBSD	86.16 27.13	86.16 27.13							

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Cub Loop Dietribution Day 2 Wire Angles Voice Crede Loop						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	7.57	63.89	30.06								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			OL/WL	CODINE	7.57	00.00	00.00								
	Zone 2		2	UEANL	USBN2	12.75	63.89	30.06								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		_	115 4411	LIODNIO	04.45	00.00	20.00								
	Zone 3	1	3	UEANL	USBN2	21.45	63.89	30.06								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN4	11.76	76.75	42.92								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	16.84	76.75	42.92								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEANL	USBN4	10.04	76.75	42.92								
	Zone 3	<u>L</u>	3	UEANL	USBN4	19.27	76.75	42.92	<u> </u>		<u> </u>			<u> </u>	<u> </u>	<u> </u>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEANL UEANL	USBMC USBR2	2.91	7.92 51.48	7.92 17.65			1					
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-		UEAINL	USDKZ	2.91	51.48	17.05			1					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	6.58	57.54	23.71								
							7.00	=								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour	-		UEANL UEANL	USBMC URET1	-	7.92 33.17	7.92 0.00								
	Loop Testing - Basic 1st Hall Hour Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.28	19.28								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.26	63.89	30.06								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	10.07	63.89	30.06								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	12.70	63.89	30.06								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	8.03	76.75	42.92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	10.71	76.75	42.92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	6.08	76.75	42.92								
1	Order Coordination for I laboration Sub-Leans nor sub-lean nois			UEF	USBMC		7.92	7.92								
-	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Tagging Service Level 1, Unbundled Copper Loop, Non-			UEF	USBIVIC	1	7.92	1.92								
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.92	0.88								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		33.17	0.00								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.28	19.28								
Unbui	Indled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load			l	T .	1	-		1					ı	1	
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		0.00	0.00								
	Unbundled Sub-loop Modification - 4-W Copper Dist Load															
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		0.00	0.00								
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop			UEF	ULMBT		224.55	4.29								
Unbu	Junbungled 100p ndled Network Terminating Wire (UNTW)			UEF	OLIMBI		224.55	4.29						l		
Onbu	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3454	14.72	14.72								
Netwo	ork Interface Device (NID)	•		•									•	•	•	•
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		42.26	27.83								
	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W			UENTW UENTW	UND16 UNDC2		62.86 5.73	48.43 5.73								
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC4		5.73	5.73								
UNE OTHER,	PROVISIONING ONLY - NO RATE			02.11.11	ONDO!		00	00								
	Unbundled Contact Name, Provisioning Only - no rate			UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL	UNECN	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate	1	ļ	USL, NTCD1	CCOSF	1 1	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL, NTCD1	CCOEF		0.00									
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Establishment, Provisioning Only - No Rate	1		UENTW	UENCE	0.00	0.00				1					

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Att: 2 Exh: A			-
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
LOOP MAKE-	LUD.						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOOP MAKE					-											
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		23.29	23.29								
	Loop Makeup - Preordering With Reservation, per spare facility		1	OWIX	OWINE	1	25.25	23.23								1
	gueried (Manual).			UMK	UMKLP		24.70	24.70								
	Loop MakeupWith or Without Reservation, per working or spare															
	facility queried (Mechanized)			UMK	UMKMQ		0.19	0.19								
LINE SPLITTI																
END	USER ORDERING-CENTRAL OFFICE BASED			I	1											
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61	47.07	40.00								-
	Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB UEPSR UEPSB	UREBP UREBV	0.61 0.61	17.97 17.97	10.29 10.29								-
END	USER ORDERING - REMOTE SITE LINE SPLITTING			UEFSK UEFSB	UNEBV	0.61	17.97	10.29	l l					l .		
LIND	Remote Site Shared Loop Line Activation for End Users - CLEC															
	Owned Splitter			UEPSR UEPSB	URERS	0.61	56.83	23.00	7.19	7.19						
	Remote Site Shared Loop - Subsequent Activity - CLEC Owned															
	Splitter			UEPSR UEPSB	URERA		53.82	21.35								
	INDLED EXCHANGE ACCESS LOOP															
2-WIF	E ANALOG VOICE GRADE LOOP			1	,				1		_				1	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1			UEPSR UEPSB	UEALS	12.90	36.54	16.87	0.00	0.00						
-	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		-	UEPSK UEPSB	UEALS	12.90	30.34	10.07	0.00	0.00						-
	Zone 1		1	UEPSR UEPSB	UEABS	12.90	36.54	16.87	0.00	0.00						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		<u> </u>	02. 01. 02. 03	027130	12.00	00.01	10.01	0.00	0.00						
	Zone 2		2	UEPSR UEPSB	UEALS	23.33	36.54	16.87	0.00	0.00						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	Zone 2		2	UEPSR UEPSB	UEABS	23.33	36.54	16.87	0.00	0.00						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSR UEPSB	UEALS	48.43	36.54	16.87	0.00	0.00						
	Zone 3		3	UEPSR UEPSB	UEABS	48.43	36.54	16.87	0.00	0.00						
	Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-		3	UEFSK UEFSB	UEABS	40.43	30.34	10.07	0.00	0.00						
	Line Splitting - CLEC Owned Splitter - Zone 1		1	UEPSR UEPSB	UEARS	7.57	63.89	30.06	0.00	0.00						
	Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-															
	Line Splitting - CLEC Owned Splitter - Zone 2		2	UEPSR UEPSB	UEARS	12.75	63.89	30.06	0.00	0.00						
	Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-															
	Line Splitting - CLEC Owned Splitter - Zone 3		3	UEPSR UEPSB	UEARS	21.45	63.89	30.06	0.00	0.00						
PHYS	SICAL COLLOCATION	1			1		ı		1		1				ı	Т
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0318	11.94	11.46	0.00	0.00						
VIRTI	JAL COLLOCATION			UEFSK UEFSB	ILETIP	0.0316	11.54	11.40	0.00	0.00				l		
****	SAE GOLLOGATION															
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00						
	DEDICATED TRANSPORT															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - 2-Wire Voice Grade - per mile			U1TVX	1L5XX	0.013										
	Interoffice Channel - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	22.60	39.36	26.62								<u> </u>
	Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile			U1TVX	1L5XX	0.013										
	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	22.60	39.36	26.62								
	Interoffice Channel - 4-Wire Voice Grade - per mile			U1TVX	1L5XX	0.013	00.00	20.02								
					1											
	Interoffice Channel - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	19.81	39.36	26.62								
	Interoffice Channel - 56 kbps - per mile			U1TDX	1L5XX	0.013										
	Interoffice Channel - 56 kbps - Facility Termination			U1TDX	U1TD5	15.61	39.36	26.62							ļ	ļ
\vdash	Interoffice Channel - 64 kbps - per mile			U1TDX	1L5XX	0.013	20.00	00.00							-	<u> </u>
 	Interoffice Channel - 64 kbps - Facility Termination Interoffice Channel - DS1 - per mile			U1TDX U1TD1	U1TD6 1L5XX	15.61 0.2652	39.36	26.62								
 	Interoffice Channel - DS1 - per mile Interoffice Channel - DS1 - Facility Termination			U1TD1	U1TF1	70.47	86.69	79.44								
 	Interoffice Channel - DS3 - per mile			U1TD3	1L5XX	6.04	00.09	13.44								-
<u> </u>	Interoffice Channel - DS3 - Facility Termination			U1TD3	U1TF3	850.45	270.69	158.05								
	Interoffice Channel - STS-1 - per mile			U1TS1	1L5XX	6.04										
	Interoffice Channel - STS-1 - Facility Termination			U1TS1	U1TFS	830.19	270.69	158.05								
	INDLED DARK FIBER	_								_						

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per			LIDE LIDEOV	1L5DF	05.00										
	Route Mile Or Fraction Thereof Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	1	1	UDF, UDFCX	ILOUF	25.28					1					+
	Route Mile Or Fraction Thereof			UDF, UDFCX	UDF14		620.60	133.88								
HIGH CAPAC	CITY UNBUNDLED LOCAL LOOP			ODI, ODI OX	ODI 14	†	020.00	100.00								
	STS-1 UNBUNDLED LOCAL LOOP - Stand Alone				•		•		•	•	•			•		
	DS3 Unbundled Local Loop - per mile			UE3	1L5ND	10.04										
	DS3 Unbundled Local Loop - Facility Termination			UE3	UE3PX	362.34	438.46	256.30								
	STS-1Unbundled Local Loop - per mile			UDLSX	1L5ND	10.04	100.10	050.00								
ENHANCED	STS-1 Unbundled Local Loop - Facility Termination EXTENDED LINK (EELs)			UDLSX	UDLS1	374.56	438.46	256.30								
	ork Elements Used in Combinations	1	l		1								l		l	
INELW	2-Wire VG Loop (SL2) in Combination - Zone 1		1 1	UNCVX	UEAL2	14.93	94.21	45.09		1						T
	2-Wire VG Loop (SL2) in Combination - Zone 1	1	2	UNCVX	UEAL2	25.35	94.21	45.09		1						1
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09		İ						
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
	4-Wire Analog Voice Grade Loop in Combination - Zone 3			UNCVX	UEAL4	60.39	94.21	45.09								
	2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	22.09	94.21	45.09								
	2-Wire ISDN Loop in Combination - Zone 2		3	UNCNX	U1L2X U1L2X	35.28 65.18	94.21 94.21	45.09								
	2-Wire ISDN Loop in Combination - Zone 3 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	1	UNCNX UNCDX	UDL56	30.99	94.21	45.09 45.09			1					
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09								
-	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09			1					
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								†
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89								
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89								
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	491.94	169.22	100.89								
	DS3 Local Loop in combination - per mile DS3 Local Loop in combination - Facility Termination			UNC3X UNC3X	1L5ND UE3PX	10.04 362.34	188.45	125.51								
	STS-1 Local Loop in combination - Pacility Termination STS-1 Local Loop in combination - per mile			UNCSX	1L5ND	10.04	100.40	125.51								
	STS-1 Local Loop in combination - Facility Termination	1		UNCSX	UDLS1	374.56	188.45	125.51								
	Interoffice Channel in combination - 2-wire VG - per mile			UNCVX	1L5XX	0.013	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
	Interoffice Channel in combination - 2-wire VG - Facility															
	Termination			UNCVX	U1TV2	22.60	72.60	41.75								
	Interoffice Channel in combination - 4-wire VG - per mile			UNCVX	1L5XX	0.013										
	Interoffice Channel in combination - 4-wire VG - Facility															
	Termination			UNCVX	U1TV4	19.81	72.60	41.75								
	Interoffice Channel in combination - 4-wire 56 kbps - per mile Interoffice Channel in combination - 4-wire 56 kbps - Facility	1	1	UNCDX	1L5XX	0.013					1					
	Termination			UNCDX	U1TD5	15.61	72.60	41.75								
	Interoffice Channel in combination - 4-wire 64 kbps - per mile			UNCDX	1L5XX	0.013	72.00									†
	Interoffice Channel in combination - 4-wire 64 kbps - Facility															
	Termination			UNCDX	U1TD6	15.61	72.60	41.75								
	Interoffice Channel in combination - DS1 - per mile			UNC1X	1L5XX	0.2652										
	Interoffice Channel in combination - DS1 Facility Termination			UNC1X	U1TF1	70.47	143.58	103.88								
	Interoffice Channel in combination - DS3 - per mile	1	<u> </u>	UNC3X	1L5XX	6.04	600.00			ļ						
	Interoffice Channel in combination - DS3 - Facility Termination	!	1	UNC3X UNCSX	U1TF3 1L5XX	850.45 6.04	296.68	121.16		 	1					
	Interoffice Channel in combination - STS-1 - per mile Interoffice Channel in combination - STS-1 Facility Termination	l -	-	UNCSX	U1TFS	830.19	296.68	121.16		1						
ADDITIONAL	NETWORK ELEMENTS	1		0.400/	01110	330.13	230.00	121.10		 	t		1			
	onal Features & Functions:			•	•	. L	1			•		•		•		•
	Clear Channel Capability Extended Frame Option - per DS1	ı		U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
		l . –		U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1		<u> </u>	ULDD1,UNC1X	CCOSF	 	0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity -	1 .		ULDD1, U1TD1,	NIDOGO		404.05	00.70	4.6=						1	
	per DS1			UNC1X, USL U1TD3, ULDD3,	NRCCC		184.65	23.79	1.97	0.77						
	C-bit Parity Option - Subsequent Activity - per DS3 DS1/DS0 Channel System	i		UE3, UNC3X UNC1X	MQ1	105.09	218.78 59.97	7.66 12.96	0.7263	0.00						+

CATEGORY RATE ELEMENTS	UNBUNDLED	D NETWORK ELEMENTS - Louisiana				-	-						Att: 2 Exh: A			
Note Classe COCI in combination			Interim	Zone	BCS	usoc					Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
Verse Cases COCT to contraction Verse Cases Local Local Local Local Local Local Local Local Communication in a characteristic of the correction to a characteristic Communication in a characteristic Communication in a characteristic Communication in a characteristic Communication in a characteristic Communication in a characteristic Communication in a characteristic Communication in Communic							Rec									
Votes Great COCH : to C2V-SS 2 A 4W votes Greate Lorest Loop UPA 197V(S 6.6497 6.91 4.26										First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Visice Grade COCI-1 for correction to a charmelated DS1 Local Country (In Example Visice Schools)		Voice Grade COCI in combination			UNCVX	1D1VG	0.6497	5.91	4.26							
Visice Grade COCI-1 for correction to a charmelated DS1 Local Country (In Example Visice Schools)																
Charmel in the same SWC as colocation					UEA	1D1VG	0.6497	5.91	4.26							
COLUPP CODI 2-44645 in Continued Digital Loop USC. IORDD 1-38 5-91 4-28																
COLUPP COCC 24-6469; for interval displant Loop																ļ
COLUPP COCI C 4-64649 - for commonition to a characterized DSI Local Charmel in the same SWC as coloration Column				-												
Local Chemeria in teams SVIC as colocation				-	UDL	טטוטו	1.38	5.91	4.26							
2-visit SSN COC IRRTF: for a floration 18/NCNX UC/CA 296 6.39 4.58					LIATUD	10100	4 20	F 04	4.00							
Description Description		2 wire ISDN COCL (RRITE) in combination									+	-				
Designation Designation		2 wire ISDN COCI (BRITE) for a Legal Legal									1					
Local Charverie in the same SWC as collocation				-	ODIN	OCTOA	2.30	0.55	4.50		1					
SST COCI in combretion					U1TUB	UC1C4	2 96	6 30	4.59		1					
OST COCI - for Stand Abree Load Charrel OST COCI - for Stand Abree Load Charrel OST COCI - for Stand Abree Load Charrel OST COCI - for Stand Abree Load Charrel OST COCI - for Stand Abree Load Charrel OST COCI - for Stand Abree Load Charrel OST COCI - for Stand Abree Load Charrel OST COCI - for Stand Abree Load Charrel OST COCI - for Stand Abree Load Charrel OST COCI - for Stand Abree OST COCI - fo	 									 	+					
OST COCI - for Stand Anne Interdiffect Charmed UITD1 UCID1 11,76 5.91 4.26										 	+					-
USL NTCD1 UCID1 1178 5.91 4.26										 	1	1	1			t
DST COCT- For commentation to a charmestant DST Local Charmest in the same SWC as collocation											1		1			t
Be same SWC as collocation					,	30.51	11.70	0.01	7.20		1		1			t
UNCOX, UNcox, UNcox, UNcox, UNcox, UNcox, UNcox, UNcox, UNcox, UNcox, UNcox, UNcox, UNcox, UNcox, Uncox,					U1TUA	UC1D1	11.78	5.91	4.26							
UNICIX, UNICSX, UNIC																
Urbunded Misc Rate Element, SNE SAI, Single Network Element					UNCSX, UDFCX, XDH1X, HFQC6, XDD2X, XDV6X,											
Urbunded Misc Rate Element, SNE SAI, Single Network Element UITD1, UITD3, UID5, UE3 UID5, UE5 UID5, UE5 UID5, UE5 UID5, UE5 UID5, UE5 UID5, UE5 UID5, UE5 UID5, UE5 UID5, UE5 UID5, UE5 UID5, UE5 UID5, UE5 UID5,		Wholesale - UNE, Switch-As-Is Conversion Charge			HFRST, UNCNX	UNCCC		5.43	5.43							
Urbunded Misc Rate Element, SNE SAI, Single Network Element UITD1, UITD3, UID5, UE3 UID5, UE5 UID5, UE5 UID5, UE5 UID5, UE5 UID5, UE5 UID5, UE5 UID5, UE5 UID5, UE5 UID5, UE5 UID5, UE5 UID5, UE5 UID5, UE5 UID5,		, , , , , , , , , , , , , , , , , , , ,														
Urbunded Mise Rate Element, SNE SAI, Single Network Element		Unbundled Misc Rate Element, SNE SAI, Single Network Element -														
Switch As Is Non-recurring Charge, incremental charge per circuit U1TD1, U1TD3, U1TS1, UDF, UE3 URESP 1.49 1.49		Switch As Is Non-recurring Charge, per circuit (LSR)	- 1		U1TS1, UDF, UE3	URESL		36.83	16.12							
On a spreadsheet I UTTS1, UDF, UES URESP 1.49 1.49		Unbundled Misc Rate Element, SNE SAI, Single Network Element			U1TVX, U1TDX,											
Access to DCS - Oustomer Reconfiguration (FloxServ)																
Customer Reconfiguration Establishment			i		U1TS1, UDF, UE3	URESP		1.49	1.49							
DS1 DS1 Fermination with DS0 Switching																
DS1 DCS Termination with DS1 Switching																
DS3 DCS Termination with DS1 Switching																
Node (SynchroNet)																
Node per month							149.41	24.81	19.09							
Service Rearrangements																
NRC - Change in Facility Assignment per circuit Service Rearrangement I UNCDX, UNCVX, ULDDX, UNCVX, ULDDX, UNCVX, UTTUC, UTTUD, UTTUB, ULDVX, ULTUC, UTTUD, UTTUB, ULDVX, UNCTVX, UTTUC, UTTUD, UTTUB, ULDVX, ULTUC, UTTUD, UTTUB, ULDVX, ULDDX, UNCVX, ULDDX, UNCVX, ULDDX, UNCVX, ULDDX, UNCVX, UNCVX, ULDDX, UNCVX, UNCX, UTTUB, ULDY, ULDY, ULDY, ULDDY					UNCDX	UNCNT	15.43									
NRC - Change in Facility Assignment per circuit Service U1TUC, U1TUB, ULDVX, ULDDX, UNCVX, ULDDX, UNCVX, UNCDX, UNCIX URETD 100.93 42.98	Service	Rearrangements								1	1					
U1TUC, U1TUB, ULDVX, U1TUB, ULDVX, ULDDX, UNCDX,			I		U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETD		100.93	42.98							
COMMINGLING UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TUX, U1TUB, ULDVX, U1TUB, ULDVX, ULDD1, ULDD3, ULDS1 CMGAU 0.00 0.00 0.00		Management (added to CFA per circuit if project managed)	ı		U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X											
UNCVX, UNCDX, UNCDX, UNCSX, UNCSX, UNCSX, UTD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, UTTDX, U1TVX, U1TVX, U1TUB, ULDVX, U1TUB, ULDVX, ULDD1, ULDD3, ULDS1 CMGAU 0.00 0.00 0.00		NRC - Order Coordination Specific Time - Dedicated Transport	ı		UNC1X, UNC3X	OCOSR		18.85	18.85		1]			
Commingled (UNE part of single bandwidth circuit)		Commingling Authorization			UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDD3,	CMGAU	0.00	0.00	0.00							
		ngled (UNE part of single bandwidth circuit)			-	•				•	•	•				
					XDV2X	1D1VG	0.6497	5.91	4.26							
											1		i			

JNBUNDLE	D NETWORK ELEMENTS - Louisiana												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
						_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Commingled ISDN COCI			XDD4X	UC1CA	2.96	6.39	4.58								
	Commingled 2-wire VG Interoffice Channel			XDV2X	U1TV2	22.60	72.60	41.75								
	Commingled 4-wire VG Interoffice Channel			XDV6X	U1TV4	19.81	72.60	41.75								
	Commingled 56kbps Interoffice Channel			XDD4X	U1TD5	15.61	72.60	41.75								
	Commingled 64kbps Interoffice Channel			XDD4X	U1TD6	15.61	72.60	41.75								
	Commingled VG/DS0 Interoffice Channel Mileage			XDV2X, XDV6X, XDD4X	1L5XX	0.013										
	Commingled 2-wire Local Loop Zone 1		1	XDV2X	UEAL2	14.93	94.21	45.09								
	Commingled 2-wire Local Loop Zone 2		2	XDV2X	UEAL2	25.35	94.21	45.09								
	Commingled 2-wire Local Loop Zone 3		3	XDV2X	UEAL2	50.46	94.21	45.09								
	Commingled 4-wire Local Loop Zone 1		1	XDV6X	UEAL4	30.81	94.21	45.09		İ				İ		
	Commingled 4-wire Local Loop Zone 2		2	XDV6X	UEAL4	38.32	94.21	45.09								
	Commingled 4-wire Local Loop Zone 3	1	3	XDV6X	UEAL4	60.39	94.21	45.09								
	Commingled 56kbps Local Loop Zone 1	1	1	XDD4X	UDL56	30.99	94.21	45.09		İ				İ	İ	
	Commingled 56kbps Local Loop Zone 2		2	XDD4X	UDL56	36.78	94.21	45.09								
	Commingled 56kbps Local Loop Zone 3		3	XDD4X	UDL56	38.92	94.21	45.09								
	Commingled 64kbps Local Loop Zone 1		1	XDD4X	UDL64	30.99	94.21	45.09								
	Commingled 64kbps Local Loop Zone 2		2	XDD4X	UDL64	36.78	94.21	45.09								
	Commingled 64kbps Local Loop Zone 3		3	XDD4X	UDL64	38.92	94.21	45.09								
	Commingled ISDN Local Loop Zone 1		1	XDD4X	U1L2X	22.09	94.21	45.09								
	Commingled ISDN Local Loop Zone 2		2	XDD4X	U1L2X	35.28	94.21	45.09			1					
	Commingled ISDN Local Loop Zone 3		3	XDD4X	U1L2X	65.18	94.21	45.09			1					
	Commingled DS1 COCI	1	Ŭ	XDH1X	UC1D1	11.78	5.91	4.26								
	Commingled DS1 Interoffice Channel	1		XDH1X	U1TF1	70.47	143.58	103.88								
	Commingled DS1 Interoffice Channel Mileage			XDH1X	1L5XX	0.2652	145.50	100.00								
	Commingled DS1/DS0 Channel System			XDH1X	MQ1	105.09	59.97	12.96								
	Commingled DS1 Local Loop Zone 1		1	XDH1X	USLXX	85.70	169.22	100.89								
	Commingled DS1 Local Loop Zone 1		2	XDH1X	USLXX	194.96	169.22	100.89								
	Commingled BS1 Local Loop Zone 3		3	XDH1X	USLXX	491.94	169.22	100.89			+					
	Commingled DS3 Local Loop Commingled DS3 Local Loop		3	HFQC6	UE3PX	362.34	188.45	125.51								
	Commingled DS3/STS-1 Local Loop Mileage			HFQC6, HFRST	1L5ND	10.04	100.43	120.01								
	Commingled STS-1 Local Loop			HFRST	UDLS1	374.56	188.45	125.51								
	Commingled DS3/DS1 Channel System			HFQC6	MQ3	201.48	107.05	48.07								
	Commingled DS3/DS1 Chainer System Commingled DS3 Interoffice Channel	+		HFQC6	U1TF3	850.45	296.68	121.16			+					-
	Commingled DS3 Interoffice Channel Mileage	+		HFQC6	1L5XX	6.04	290.00	121.10			+					
	Commingled STS-1Interoffice Channel	+		HFRST	U1TFS	830.19	296.68	121.16			+					-
				HFRST	1L5XX	6.04	290.00	121.10								
-	Commingled STS-1Interoffice Channel Mileage	+		пгкот	ILOAA	0.04					+					
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			HEQDL	1L5DF	25.28					1			1		
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	1	-	HEQUL	ILOUF	25.28				-	+			-	-	
I	Strands, Per Route Mile Or Fraction Thereof	1	1	HEQDL	UDF14		620.60	133.88		İ	1			l	1	1
	UNE to Commingled Conversion Tracking	+		XDH1X, HFQC6	CMGUN	0.00	0.00	0.00	0.00	0.00	1			1	 	
-+		1		XDH1X, HFQC6 XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00	1			 	1	
NP Query Ser	SPA to Commingled Conversion Tracking	1		AUDIA, AFQUO	CIVIGOR	0.00	0.00	0.00	0.00	0.00	1			 	1	
uuery ser	LNP Charge Per guery	1		 	+	0.0008559				 	1			 	1	
	LNP Service Establishment Manual	1	\vdash	 	+	0.0000009	12.16			-	+			 	-	
								294.43								├ ──
1 PBX LOCA	LNP Service Provisioning with Point Code Establishment	1	-	-	+	-	576.33	294.43		-	+			-	-	
	X LOCATE DATABASE CAPABILITY	1	L	L	1		Į.			L	1		1	L	l	<u> </u>
SILER	Service Establishment per CLEC per End User Account	1	1	9PBDC	9PBEU	1	1.819.00			1	1			1	ı	
		1	\vdash	9PBDC 9PBDC	9PBEU 9PBTN	-	1,819.00			-	+			 	-	
	Changes to TN Range or Customer Profile	1	-	9PBDC	9PBTN 9PBMM	0.07	101.99			-	+			-	-	
	Per Telephone Number (Monthly)	+	-			0.07	E24.00			 	+			 	-	
	Change Company (Service Provider) ID	+	-	9PBDC	9PBPC	470.50	534.22			 	+			 	-	
	PBX Locate Service Support per CLEC (Monthlt)	+	-	9PBDC	9PBMR	178.58	45.00			 	+			 	-	
644.55	Service Order Charge	1		9PBDC	9PBSC		15.20			L	1			L	l	
	X LOCATE TRANSPORT COMPONENT															
See At	ı o	1	1	1	1	1				1	1			ı		
	1		1								1			•		1

Version: 4Q06 Std ICA 03/16/07

Page 56 of 102

JNBUNDL	ED NETWORK ELEMENTS - Mississippi												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
							Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Zone" shown in the sections for stand-alone loops or loops as pa			tion refers to Geograp	phically Deav	eraged UNE Zo	nes. To view G	eographically I	Deaveraged UN	E Zone Design	ations by Ce	entral Office,	refer to intern	et Website:		
	/www.interconnection.bellsouth.com/become_a_clec/html/interco	nnectio	n.htm	•			1		1					•	•	
PERATION	S SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOT	E: (1) CLEC should contact its contract negotiator if it prefers the '	state sr	ecific"	OSS charges as orde	red by the S	tate Commissio	ns. The OSS c	harges current	ly contained in t	his rate exhibit	are the Bell	South "regic	nal" service o	ordering charg	es. CLFC ma	v elect eithe
the s	ate specific Commission ordered rates for the service ordering ch	arges, c	r CLEC	may elect the region	al service or	dering charge, I	nowever, CLEC	can not obtain	a mixture of th	e two regardles	s if CLEC h	as a interco	nnection cont	ract establishe	d in each of the	he 9 states
	E: (2) Any element that can be ordered electronically will be billed															
	ed electronically at present per the LOH, the listed SOMEC rate in	this cate	egory re	eflects the charge that	t would be b	illed to a CLEC	once electronic	ordering capab	ilities come on-	line for that ele	ment. Othe	rwise, the m	anual ordering	g charge, SON	IAN, will be ap	plied to a
CLEC	Cs bill when it submits an LSR to BellSouth. OSS - Electronic Service Order Charge, Per Local Service	1	ı			1										
	Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request															
<u> </u>	(LSR) - UNE Only		<u> </u>		SOMAN	ļ	15.75	0.00	1.97	0.00						
	E DATE ADVANCEMENT CHARGE	IIC a th.	- FCC	No 4 Touiss Continue F	aa amuliaaki											
NOTI	E: The Expedite charge will be maintained commensurate with Be	:noouth		UAL, UEANL, UCL,	as applicabl	e. T										
				UEF, UDF, UEQ,												
				UDL, UENTW, UDN,												
				UEA, UHL, ULC,												
				USL, U1T12, U1T48, U1TD1, U1TD3.												
				U1TDX, U1TO3,												
				U1TS1, U1TVX,												
				UC1BC, UC1BL,												
				UC1CC, UC1CL,												
				UC1DC, UC1DL,												
				UC1EC, UC1EL, UC1FC, UC1FL,												
				UC1GC, UC1GL,												
				UC1HC, UC1HL,												
				UDL12, UDL48,												
				UDLO3, UDLSX, UE3, ULD12,												
				ULD48, ULDD1,												
				ULDD3, ULDDX,												
				ULDO3, ULDS1,												
				ULDVX, UNC1X,												
				UNC3X, UNCDX, UNCNX, UNCSX,												
				UNCVX, UNLD1,												
				UNLD3, UXTD1,												
				UXTD3, UXTS1,												
				U1TUC, U1TUD,												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUB, U1TUA,NTCVG,												
1	Day		1		SDASP	1	200.00									
RDER MOD	IFICATION CHARGE					<u> </u>	200.00									
	Order Modification Charge (OMC)						26.21	0.00	0.00	0.00						
10111101 ==	Order Modification Additional Dispatch Charge (OMCAD)		<u> </u>				150.00	0.00	0.00	0.00						
	EXCHANGE ACCESS LOOP RE ANALOG VOICE GRADE LOOP	1	<u> </u>			ı										1
Z-441L	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.03	37.92	17.55	23.48	5.25						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	16.87	37.92	17.55	23.48	5.25						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	25.68	37.92	17.55	23.48	5.25						
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		4	UEANL UEANL	UEAL2 UEASL	43.85 12.03	37.92 37.92	17.55 17.55	23.48 23.48	5.25 5.25						-
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	12.03	37.92 37.92	17.55 17.55	23.48	5.25						-
1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	25.68	37.92	17.55	23.48	5.25						
					UEASL	43.85	37.92	17.55	23.48	5.25						
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		4	UEANL	UEAGL	43.65	37.92	17.55	20.70	0.20						
	Tag Loop at End User Premise		4	UEANL	URETL	43.05	8.92	0.88	20.40	0.20						
			4	UEANL UEANL		43.65			20.40	0.20						

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring		001150			Rates(\$)		T 0011111
	Onder Consider the Consider to Consider the Time to INVI CLA						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		18.19	18.19								
	Unbundled Non-Design Voice Loop, billing for BST providing			OL7114L	COOCE		10.13	10.10								+
	make-up (Engineering Information - E.I.)			UEANL	UEANM		13.51	13.51								
	Unbundled Loop Service Rearrangement, change in loop facility,															
	per circuit			UEANL	UREWO		15.75	8.92	23.48	5.25						
	Bulk Migration, per 2 Wire Voice Loop-SL1	-		UEANL	UREPN UREPM		37.92	17.55	23.48	5.25						
2-WID	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1 E Unbundled COPPER LOOP	l		UEANL	UKEPIVI		8.20	8.20								1
Z-WIIX	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42					1	
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	i	2	UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 4		4	UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42						
	Tag Loop at End User Premise			UEQ	URETL		8.92	0.88								
	Loop Testing - Basic 1st Half Hour	<u> </u>	-	UEQ UEQ	URET1 URETA	1	34.36 19.97	0.00 19.97	-	-						
	Loop Testing - Basic Additional Half Hour Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-			UEW	UKETA	1	19.97	19.97	<u> </u>	 						
	Designed (per loop)			UEQ	USBMC		8.20	8.20	1	1						
	Unbundled Copper Loop - Non-Design, billing for BST providing					1										
	make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.51	13.51								
	Unbundled Loop Service Rearrangement, change in loop facility,															
	per circuit			UEQ	UREWO		14.24	7.42	22.66	4.42						
	Bulk Migration, per 2 Wire UCL-ND	-		UEQ UEQ	UREPN		36.53 8.20	16.16 8.20	22.66	4.42						
IINBIINDI ED	Bulk Migration Order Coordination, per 2 Wire UCL-ND EXCHANGE ACCESS LOOP	-		UEQ	UREPM		6.20	6.20								+
	E ANALOG VOICE GRADE LOOP						I						<u> </u>			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		3	UEA	UEALZ	27.55	105.96	00.20	52.62	10.37						
	Ground Start Signaling - Zone 4		4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2		2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3	UEA	UEAR2	27.55	105.00	68.28	52.82	10.37						
	Battery Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3	UEA	UEARZ	27.55	105.96	00.20	52.62	10.37						
	Battery Signaling - Zone 4		4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)			UEA	URESL		25.01	3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)			UEA	URESP		26.50	5.02								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UEA	UREWO		87.56	36.29								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10								+
	Bulk Migration, per 2 Wire Voice Loop-SL2			UEA	UREPN		105.96	68.28								
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2			UEA	UREPM		0.00	0.00								
4-WIR	E ANALOG VOICE GRADE LOOP				_											
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	27.47	132.27	94.59	60.68							
	4-Wire Analog Voice Grade Loop - Zone 2	<u> </u>	2	UEA	UEAL4	38.26	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 3 4-Wire Analog Voice Grade Loop - Zone 4	<u> </u>	3	UEA UEA	UEAL4 UEAL4	50.03 50.03	132.27 132.27	94.59 94.59	60.68 60.68	14.64 14.64						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		4	ULA	UEAL4	50.03	132.21	34.03	00.08	14.04						
	DS0)			UEA	URESL		25.01	3.53	1	1						
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per					1		2.30								
	DS0)			UEA	URESP		26.50	5.02								
	Unbundled Loop Service Rearrangement, change in loop facility,			l												
	per circuit E ISDN DIGITAL GRADE LOOP	l		UEA	UREWO		87.56	36.29	l						l	<u> </u>

Version: 4Q06 Std ICA 03/16/07

Page 58 of 102

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring		001150			Rates(\$)		
-	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	27.59	First 117.61	Add'I 79.92	First 52.82	Add'l 10.37	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	37.34	117.61	79.92	52.82	10.37						—
	2-Wire ISDN Digital Grade Loop - Zone 4	1		UDN	U1L2X	59.18	117.61	79.92	52.82	10.37						-
	Unbundled Loop Service Rearrangement, change in loop facility,			0511	O ILLI	00.10		70.02	02.02	10.07						
	per circuit			UDN	UREWO		91.46	44.07								
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	TIBLE L	OOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry &															
	facility reservation - Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry &		4	1141	LIALOY	40.00	404.07	70.01	50.00	7.00						1
	facility reservation - Zone 4 2 Wire Unbundled ADSL Loop without manual service inquiry &		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93						
1 1	facility reservaton - Zone 1		1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93						1
	2 Wire Unbundled ADSL Loop without manual service inquiry &			OAL	ONEZVV	11.11	30.10	00.00	50.50	7.50						
	facility reservaton - Zone 2		2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &		4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93						
	facility reservaton - Zone 4 Unbundled Loop Service Rearrangement, change in loop facility,		4	UAL	UALZVV	12.09	90.15	56.03	50.36	7.93						
	per circuit			UAL	UREWO		86.04	40.33								
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	TIBLE LO	OOP		1000000				L	l .						
	2 Wire Unbundled HDSL Loop including manual service inquiry &															
	facility reservation - Zone 1		1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry &		_													
	facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry &		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93						
	facility reservation - Zone 3		3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry &		_	0.1.2	OTILLEX	0.01	120.00	70.02	00.00	7.00						
	facility reservation - Zone 4		4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 1		1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93						<u> </u>
	2 Wire Unbundled HDSL Loop without manual service inquiry and		2	UHL	UHL2W	9.22	104.00	66.74	50.38	7.93						
	facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry and	1		UHL	UHLZW	9.22	104.86	66.74	50.38	7.93						
	facility reservation - Zone 3		3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
oxdot	facility reservation - Zone 4		4	UHL	UHL2W	10.46	104.86	66.74	50.38	7.93						
	Unbundled Loop Service Rearrangement, change in loop facility,				LIDELLO		0= 05									1
A-MID	per circuit E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	I FIRI E ! /	ODB	UHL	UREWO		85.98	40.33	I.	l .					<u> </u>	
4-7711	4 Wire Unbundled HDSL Loop including manual service inquiry and	I ISLE L	JOF				ı		l							
1 1	facility reservation - Zone 1	1	1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68						1
	4-Wire Unbundled HDSL Loop including manual service inquiry and	1														
oxdot	facility reservation - Zone 2		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68						
	4-Wire Unbundled HDSL Loop including manual service inquiry and	i				45.50	450 74	400.00		40.00						
\vdash	facility reservation - Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68						1
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 4	Ί	4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68						1
 	4-Wire Unbundled HDSL Loop without manual service inquiry and	1	-	5. IL	OTTE-47	14.40	150.74	100.20	30.72	10.06						
	facility reservation - Zone 1		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68						
I	4-Wire Unbundled HDSL Loop without manual service inquiry and															
\vdash	facility reservation - Zone 2	<u> </u>	2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68						
	4-Wire Unbundled HDSL Loop without manual service inquiry and		2	UHL	UHL4W	15.50	122.62	05.50	FC 70	40.60						
\vdash	facility reservation - Zone 3 4-Wire Unbundled HDSL Loop without manual service inquiry and	1	3	UNL	UHL4VV	15.59	133.62	95.50	56.72	10.68						
	facility reservation - Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68						1
	Unbundled Loop Service Rearrangement, change in loop facility,	1				10		22.00	332							
	per circuit			UHL	UREWO		85.98	40.33								
4-WIR	E DS1 DIGITAL LOOP															
1 1	4-Wire DS1 Digital Loop - Zone 1	1	1	USL	USLXX	79.08	253.93	158.45	46.10	12.07	l					1

Version: 4Q06 Std ICA 03/16/07

Page 59 of 102

UNBUNDLI	ED NETWORK ELEMENTS - Mississippi												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					_	Rec	Nonreci		Nonrecurring		001450	001111		Rates(\$)	0011411	
	4 Wire DC4 Digital Lean Tone 2		2	1101	LICLYY	420.20	First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	129.38 206.74	253.93 253.93	158.45 158.45	46.10 46.10	12.07 12.07						├
	4-Wire DS1 Digital Loop - Zone 4		4		USLXX	458.46	253.93	158.45	46.10	12.07						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		4	USL	USLAA	436.40	200.90	130.43	46.10	12.07						
	DS1)			USL	URESL		25.01	3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			002	ONLOC		20.01	0.00								
	DS1)			USL	URESP		26.50	5.02								
	Unbundled Loop Service Rearrangement, change in loop facility,															
	per circuit			USL	UREWO		100.90	42.96								
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			U = -										U		
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 1		1	UDL	UDL2X	27.44	126.53	88.85	60.68	14.64						1
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2		2	UDL	UDL2X	34.55	126.53	88.85	60.68	14.64						1
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3		3	UDL	UDL2X	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 4		4	UDL	UDL2X	32.25	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1			UDL	UDL4X	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		2	UDL	UDL4X	34.55	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3			UDL	UDL4X	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 4			UDL	UDL4X	32.25	126.53	88.85	60.68	14.64						1
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		1	UDL	UDL9X	27.44	126.53	88.85	60.68	14.64						
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		2	UDL	UDL9X	34.55	126.53	88.85	60.68	14.64						
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3			UDL	UDL9X	40.76	126.53	88.85	60.68	14.64						
	7 Wire Unbundled Digital Loop 9.6 Kbps - Zone 4			UDL	UDL9X	32.25	126.53	88.85	60.68	14.64						1
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1	UDL	UDL19	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2			UDL	UDL19	34.55	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3			UDL	UDL19	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 4			UDL	UDL19	32.25	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	-	2	UDL	UDL56	34.55	126.53	88.85	60.68	14.64						-
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4		-	UDL	UDL56	32.25 27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64		126.53	88.85	60.68 60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		3	UDL UDL	UDL64 UDL64	34.55 40.76	126.53	88.85	60.68	14.64 14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		4	UDL	UDL64	32.25	126.53 126.53	88.85 88.85	60.68	14.64						
-	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		4	ODL	UDL04	32.23	120.55	00.00	00.00	14.04						+
	DS0)			UDL	URESL		25.01	3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UDL	URESP		26.50	5.02								ļ
ı l	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UDL	UREWO		101.94	49.66								
2-WID	E Unbundled COPPER LOOP			ODL	OKLWO	l l	101.34	43.00	l							
2 ****	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93						
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93						
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93						
	2 Wire Unbundled Copper Loop-Designed including manual service		4	UCL	UCLPB											
	inquiry & facility reservation - Zone 4		4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 4		4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
	Unbundled Loop Service Rearrangement, change in loop facility,								l							
	per circuit			UCL	UREWO		95.21	42.40		Ì					İ	
4-WIR	E COPPER LOOP					,			1	ı				1	1	
	4-Wire Copper Loop-Designed including manual service inquiry	•	1		1				ı					i	l	1

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
\longleftarrow						Rec	Nonrec		Nonrecurring					Rates(\$)		
	4-Wire Copper Loop-Designed including manual service inquiry		1		1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1	and facility reservation - Zone 2		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68						
i	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 3 4-Wire Copper Loop-Designed including manual service inquiry		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
1	and facility reservation - Zone 4		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry and															
	facility reservation - Zone 1 4-Wire Copper Loop-Designed without manual service inquiry and		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68						
	facility reservation - Zone 2		2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68						
	4-Wire Copper Loop-Designed without manual service inquiry and															
	facility reservation - Zone 3 4-Wire Copper Loop-Designed without manual service inquiry and		3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
1	facility reservation - Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
1	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UCL	UREWO		95.21	42.40								
	per circuit			UEA, UDN, UAL,	OKLWO		95.21	42.40								
	Order Coordination for Specified Conversion Time (per LSR)			UHL, UDL, USL	OCOSL		18.19									
Rearra	angements EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-		1	1	1	1			1	1						
1	SL2			UEA	UREEL		87.56	36.29								
i																
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop EEL to UNE-L Retermination, per 2 Wire ISDN Loop			UEA UDN	UREEL UREEL		87.56 91.46	36.29 44.07								
	EEL to ONE-L Retermination, per 2 Wire 13DN Loop			ODN	UNEEL		91.40	44.07								
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop			UDL	UREEL		101.94	49.66								
LINE LOOP C	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop OMMINGLING			USL	UREEL		100.90	42.96								
	E ANALOG VOICE GRADE LOOP - COMMINGLING		<u> </u>	l	-1	l l			l.	1						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	NTCVG	UEAL2	13.89	105.96	68.28	52.82	10.37						
1	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	NTCVG	UEAL2	18.75	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		3	NTCVG	UEAL2	27.55	105.96	68.28	52.82	10.37						
1	Ground Start Signaling - Zone 4		4	NTCVG	UEAL2	45.72	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	NTCVG	UEAR2	13.89	105.96	68.28	52.82	10.37						
	Battery Signaling - Zone 2		2	NTCVG	UEAR2	18.75	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		3	NTCVG	UEAR2	27.55	105.96	68.28	52.82	10.37						
	Battery Signaling - Zone 4		4	NTCVG	UEAR2	45.72	105.96	68.28	52.82	10.37						
i	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per					ĺ		_								
-+-	DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	 	 	NTCVG	URESL		25.01	3.53								
<u></u>	DS0)	L	L	NTCVG	URESP		26.50	5.02		<u> </u>					<u> </u>	<u> </u>
i	Unbundled Loop Service Rearrangement, change in loop facility,			NITON (O	LIDELLIO											
	per circuit Loop Tagging - Service Level 2 (SL2)	-	-	NTCVG NTCVG	UREWO		87.56 11.19	36.29 1.10								
				NTCVG	OILLIE		11.13	1.10								
4-WIR	E ANALOG VOICE GRADE LOOP - COMMINGLING			LITOU CO	lue v		,				-					
	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2			NTCVG NTCVG	UEAL4 UEAL4	27.47 38.26	132.27 132.27	94.59 94.59	60.68 60.68	14.64 14.64						-
	4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3	-		NTCVG	UEAL4 UEAL4	50.03	132.27	94.59	60.68	14.64					-	-
+-	4-Wire Analog Voice Grade Loop - Zone 3 4-Wire Analog Voice Grade Loop - Zone 4	 		NTCVG	UEAL4	50.03	132.27	94.59	60.68	14.64					 	
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		<u> </u>			30.03	102.21		00.00	14.04						t
, ,				LUTOUG	URESL	1	05.04	3.53	1	1				1	ı	1
	DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			NTCVG	UKESL		25.01	3.53								

ATEGORY	ED NETWORK ELEMENTS - Mississippi				1								Att: 2 Exh: A			
	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring			l .		Rates(\$)		
	Unbundled Loop Service Rearrangement, change in loop facility,	-					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	per circuit			NTCVG	UREWO		87.56	36.29								
4-WIR	E DS1 DIGITAL LOOP	1														
	4-Wire DS1 Digital Loop - Zone 1		1	NTCD1	USLXX	79.08	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop - Zone 2		2	NTCD1	USLXX	129.38	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop - Zone 3		3	NTCD1	USLXX	206.74	253.93	158.45	46.10	12.07						<u> </u>
	4-Wire DS1 Digital Loop - Zone 4		4	NTCD1	USLXX	458.46	253.93	158.45	46.10	12.07						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)			NTCD1	URESL		25.01	3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS1)	-	-	NTCD1	URESP		26.50	5.02							-	—
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		1	NTCD1	UREWO		100.90	42.96								1
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP				1			.2.00					1	L	1	
	4 Wire Unbundled Digital Loop 2.4 Kbps-Zone 1		1	NTCUD	UDL2X	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2		2	NTCUD	UDL2X	34.55	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	ļ	3	NTCUD	UDL2X	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 4		4	NTCUD	UDL2X	32.25	126.53	88.85	60.68	14.64						ļ
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		2	NTCUD NTCUD	UDL4X UDL4X	27.44 34.55	126.53 126.53	88.85 88.85	60.68 60.68	14.64 14.64					-	ļ
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	NTCUD	UDL4X	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 4		4	NTCUD	UDL4X	32.25	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		1	NTCUD	UDL9X	27.44	126.53	88.85	60.68	14.64						
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		2	NTCUD	UDL9X	34.55	126.53	88.85	60.68	14.64						
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3		3	NTCUD	UDL9X	40.76	126.53	88.85	60.68	14.64						
	7 Wire Unbundled Digital Loop 9.6 Kbps - Zone 4		4	NTCUD	UDL9X	32.25	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1	NTCUD	UDL19	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2		2	NTCUD NTCUD	UDL19 UDL19	34.55 40.76	126.53 126.53	88.85 88.85	60.68 60.68	14.64 14.64						-
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3 4 Wire Unbundled Digital 19.2 Kbps - Zone 4		3	NTCUD	UDL19	32.25	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	NTCUD	UDL56	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	NTCUD	UDL56	34.55	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	NTCUD	UDL56	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4		4	NTCUD	UDL56	32.25	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	NTCUD	UDL64	27.44	126.53	88.85	60.68	14.64						<u> </u>
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		3	NTCUD NTCUD	UDL64 UDL64	34.55 40.76	126.53 126.53	88.85 88.85	60.68 60.68	14.64 14.64						ļ
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 4 Wire Unbundled Digital Loop 64 Kbps - Zone 4			NTCUD	UDL64	32.25	126.53	88.85	60.68	14.64					-	
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		7	NICOD	ODE04	32.23	120.55	00.03	00.00	14.04						
	DS0)	L	L	NTCUD	URESL	<u> </u>	25.01	3.53			<u> </u>			<u> </u>	<u> </u>	<u> </u>
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			NTCUD	URESP		26.50	5.02								
	Unbundled Loop Service Rearrangement, change in loop facility,															
	per circuit			NTCUD NTCVG, NTCUD,	UREWO		101.94	49.66								
	Order Coordination for Specified Conversion Time (per LSR)			NTCD1	OCOSL		18.19									
IAINTENANO	E OF SERVICE															
				UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TDX, UTTS1, U1TVX, UDF, UDFOX, UDLSX, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCSX,												

UNBUND	LED NETWORK ELEMENTS - Mississippi												Att: 2 Exh: A			
CATEGORY		Interim	Zone	BCS	USOC		N	RATES(\$)		Diament	Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
\vdash						Rec	Nonrec First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
				UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLSX, UE3, ULD01, ULD01, ULD01, ULD1, ULD1, ULD1, ULD1, ULD1, ULD1, ULD1, ULD1, UNC1X, UNC3X,												
	Maintenance of Service Charge, Overtime, per half hour			UNCDX, UNCSX, UNCVX, ULS	MVVOT		90.00	65.00								1
	Maintenance of Service Charge, Premium, per half hour			UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TDX, U1TS1, U1TDX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDD1, ULDS1, ULDVX, UNC1X, UNCSX, UNCDX, ULSS, UNCDX, ULSS, UNCDX, ULSS	MVVPT		100.00	75.00								
LOOP MODI	FICATION															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		32.57	32.57								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less			UHL, UCL, UEA	ULM4L		32.57	32.57								1
SUB-LOOPS	than or equal to 18K ft, per Unbundled Loop Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		32.59	32.59								
	Loop Distribution			I					I		1			l	l	,
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	I		UEANL, UEF	USBSA		259.69									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I	<u> </u>	UEANL, UEF	USBSB		22.77									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	ı		UEANL	USBSC		178.47								<u></u>	<u> </u>
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set- Up	ı		UEANL	USBSD		56.39									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71	<u> </u>					
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35			-			
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35						

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring		201150			Rates(\$)		
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Zone 3		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
+-	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		3	OLANE	OODING	10.73	73.43	44.45	31.27	3.33						
i l	Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
ullet	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.29	53.32	18.28	45.36	6.71						ļ
i l																
+-	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBMC USBR4	4.40	8.20 59.60	8.20 24.55	51.27	9.35						├ ──
-+-	Sub-Loop 4-wire intrabuliding Network Cable (INC)	1		UEANL	USBK4	4.40	59.60	24.55	51.27	9.35						
i l	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36	0.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97	19.97								1
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.06	66.18	31.14	45.36	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	7.09	66.18	31.14	45.36	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS2X	8.16	66.18	31.14	45.36	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS2X	9.90	66.18	31.14	45.36	6.71						
i l	Onder On addressing for Hobbard and Onto Language and Indian			uee	1100140		0.00	0.00								
+-	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC UCS4X	F 10	8.20	8.20	51.27	9.35						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	5.10 9.11	79.49 79.49	44.45 44.45	51.27	9.35						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3			UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
	4 Wire Copper Unburidled Sub-Loop Distribution - Zone 4	1		UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						-
-	4 Wife Copper Oribundled Sub-Loop Distribution - Zone 4		4	OLI	00347	14.00	73.43	44.45	31.27	3.33						
i l	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-			02.	0000		0.20	0.20								
i l	Designed and Distribution Subloops			UEF, UEANL	URETL		8.92	0.88								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		34.36	0.00								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.97	19.97								
Unbun	dled Sub-Loop Modification															
i l	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
	Coil/Equip Removal per 2-W PR	ļ		UEF	ULM2X		176.80	5.13								
i	Unbundled Sub-loop Modification - 4-W Copper Dist Load						470.00	= 40								
	Coil/Equip Removal per 4-W PR		-	UEF	ULM4X		176.80	5.13								
i l	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop			UEF	ULMBT		279.81	6.15								
Unbur	Idled Network Terminating Wire (UNTW)	L	1	UEF	OLIVIBI	I I	279.01	0.15				l .	l .	l .	l .	<u> </u>
O'libuii	Unbundled Network Terminating Wire (UNTW) per Pair	1	1	UENTW	UENPP	0.3366	30.55					I	l			1
Netwo	rk Interface Device (NID)	1	1	OZ.VIV	02	0.0000	00.00				I .	l .				
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.84	28.90								
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		65.30	50.36								
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.94	5.94								
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.94	5.94								
UNE OTHER,	PROVISIONING ONLY - NO RATE															
	Unbundled Contact Name, Provisioning Only - no rate			UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL	UNECN	0.00	0.00									
\leftarrow	Unbundled DS1 Loop - Superframe Format Option - no rate	 		USL, NTCD1	CCOSF	0.00	0.00		 	1						
$\overline{}$	Unbundled DS1 Loop - Expanded Superframe Format option - no	t	1	,		1	5.50		1	t						
ı I	rate			USL, NTCD1	CCOEF		0.00		1	I		1				
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
LOOP MAKE-U		1	1	1	1		24.12	24.12								
LOOP MAKE-U	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		24.12	24.12								
LOOP MAKE-L	spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		25.58	25.58								
LOOP MAKE-L	spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility															

NBUNDLE	D NETWORK ELEMENTS - Mississippi												Att: 2 Exh: A	_		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring I					Rates(\$)		
ENDII	 SER ORDERING-CENTRAL OFFICE BASED						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
END U	Line Splitting - per line activation DLEC owned splitter		1	UEPSR UEPSB	UREOS	0.61	П		П		1	1		1	1	T
	Line Splitting - per line activation BET owned - physical			UEPSR UEPSB	UREBP	0.61	18.62	10.66	10.04	4.93						
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4.93						
END U	SER ORDERING - REMOTE SITE LINE SPLITTING			OLI OIL OLI OB	TOTAL DE	0.01	10.02	10.00	10.01					ı		
	Remote Site Shared Loop Line Activation for End Users - CLEC															
	Owned Splitter			UEPSR UEPSB	URERS	0.61	56.96	23.05	7.19	7.19						
	Remote Site Shared Loop - Subsequent Activity - CLEC Owned															
	Splitter			UEPSR UEPSB	URERA		53.94	21.40								
	IDLED EXCHANGE ACCESS LOOP															
2-WIRE	ANALOG VOICE GRADE LOOP			ı										1		
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1	LIEDOD LIEDOS	UEALS	40.00	07.00	47	00.10	F 05					l	1
	Zone 1		1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25					-	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1			UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			UEPSK UEPSB	UEABS	12.03	37.92	17.55	23.40	5.25						-
	Zone 2		2	UEPSR UEPSB	UEALS	16.87	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		<u> </u>	OLI OIL OLI OB	027120	10.07	07.02	17.00	20.10	0.20						<u> </u>
	Zone 2		2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-						000									1
	Zone 3		3	UEPSR UEPSB	UEALS	25.68	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 3		3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 4		4	UEPSR UEPSB	UEALS	43.85	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 4		4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25						
	Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-															
	Line Splitting - CLEC Owned Splitter - Zone 1		1	UEPSR UEPSB	UEARS	7.15	66.18	31.14	45.36	6.71						
	Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-		_	UEPSR UEPSB	LIEADO	9.51	00.40	04.44	45.00	6.71						
	Line Splitting - CLEC Owned Splitter - Zone 2 Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-		2	UEPSR UEPSB	UEARS	9.51	66.18	31.14	45.36	6.71						
	Line Splitting - CLEC Owned Splitter - Zone 3		3	UEPSR UEPSB	UEARS	12.45	66.18	31.14	45.36	6.71						
	Remote Site 2 Wire Analog Voice Grade Loop -Service Level 1-		3	UEFSK UEFSB	UEARS	12.45	00.10	31.14	45.30	0.71						-
	Line Splitting - CLEC Owned Splitter - Zone 4		4	UEPSR UEPSB	UEARS	18.26	66.18	31.14	45.36	6.71						
PHYSIC	CAL COLLOCATION			OLI OR OLI OB	OLANO	10.20	00.10	01.14	40.00	0.71	l	l .	<u> </u>	l	l .	
	Physical Collocation-2 Wire Cross Connects (Loop) for Line		l													Г
	Splitting			UEPSR UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45						
VIRTU	AL COLLOCATION		•		•						•				•	
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45						
	DEDICATED TRANSPORT															
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT														•	
	Interoffice Channel - 2-Wire Voice Grade - per mile			U1TVX	1L5XX	0.0098										
	Interoffice Channel - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11						<u> </u>
	Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile			U1TVX	1L5XX	0.0098										
	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination Interoffice Channel - 4-Wire Voice Grade - per mile			U1TVX	1L5XX	0.0098	40.77	27.57	17.26	7.11						
	Interoffice Charlier - 4-Wife Voice Grade - per fille			UTIVA	ILSAA	0.0096										
	Interoffice Channel - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11						
-	Interoffice Channel - 56 kbps - per mile		 	U1TDX	1L5XX	0.0098	40.77	21.31	17.20	7.11				1		
	Interoffice Channel - 56 kbps - Facility Termination		t	U1TDX	U1TD5	15.68	40.77	27.57	17.26	7.11					i	—
	Interoffice Channel - 64 kbps - per mile			U1TDX	1L5XX	0.0098								1		
	Interoffice Channel - 64 kbps - Facility Termination			U1TDX	U1TD6	15.68	40.77	27.57	17.26	7.11						
	Interoffice Channel - DS1 - per mile			U1TD1	1L5XX	0.201										
	Interoffice Channel - DS1 - Facility Termination			U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90						
	Interoffice Channel - DS3 - per mile			U1TD3	1L5XX	4.76										
	Interoffice Channel - DS3 - Facility Termination			U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29						<u> </u>
	Interoffice Channel - STS-1 - per mile			U1TS1	1L5XX	4.76										<u> </u>
	Interoffice Channel - STS-1 - Facility Termination		<u> </u>	U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29				l		Ь
UNBUN	IDLED DARK FIBER			ı									1	1	1	
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per		1	LIDE LIDEOX	41.505	00.07								1	İ	ı
1	Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	28.27								l		<u></u>

UNBUNDI F	D NETWORK ELEMENTS - Mississippi												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring I					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			UDF. UDFCX	UDF14		642.79	138.67	326.97	203.85						
HIGH CAPACII	Y UNBUNDLED LOCAL LOOP			ODF, ODFCX	UDF 14		642.79	130.07	320.97	203.65						
	TS-1 UNBUNDLED LOCAL LOOP - Stand Alone			I		l.	l.		1				ı			
	DS3 Unbundled Local Loop - per mile			UE3	1L5ND	11.20										
	DS3 Unbundled Local Loop - Facility Termination			UE3	UE3PX	326.15	454.13	265.47	123.23	86.19						
	STS-1Unbundled Local Loop - per mile			UDLSX	1L5ND	11.20										
ENIMANCED E	STS-1 Unbundled Local Loop - Facility Termination KTENDED LINK (EELs)			UDLSX	UDLS1	338.55	454.13	265.47	123.23	86.19						
	rk Elements Used in Combinations	l							l l				l			
Netwo	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
	2-Wire VG Loop (SL2) in Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						ļ
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		2	UNCVX	UEAL4 UEAL4	27.47 38.26	132.27 132.27	94.59 94.59	60.68 60.68	14.64 14.64						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop in Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
	2-Wire ISDN Loop in Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56 UDL56	27.44 34.55	126.53 126.53	88.85 88.85	60.68 60.68	14.64 14.64						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4		1	UNCDX UNC1X	UDL64 USLXX	32.25 79.08	126.53 253.93	88.85 158.45	60.68 46.10	14.64 12.07						
	4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop in Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	DS3 Local Loop in combination - per mile			UNC3X	1L5ND	11.20										
	DS3 Local Loop in combination - Facility Termination			UNC3X	UE3PX	326.15	454.13	265.47	123.23	86.19						
	STS-1 Local Loop in combination - per mile			UNCSX	1L5ND	11.20	454.40	005.47	400.00	00.40						-
	STS-1 Local Loop in combination - Facility Termination Interoffice Channel in combination - 2-wire VG - per mile			UNCSX UNCVX	UDLS1 1L5XX	338.55 0.0088	454.13	265.47	123.23	86.19						+
	Interoffice Channel in combination - 2-wire VG - Facility			UNCVA	ILSAA	0.0066										
	Termination			UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Interoffice Channel in combination - 4-wire VG - per mile			UNCVX	1L5XX	0.0088										
	Interoffice Channel in combination - 4-wire VG - Facility															
	Termination			UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11						-
	Interoffice Channel in combination - 4-wire 56 kbps - per mile Interoffice Channel in combination - 4-wire 56 kbps - Facility			UNCDX	1L5XX	0.0088	-						-			
	Termination			UNCDX	U1TD5	14.14	40.77	27.57	17.26	7.11						1
	Interoffice Channel in combination - 4-wire 64 kbps - per mile			UNCDX	1L5XX	0.0088	.5.77	201	20							<u> </u>
İ	Interoffice Channel in combination - 4-wire 64 kbps - Facility						İ		i i							
	Termination			UNCDX	U1TD6	14.14	40.77	27.57	17.26	7.11						
	Interoffice Channel in combination - DS1 - per mile	<u> </u>		UNC1X	1L5XX	0.1813										ļ
	Interoffice Channel in combination - DS1 Facility Termination Interoffice Channel in combination - DS3 - per mile	 		UNC1X UNC3X	U1TF1 1L5XX	51.72 4.29	89.79	82.28	16.86	14.90						
	Interoffice Channel in combination - DS3 - per mile Interoffice Channel in combination - DS3 - Facility Termination			UNC3X	U1TF3	579.12	280.37	163.70	62.08	60.29						
	Interoffice Channel in combination - BSS - Facility Termination Interoffice Channel in combination - STS-1 - per mile			UNCSX	1L5XX	4.29	200.57	100.70	02.00	00.29						
	Interoffice Channel in combination - STS-1 Facility Termination			UNCSX	U1TFS	581.21	280.37	163.70	62.08	60.29						
	ETWORK ELEMENTS															
Option	al Features & Functions:	1		LIATEA	1	1			1							т
	Clear Channel Capability Extended Frame Option - per DS1		l	U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	Cical Charliel Capability Extended Flame Option - per DS1			U1TD1.	COOEF	1	0.00	0.00	0.00	0.00						
	Clear Channel Capability Super FrameOption - per DS1	1	l	ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
l l	Clear Channel Capability (SF/ESF) Option - Subsequent Activity -			ULDD1, U1TD1,												
	per DS1	ı		UNC1X, USL	NRCCC		184.60	23.78	1.96	0.76						1

Page 66 of 102

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				U1TD3, ULDD3,												
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		218.72	7.66	0.7201	0.00						
	DS1/DS0 Channel System			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	DS3/DS1Channel System			UNC3X, UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82						
	Voice Grade COCI in combination			UNCVX	1D1VG	0.5737	6.62	4.74								
	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop			UEA	1D1VG	0.5737	6.62	4.74								
	Voice Grade COCI - for connection to a channelized DS1 Local					0.5707										
	Channel in the same SWC as collocation			U1TUC	1D1VG	0.5737	6.62	4.74								
	OCU-DP COCI (2.4-64kbs) in combination		-	UNCDX	1D1DD	1.22	6.62	4.74								
	OCU-DP COCI (2.4-64kbs) - for Unbundled Digital Loop OCU-DP COCI (2.4-64kbs) - for connection to a channelized DS1	-	<u> </u>	UDL	1D1DD	1.22	6.62	4.74						-	-	
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.22	6.62	4.74								İ
	2-wire ISDN COCI (BRITE) in combination		-	UNCNX	UC1CA	2.62	6.62	4.74	-					 	-	
	2-wire ISDN COCI (BRITE) in combination 2-wire ISDN COCI (BRITE) - for a Local Loop	1	 	UDN	UC1CA UC1CA	2.62	6.62	4.74			 			1	1	1
	2-wire ISDN COCI (BRITE) - for a Local Loop 2-wire ISDN COCI (BRITE) - for connection to a channelized DS1			UDIN	UCTCA	2.02	0.02	4.74								
	Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.62	6.62	4.74								
	DS1 COCI in combination			UNC1X	UC1D1	12.96	6.62	4.74								
	DS1 COCI - for Stand Alone Local Channel			ULDD1	UC1D1	12.96	6.62	4.74								
	DS1 COCI - for Stand Alone Interoffice Channel			U1TD1	UC1D1	12.96	6.62	4.74								
	DS1 COCI - for DS1 Local Loop			USL, NTCD1	UC1D1	12.96	6.62	4.74								
	DS1 COCI - for connection to a channelized DS1 Local Channel in			,												
	the same SWC as collocation			U1TUA	UC1D1	12.96	6.62	4.74								
	Wholesale - UNE, Switch-As-Is Conversion Charge			UNC1X, UNC3X, UNCSX, UDFCX, XDH1X, HFQC6, XDD2X, XDV6X, XDDFX, XDD4X, HFRST, UNCNX UTTVX, U1TDX,	UNCCC		5.63	5.63								
	Unbundled Misc Rate Element, SNE SAI, Single Network Element Switch As Is Non-recurring Charge, per circuit (LSR)	1		U1TD1, U1TD3, U1TS1, UDF, UE3	URESL		36.87	16.14								
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, incremental charge per circuit on a spreadsheet			U1TVX, U1TDX, U1TD1, U1TD3, U1TS1, UDF, UE3	URESP		1.49	1.49								
Access	s to DCS - Customer Reconfiguration (FlexServ)															
	Customer Reconfiguration Establishment						1.49		1.90							
	DS1 DCS Termination with DS0 Switching		<u> </u>		1	20.81	25.69	19.77	17.15	13.79						
	DS1 DCS Termination with DS1 Switching		<u> </u>		1	10.73	18.57	12.65	12.60	9.24					1	
Made 6	DS3 DCS Termination with DS1 Switching	l	<u> </u>	l	1	145.05	25.69	19.77	17.15	13.79	l	i		l	1	<u> </u>
Node (SynchroNet) Node per month		1	UNCDX	UNCNT		ı				l			1		1
Service	e Rearrangements	1	<u> </u>	UNODA	ONCIVI					1	l	i			1	i
55.416	NRC - Change in Facility Assignment per circuit Service Rearrangement	I		U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB,	URETD		100.90	42.96								
COMMINGLING	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	I		ULDVX, ULDDX, UNCVX, UNCDX, UNC1X UNC1X, UNC3X	URETB OCOSR		3.68 18.87	3.68 18.87								

UNBUND	LED NETWORK ELEMENTS - Mississippi]	Att: 2 Exh: A			
CATEGORY		Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring		001150			Rates(\$)		
\vdash		+		UNCVX, UNCDX,	-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Commingling Authorization			UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDD3, ULDS1	CMGAU	0.00	0.00	0.00	0.00	0.00						
Con	nmingled (UNE part of single bandwidth circuit) Commingled VG COCI	1	1	XDV2X, NTCVG	1D1VG	0.5737	6.62	4.74							ı	
	Commingled Digital COCI			XDV6X, NTCUD	1D1DD	1.22	6.62	4.74								
	Commingled ISDN COCI			XDD4X	UC1CA	2.62	6.62	4.74								
	Commingled 2-wire VG Interoffice Channel			XDV2X	U1TV2	22.52	40.77	27.57	17.26	7.11						
	Commingled 4-wire VG Interoffice Channel Commingled 56kbps Interoffice Channel	1		XDV6X XDD4X	U1TV4 U1TD5	19.79 15.68	40.77 40.77	27.57 27.57	17.26 17.26	7.11 7.11						
	Commingled 56kbps Interoffice Channel			XDD4X XDD4X	U1TD6	15.68	40.77	27.57	17.26	7.11						
				XDV2X, XDV6X,												
	Commingled VG/DS0 Interoffice Channel Mileage			XDD4X	1L5XX	0.0088										
	Commingled 2-wire Local Loop Zone 1	1	2	XDV2X XDV2X	UEAL2 UEAL2	13.89 18.75	105.96 105.96	68.28	52.82 52.82	10.37 10.37						
	Commingled 2-wire Local Loop Zone 2 Commingled 2-wire Local Loop Zone 3	1	3	XDV2X XDV2X	UEAL2	27.55	105.96	68.28 68.28	52.82	10.37						
	Commingled 2-wire Local Loop Zone 4			XDV2X	UEAL2	45.72	105.96	68.28	52.82	10.37						
	Commingled 4-wire Local Loop Zone 1		1	XDV6X	UEAL4	27.47	132.27	94.59	60.68	14.64						
	Commingled 4-wire Local Loop Zone 2		2	XDV6X	UEAL4	38.26	132.27	94.59	60.68	14.64						
	Commingled 4-wire Local Loop Zone 3		3	XDV6X XDV6X	UEAL4 UEAL4	50.03 50.03	132.27	94.59 94.59	60.68 60.68	14.64 14.64						
-	Commingled 4-wire Local Loop Zone 4 Commingled 56kbps Local Loop Zone 1		1	XDD4X	UDL56	27.44	132.27 126.53	88.85	60.68	14.64						
	Commingled 56kbps Local Loop Zone 2		2	XDD4X	UDL56	34.55	126.53	88.85	60.68	14.64						
	Commingled 56kbps Local Loop Zone 3		3	XDD4X	UDL56	40.76	126.53	88.85	60.68	14.64						
	Commingled 56kbps Local Loop Zone 4		4	XDD4X	UDL56	32.25	126.53	88.85	60.68	14.64 14.64						
	Commingled 64kbps Local Loop Zone 1 Commingled 64kbps Local Loop Zone 2		2	XDD4X XDD4X	UDL64 UDL64	27.44 34.55	126.53 126.53	88.85 88.85	60.68 60.68	14.64						
	Commingled 64kbps Local Loop Zone 3		3	XDD4X XDD4X	UDL64	40.76	126.53	88.85	60.68	14.64						
	Commingled 64kbps Local Loop Zone 4		4	XDD4X	UDL64	32.25	126.53	88.85	60.68	14.64						
	Commingled ISDN Local Loop Zone 1		1	XDD4X	U1L2X	21.01	117.61	79.92	52.82	10.37						
	Commingled ISDN Local Loop Zone 2 Commingled ISDN Local Loop Zone 3	1	3	XDD4X XDD4X	U1L2X U1L2X	27.59 37.34	117.61 117.61	79.92 79.92	52.82 52.82	10.37 10.37						
	Commingled ISDN Local Loop Zone 3 Commingled ISDN Local Loop Zone 4		4	XDD4X XDD4X	U1L2X	59.18	117.61	79.92	52.82	10.37						
	Commingled DS1 COCI			XDH1X, NTCD1	UC1D1	12.96	6.62	4.74	02.02	10.07						
	Commingled DS1 Interoffice Channel			XDH1X	U1TF1	57.33	89.79	82.28	16.86	14.90						
	Commingled DS1 Interoffice Channel Mileage	1		XDH1X XDH1X	1L5XX MQ1	0.1813 102.85	91.57	62.94	10.87	10.10						
	Commingled DS1/DS0 Channel System Commingled DS1 Local Loop Zone 1		1	XDH1X XDH1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	Commingled DS1 Local Loop Zone 2		2	XDH1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	Commingled DS1 Local Loop Zone 3		3	XDH1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	Commingled DS1 Local Loop Zone 4		4	XDH1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	Commingled DS3 Local Loop Commingled DS3/STS-1 Local Loop Mileage			HFQC6 HFQC6. HFRST	UE3PX 1L5ND	326.15 11.20	454.13	265.47	123.23	86.19						
	Commingled STS-1 Local Loop			HFRST	UDLS1	338.55	454.13	265.47	123.23	86.19						
	Commingled DS3/DS1 Channel System			HFQC6	MQ3	170.63	179.17	94.52	34.30	32.82						
	Commingled DS3 Interoffice Channel			HFQC6	U1TF3	641.90	280.37	163.70	62.08	60.29						
	Commingled DS3 Interoffice Channel Mileage Commingled STS-1Interoffice Channel	1		HFQC6 HFRST	1L5XX U1TFS	4.29 644.21	280.37	163.70	62.08	60.29						
	Commingled STS-Tinteroffice Channel Mileage	1	1	HFRST	1L5XX	4.29	200.37	103.70	0∠.08	60.29						
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	1														
	Strands, Per Route Mile Or Fraction Thereof			HEQDL	1L5DF	28.27										
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber			LIEODI	LIDE4:		6 10 =6	400.0=		200 5-						
\vdash	Strands, Per Route Mile Or Fraction Thereof UNE to Commingled Conversion Tracking	1		HEQDL XDH1X, HFQC6	UDF14 CMGUN	0.00	642.79 0.00	138.67	326.97 0.00	203.85	-					
 	SPA to Commingled Conversion Tracking	1		XDH1X, HFQC6 XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00						\vdash
LNP Query				, 400			0.00	0.50	0.00							
	LNP Charge Per query					0.0008477										
1 1	LNP Service Establishment Manual	1	1	<u> </u>	1	1	12.59	12.59	11.58	11.58	1				1	1

[CCCS Amendment 122 of 173]

UNBUN	IDLE	D NETWORK ELEMENTS - Mississippi												Att: 2 Exh: A			
CATEGO	RY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Submitted	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		LNP Service Provisioning with Point Code Establishment						596.94	304.96	270.49	198.89						
911 PBX I	LOCA	TE															
9	11 PB	X LOCATE DATABASE CAPABILITY															
		Service Establishment per CLEC per End User Account			9PBDC	9PBEU		1,822.00									
		Changes to TN Range or Customer Profile			9PBDC	9PBTN		182.29									
		Per Telephone Number (Monthly)			9PBDC	9PBMM	0.07										
		Change Company (Service Provider) ID			9PBDC	9PBPC		535.11									
		PBX Locate Service Support per CLEC (Monthlt)			9PBDC	9PBMR	178.43										
		Service Order Charge			9PBDC	9PBSC		15.75									
9	11 PB	X LOCATE TRANSPORT COMPONENT															
S	ee Att	3															
N	ote: R	ates displaying an "I" in Interim column are interim as a result of	a Comn	nission	order.												

Version: 4Q06 Std ICA 03/16/07

Page 69 of 102

[CCCS Amendment 123 of 173]

UNBU	NDLE	D NETWORK ELEMENTS - North Carolina												Att: 2 Exh: A			
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incrementa Charge - Manual Svo Order vs.
												poi zon	por zore	Electronic- 1st	Electronic- Add'I	Electronic- Disc 1st	Electronic- Disc Add'l
							Rec	Nonred		Nonrecurring		001150			Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as par			l tion refers to Geograp	hically Deav	eraged UNE Zo	nes. To view G	eographically	Deaveraged UN	E Zone Design	ations by Ce	ı entral Office,	refer to intern	et Website:		
		ww.interconnection.bellsouth.com/become_a_clec/html/interco	nnection	n.htm	1		,									ı	1
OPERA	TIONS S	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		<u> </u>													
	NOTE: ((1) CLEC should contact its contract negotiator if it prefers the "	state sp	ecific"	OSS charges as orde	red by the S	tate Commissio	ns. The OSS c	harges current	ly contained in t	his rate exhibit	are the Bell	South "region	onal" service o	ordering charg	es. CLEC ma	y elect either
		e specific Commission ordered rates for the service ordering ch															
		(2) Any element that can be ordered electronically will be billed a															
		electronically at present per the LOH, the listed SOMEC rate in bill when it submits an LSR to BellSouth.	tnis cate	egory re	effects the charge that	would be bi	illed to a CLEC	once electronic	ordering capai	ollities come on-	line for that ele	ment. Otne	rwise, the m	ianuai orderin	g cnarge, SON	ııAN, Will be ap	opiled to a
	02200	OSS - Electronic Service Order Charge, Per Local Service															
		Request (LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service Request				SOMEC		3.50	0.00	3.50	0.00						
		(LSR) - UNE Only				SOMAN		15.20	0.00	15.20	0.00						
		DATE ADVANCEMENT CHARGE		- 500	No 4 Tould Condinue												
	NOTE:	The Expedite charge will be maintained commensurate with Be	eiiSouth'	S FCC	UAL, UEANL, UCL,	as applicable	e. I				1	l	l				1
					UEF, UDF, UEQ.												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3, U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL, UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX, UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X, UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1, U1TUC, U1TUD,												
					U1TUB,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUA,NTCVG,												
		Day		<u> </u>	NTCUD, NTCD1	SDASP		200.00									
ORDER		CATION CHARGE Order Modification Charge (OMC)		-				26.21	0.00	0.00	0.00						
		Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD)		1				0.00	0.00	0.00	0.00						
	DLED E	XCHANGE ACCESS LOOP						5.50	2.30	2.30	2.50						
	2-WIRE	ANALOG VOICE GRADE LOOP			1					-							
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		1 2	UEANL UEANL	UEAL2 UEAL2	10.82 16.21	36.54 36.54	16.87 16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2 UEAL2	24.08	36.54	16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1		1	UEANL	UEASL	10.82	36.54	16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	16.21	36.54	16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	24.08	36.54	16.87								
		Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour		 	UEANL UEANL	URETL URET1	 	8.93 33.17	0.88			-	-				-
 		Loop Testing - Basic 1st Hall Hour Loop Testing - Basic Additional Half Hour		 	UEANL	URETA		19.28	19.28			1	1				1
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		7.92	7.92								
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		17.56									

UNBUNDLE	D NETWORK ELEMENTS - North Carolina											Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)		Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Disconnect	22152			Rates(\$)		
	Unbundled Non-Design Voice Loop, billing for BST providing make		1		-		First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	up (Engineering Information - E.I.)			UEANL	UEANM		13.04	13.04							
	Unbundled Loop Service Rearrangement, change in loop facility,			OLANL	OLANIVI		13.04	13.04							
	per circuit			UEANL	UREWO		15.74	8.92							
	Bulk Migration, per 2 Wire Voice Loop-SL1		1	UEANL	UREPN		36.54	16.87							
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1			UEANL	UREPM		7.92	7.92							
2-WIRE	Unbundled COPPER LOOP			luco	lusony	10.00	05.07	45.00	1			1	1	1	1
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		2	UEQ	UEQ2X	10.93	35.27	15.60							
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2 2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ UEQ	UEQ2X UEQ2X	12.75 13.92	35.27 35.27	15.60 15.60		-					
	Tag Loop at End User Premise		3	UEQ	URETL	13.32	8.93	0.88							
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		33.17	0.00							
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.28	19.28							
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-														
	Designed (per loop)			UEQ	USBMC	 	7.92	7.92							
	Unbundled Copper Loop - Non-Design, billing for BST providing			UEQ	UEQMU		13.04	13.04							
	make-up (Engineering Information - E.I.) Unbundled Loop Service Rearrangement, change in loop facility,		1	UEU	UEWIND	+	13.04	13.04							
	per circuit			UEQ	UREWO		14.23	7.41							
	Bulk Migration, per 2 Wire UCL-ND			UEQ	UREPN	i i	35.27	15.60							
	Bulk Migration Order Coordination, per 2 Wire UCL-ND			UEQ	UREPM		7.92	7.92							
	XCHANGE ACCESS LOOP														
2-WIRE	ANALOG VOICE GRADE LOOP														
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or					44.00	400.40	05.70							
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	11.96	102.10	65.72		-					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.36	102.10	65.72							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			OLA	OLALZ	17.30	102.10	03.72							
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	25.23	102.10	65.72							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse														
	Battery Signaling - Zone 1		1	UEA	UEAR2	11.96	102.10	65.72							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_	l											
	Battery Signaling - Zone 2		2	UEA	UEAR2	17.36	102.10	65.72		-					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	25.23	102.10	65.72							
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	OLA	OLAKZ	25.25	102.10	03.72							
	DS0)			UEA	URESL		25.03	3.53							
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		1												
	DS0)			UEA	URESP		26.52	5.02							
	Unbundled Loop Service Rearrangement, change in loop facility,														
	per circuit Loop Tagging - Service Level 2 (SL2)		<u> </u>	UEA UEA	UREWO URETL	 	87.49 11.20	36.26 1.10		+					
	Bulk Migration, per 2 Wire Voice Loop-SL2			UEA	UREPN	 	102.10	65.72		+					
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2		<u> </u>	UEA	UREPM		0.00	0.00							
	ANALOG VOICE GRADE LOOP			1- ""	,		0.00	0.00	1	t		i	<u> </u>	i	
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	19.52	127.40	91.02							
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	24.74	127.40	91.02							
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	46.11	127.40	91.02							
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per			LIE A	LIDEC:										1
	DS0) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			UEA	URESL	 	25.03	3.53							
	DS0)			UEA	URESP		26.52	5.02							1
	Unbundled Loop Service Rearrangement, change in loop facility,			OLA	UNLUI	 	20.32	5.02							
	per circuit			UEA	UREWO		87.49	36.26							1
2-WIRE	ISDN DIGITAL GRADE LOOP						•								
	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	19.78	113.34	76.96							
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	26.16	113.34	76.96							
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	35.37	113.34	76.96		+					
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UDN	UREWO		91.39	44.04							
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	TIBLE	OOP	ODIA	UNLVVO	LL	31.39	77.04	ll		ı		1		l .
	2 Wire Unbundled ADSL Loop including manual service inquiry &		T												
	facility reservation - Zone 1	1	1 4	UAL	UAL2X	10.14	117.08	68.36			1				l

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina											Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)		Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring Disconnect				Rates(\$)		
							First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	11.59	117.08	68.36							
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	12.28	117.08	68.36							
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1		1	UAL	UAL2W	10.14	92.83	56.02							
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2		2	UAL	UAL2W	11.59	92.83	56.02							
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3		3	UAL	UAL2W	12.28	92.83	56.02							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UAL	UREWO		78.06	32.38							
2-WIRI	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	IBLE LO	OOP				•			•	•		•	•	
	2 Wire Unbundled HDSL Loop including manual service inquiry &														
	facility reservation - Zone 1 2 Wire Unbundled HDSL Loop including manual service inquiry &		1	UHL	UHL2X	7.95	125.50	76.77			-				
	facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry &		2	UHL	UHL2X	9.15	125.50	76.77							
	facility reservation - Zone 3 2 Wire Unbundled HDSL Loop without manual service inquiry and		3	UHL	UHL2X	9.53	125.50	76.77							
	facility reservation - Zone 1		1	UHL	UHL2W	7.95	101.24	64.43							
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	9.15	101.24	64.43							
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	9.53	101.24	64.43							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UHL	UREWO		78.00	32.38							
4-WIRI	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	IBLE LO	OOP												
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	11.01	153.26	104.54							
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	12.20	153.26	104.54							
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	13.49	153.26	104.54							
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	11.01	129.00	92.20							
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	12.20	129.00	92.20							
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	13.49	129.00	92.20							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UHL	UREWO	10.10	78.00	32.38							
4-WIRI	E DS1 DIGITAL LOOP	1	l	OTIE	OKEWO		70.00	02.00	l	1					
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	63.62	245.16	152.98							
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	104.40	245.16	152.98							
	4-Wire DS1 Digital Loop - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	USL	USLXX	210.22	245.16	152.98			-				
	DS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			USL	URESL		25.03	3.53							
	DS1) Unbundled Loop Service Rearrangement, change in loop facility,			USL	URESP		26.52	5.02							
4-WID	per circuit E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UREWO		100.82	42.93			L				<u> </u>
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1		1	UDL	UDL2X	21.98	121.86	85.48							
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2			UDL	UDL2X	27.58	121.86	85.48							1
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3			UDL	UDL2X	43.08	121.86	85.48							
	4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1		1	UDL	UDL4X	21.98	121.86	85.48							
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		2	UDL	UDL4X	27.58	121.86	85.48							
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	UDL	UDL4X	43.08	121.86	85.48		+					
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1 5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	-	2	UDL UDL	UDL9X UDL9X	21.98 27.58	121.86 121.86	85.48 85.48		+	-				
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		3	UDL	UDL9X	43.08	121.86	85.48 85.48		+					
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1	UDL	UDL19	21.98	121.86	85.48		1					
				1 - '											

[CCCS Amendment 126 of 173]

UNBUND	LED NETWORK ELEMENTS - North Carolina											Att: 2 Exh: A			
CATEGORY		Interim	Zone	BCS	USOC			RATES(\$)		Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecu		Nonrecurring Disconnect				Rates(\$)		
	AMina Hakaradia di Distrat 40 0 Mana - Zana 0	-	3	LIDI	LIDI 40		First	Add'I	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	 	-	UDL UDL	UDL19 UDL56	43.08 21.98	121.86 121.86	85.48 85.48		+					
$\vdash \vdash \vdash$	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1		UDL	UDL56	27.58	121.86	85.48		-					
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	+		UDL	UDL56	43.08	121.86	85.48	-	-					
\vdash	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	1	UDL	UDL64	21.98	121.86	85.48							
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	1		UDL	UDL64	27.58	121.86	85.48							
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	43.08	121.86	85.48							
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per														
	DS0)			UDL	URESL		25.03	3.53							
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UDL	URESP		26.52	5.02							
	Unbundled Loop Service Rearrangement, change in loop facility,	1		002	0.1201		20.02	0.02							
	per circuit			UDL	UREWO		101.86	49.62							
2-WI	IRE Unbundled COPPER LOOP			•				2	1	•			•	•	
	2-Wire Unbundled Copper Loop-Designed including manual														
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.14	116.18	67.46							
	2-Wire Unbundled Copper Loop-Designed including manual														
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.59	116.18	67.46							
	2 Wire Unbundled Copper Loop-Designed including manual service	Э													
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	12.28	116.18	67.46							
	2-Wire Unbundled Copper Loop-Designed without manual service														
$oxed{oxed}$	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	10.14	91.92	55.12							
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.59	91.92	55.12							
	2-Wire Unbundled Copper Loop-Designed without manual service														
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	12.28	91.92	55.12							
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92							
	Unbundled Loop Service Rearrangement, change in loop facility,														
$oxed{oxed}$	per circuit			UCL	UREWO		89.06	34.45							
4-WI	IRE COPPER LOOP		,	1	_								1		1
	4-Wire Copper Loop including manual service inquiry and facility		١.			40.40	400.00								
	reservation - Zone 1	1	1	UCL	UCL4S	13.10	139.69	90.96							
	4-Wire Copper Loop including manual service inquiry and facility		2	UCL	UCL4S	15.17	139.69	90.96							
	reservation - Zone 2	1		UCL	UCL45	15.17	139.09	90.96		+					
	4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	17.03	139.69	90.96							
 	4-Wire Copper Loop without manual service inquiry and facility	1	3	OCL	00L40	17.03	155.05	30.30		+					
	reservation - Zone 1		1	UCL	UCL4W	13.10	115.43	78.63							
	4-Wire Copper Loop without manual service inquiry and facility			002	002	10.10	110.10	7 0.00							
	reservation - Zone 2		2	UCL	UCL4W	15.17	115.43	78.63							
	4-Wire Copper Loop without manual service inquiry and facility														
	reservation - Zone 3		3	UCL	UCL4W	17.03	115.43	78.63							
ugspace	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92							
	Unbundled Loop Service Rearrangement, change in loop facility,														
$oxed{oxed}$	per circuit			UCL	UREWO		89.06	34.45							
				UEA, UDN, UAL,											
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	<u> </u>	UHL, UDL, USL	OCOSL		17.56								
Rear	errangements			1					T T				1		
	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop- SL2			UEA	UREEL		87.49	36.26							
\vdash	SLZ	1	1	UEA	UKEEL		67.49	30.20		-					-
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop			UEA	UREEL		87.49	36.26							
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop	1		UDN	UREEL		91.39	44.04							
	OTTE ETGGGTTTTGGGTT EGGP	†	t		0.,		31.00	77.04		1				l	
1 1	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop			UDL	UREEL		101.86	49.62							ĺ
	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop			USL	UREEL		100.82	42.93							
UNE LOOP	COMMINGLING														
2-WI	IRE ANALOG VOICE GRADE LOOP - COMMINGLING				•				•	•					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or														
ullet	Ground Start Signaling - Zone 1	1	1	NTCVG	UEAL2	11.96	102.10	65.72							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	NTCVG	UEAL2	17.36	102.10	65.72							
		1		INTOVO	UEALZ	17.30	102.10	00.72	 	+				 	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or									l l					

Page 73 of 102

JNBUNDLE	D NETWORK ELEMENTS - North Carolina												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1	1	1	NTCVG	UEAR2	11.96	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			LITOU CO		47.00	400.40	05.70								
	Battery Signaling - Zone 2		2	NTCVG	UEAR2	17.36	102.10	65.72			-					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	NTCVG	UEAR2	25.23	102.10	65.72								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	NICVG	UEARZ	25.25	102.10	05.72								
	DS0)			NTCVG	URESL		25.03	3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			NIOVO	OKEGE		20.00	0.00			1					
	DS0)			NTCVG	URESP		26.52	5.02								
	Unbundled Loop Service Rearrangement, change in loop facility,															
	per circuit			NTCVG	UREWO		87.49	36.26								
	Loop Tagging - Service Level 2 (SL2)			NTCVG	URETL		11.20	1.10								
4-WIRE	ANALOG VOICE GRADE LOOP -COMMINGLING										•					
	4-Wire Analog Voice Grade Loop - Zone 1		1	NTCVG	UEAL4	19.52	127.40	91.02								
	4-Wire Analog Voice Grade Loop - Zone 2			NTCVG	UEAL4	24.74	127.40	91.02								
	4-Wire Analog Voice Grade Loop - Zone 3		3	NTCVG	UEAL4	46.11	127.40	91.02								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)			NTCVG	URESL		25.03	3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)			NTCVG	URESP		26.52	5.02								
	Unbundled Loop Service Rearrangement, change in loop facility,															
	per circuit			NTCVG	UREWO		87.49	36.26								
4-WIRE	DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1			NTCD1	USLXX	63.62	245.16	152.98								
	4-Wire DS1 Digital Loop - Zone 2		2	NTCD1	USLXX	104.40	245.16	152.98								
	4-Wire DS1 Digital Loop - Zone 3		3	NTCD1	USLXX	210.22	245.16	152.98								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS1)		<u> </u>	NTCD1	URESL		25.03	3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per						00.50									
	DS1)			NTCD1	URESP		26.52	5.02								
	Unbundled Loop Service Rearrangement, change in loop facility,						400.00	40.00								
4 14/100	per circuit			NTCD1	UREWO		100.82	42.93		ļ.		l .				
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	1	1	LITOLID	LUBL OV	24.00	101.00	05.10					1	1	1	1
_	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1		NTCUD	UDL2X	21.98	121.86	85.48			1					
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	-		NTCUD	UDL2X	27.58 43.08	121.86	85.48 85.48		-	 					+
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3	-	3	NTCUD	UDL2X		121.86			-	 					+
-	4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1	1	1	NTCUD	UDL4X	21.98	121.86	85.48			1				 	
-	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	1	3	NTCUD	UDL4X	27.58 43.08	121.86	85.48 85.48			1				 	
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	1	1	NTCUD NTCUD	UDL4X UDL9X	43.08 21.98	121.86 121.86	85.48 85.48		1	1				 	+
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1 5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	1	2	NTCUD	UDL9X UDL9X	27.58	121.86	85.48 85.48							1	+
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	1	3	NTCUD	UDL9X	43.08	121.86	85.48							1	+
-	4 Wire Unbundled Digital 19.2 Kbps - Zone 1	1	1	NTCUD	UDL19	21.98	121.86	85.48			1					+
-	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	1	2	NTCUD	UDL19	27.58	121.86	85.48			1					+
-	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	1	3	NTCUD	UDL19	43.08	121.86	85.48			1					+
-	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	1	NTCUD	UDL56	21.98	121.86	85.48			1					+
-	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	1	2	NTCUD	UDL56	27.58	121.86	85.48			1					+
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	1	3	NTCUD	UDL56	43.08	121.86	85.48								+
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	1	1	NTCUD	UDL64	21.98	121.86	85.48		l	1				1	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	 	2	NTCUD	UDL64	27.58	121.86	85.48			-				 	-
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	 	3	NTCUD	UDL64	43.08	121.86	85.48			-				 	+
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	+		111000	JDL04	40.00	121.00	00.40			1				 	+
	DS0)			NTCUD	URESL		25.03	3.53			1				1	
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1	1	111000	JINLUL	i	25.03	5.55			 					
	DS0)			NTCUD	URESP		26.52	5.02		I	1				İ	
	Unbundled Loop Service Rearrangement, change in loop facility,	t		500	SILEGI	t	20.02	0.02		1	<u> </u>				 	
	per circuit			NTCUD	UREWO		101.86	49.62		I	1				İ	
		1	 	NTCVG, NTCUD,	5.1.2440	t	.01.00	40.0Z		1	1				 	
	Order Coordination for Specified Conversion Time (per LSR)	1	1	NTCD1	OCOSL		17.56			1					1	
		1			JJJJL		17.00				1					+

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring		001150		OSS	Rates(\$)		
 				UDC, UEA, UDL,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Maintenance of Service Charge, Basic Time, per half hour			UDN, USL, UAL, UDN, USL, UAL, UDN, USL, UAL, UTD1, UTD1, UTTD1, UTTD3, UTTD3, UTTVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X, UNC0X, UNCS	MVVBT		80.00	55.00								
	Maintenance of Service Charge, Basic Time, per hall hour			UDC, UEA, UDL,	INIVVDI		80.00	55.00								
				UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDSX, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X, UNC6X, UNC												
	Maintenance of Service Charge, Overtime, per half hour			UNCVX, ULS	MVVOT		90.00	65.00								
LOOP MODIFIC	Maintenance of Service Charge, Premium, per half hour			UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TDX, UTS1, U1TVX, UDF, UDFOX, UDLSX, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCSX, UNCVX, ULS	MVVPT		100.00	75.00								
LOOP MODIFIC	ATION			UAL, UHL, UCL,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft			UCL, ULS, UEQ	ULM2G		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less															
	than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18k ft Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UCL UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM4G ULMBT		0.00	0.00								
SUB-LOOPS																
Sub-Lo	op Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-		1	l	l		1		1	1	1				ı	
	Up ·			UEANL, UEF	USBSA		144.09									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL, UEF	USBSB		10.99	10.99								

UNBUNDLE	ED NETWORK ELEMENTS - North Carolina					-							Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Di		20150			Rates(\$)		
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility				1	-	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Set-Up			UEANL	USBSC		86.16									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-			027.112	00000	1	00.10									
	Up			UEANL	USBSD		27.13	27.13								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		1	UEANL	USBN2	6.70	63.89	30.06								
	Zone 2		2	UEANL	USBN2	9.93	63.89	30.06								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			02/1112	000112	0.00	00.00	00.00								
	Zone 3		3	UEANL	USBN2	12.79	63.89	30.06								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			UEANL	USBMC		7.92	7.92								
	Zone 1		1	UEANL	USBN4	10.81	76.75	42.92								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -			OLANL	USDIN4	10.01	70.75	42.32								
	Zone 2		2	UEANL	USBN4	14.16	76.75	42.92								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	24.67	76.75	42.92								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.34	51.48	17.65								
	()						•									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	4.18	57.54	23.71								
	Order Coordination for Unbundled Cub Leans nor sub-lean nair			UEANL	USBMC		7.92	7.92								
Servic	Order Coordination for Unbundled Sub-Loops, per sub-loop pair e Order charges will apply only once per sub-loop			UEANL	USBINC	1	7.92	7.92					l			
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		33.17	0.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.28	19.28								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.43	63.89	30.06								
-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	8.04	63.89	30.06								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	9.79	63.89	30.06								1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.34	76.75	42.92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	9.62	76.75	42.92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	13.04	76.75	42.92								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-			UEF	USBIVIC	 	1.92	1.52								
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.93	0.88								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		33.17	0.00								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.28	19.28								
Unbun	Idled Sub-Loop Modification			1	1	1	ı						1	T	T	1
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		0.00	0.00								
	Unbundled Sub-loop Modification - 4-W Copper Dist Load			OLI	OLIVIZA	1	0.00	0.00								
	Coil/Equip Removal per 4-W PR		<u></u>	UEF	ULM4X	<u> </u>	0.00	0.00	<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	Unbundled Loop Modification, Removal of Bridge Tap, per															
├ ─┤	unbundled loop		l	UEF	ULMBT		224.55	4.29			1	<u> </u>	<u> </u>			<u> </u>
Unbun	Idled Network Terminating Wire (UNTW) Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.51	14.72	14.72	1			l	l			1
Netwo	ork Interface Device (NID)		1	OLIVIV	DENTE	0.51	14.72	14.72	<u> </u>		1	L	l	l	l	
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12	I	86.37	56.69								
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		127.93	98.21								
\vdash	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.73	5.73			1					
UNE OTHER	Network Interface Device Cross Connect - 4W			UENTW	UNDC4	1	5.73	5.73								
ONE OTHER,	PROVISIONING ONLY - NO RATE		 	UAL, UCL, UDC.	1	 			 		1					+
				UDL, UDN, UEA,												
				UHL, UEANL, UEF,												
				UEQ, UENTW,												
1 1	Unbundled Contact Name, Provisioning Only - no rate		l	NTCVG, NTCUD,	LINECT							1				
			1	NTCD1, USL	UNECN	0.00	0.00		1		i	i	1	ı	1	1

UNBUN	DLE	NETWORK ELEMENTS - North Carolina												Att: 2 Exh: A			
CATEGOR		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
	_	John and Jack Loop Comparisons Format Option as rate		-	USL, NTCD1	CCOSF	-	First 0.00	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option - no		1	USL, NTCDT	CCOSF		0.00									
		rate			USL, NTCD1	CCOEF		0.00									
		NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
		UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
LOOP MAI																	
	5	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		23.29	23.29								
	(Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		24.70	24.70								
		Loop MakeupWith or Without Reservation, per working or spare															
LINE OD:		facility queried (Mechanized)		 	UMK	UMKMQ		0.19	0.19								
LINE SPLI		S ER ORDERING-CENTRAL OFFICE BASED		<u> </u>		1	1			I	i	<u> </u>	<u> </u>		<u> </u>		<u> </u>
F	10 09	Line Splitting - per line activation DLEC owned splitter		1	UEPSR UEPSB	UREOS	0.61	15.53	7.79	I							
	Ti-	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.6409	17.97	10.29								
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.6325	17.87	10.29								
		ER ORDERING - REMOTE SITE LINE SPLITTING															
		DLED EXCHANGE ACCESS LOOP															
2-1		ANALOG VOICE GRADE LOOP				1				1	1						
	- 2	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	10.82	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	10.82	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	16.21	36.54	16.87	0.00	0.00						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	16.21	36.54	16.87	0.00	0.00						
	2	Zone 2 Zone 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	24.08	36.54	16.87	0.00	0.00						
	- 2	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		Ť	UEPSR UEPSB	UEABS	24.08	36.54	16.87	0.00	0.00						
PH		AL COLLOCATION		U	OLI OK OLI OB	OLABO	24.00	00.04	10.07	0.00	0.00	l	l				
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0309	19.77	14.95	0.00	0.00						
VII		L COLLOCATION				1											
	,	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0287	33.96	32.08	0.00	0.00						
		EDICATED TRANSPORT															
IN'		FFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - 2-Wire Voice Grade - per mile			U1TVX	1L5XX	0.0095										
-		Interoffice Channel - 2-Wire Voice Grade - Facility Termination Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile			U1TVX U1TVX	U1TV2 1L5XX	12.12 0.0095	39.36	26.62								
		mieronice Chariner - 2-wire voice Grade Rev Bat per mile			UTIVA	ILSAA	0.0095										
	l l	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	12.12	39.36	26.62								
		Interoffice Channel - 4-Wire Voice Grade - per mile			U1TVX	1L5XX	0.0095	00.00	20.02								
		Interoffice Channel - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	10.19	39.36	26.62								
$oxed{oxed}$		Interoffice Channel - 56 kbps - per mile			U1TDX	1L5XX	0.0095				ļ						
 -		Interoffice Channel - 56 kbps - Facility Termination		 	U1TDX	U1TD5	7.47	39.37	26.62								
\vdash		Interoffice Channel - 64 kbps - per mile		 	U1TDX U1TDX	1L5XX U1TD6	0.0095 7.47	39.37	26.62		-	-	-				
\vdash		Interoffice Channel - 64 kbps - Facility Termination Interoffice Channel - DS1 - per mile			U1TD1	1L5XX	0.1938	38.37	20.02		 						
		Interoffice Channel - DS1 - Facility Termination			U1TD1	U1TF1	31.06	86.69	79.44								
		Interoffice Channel - DS3 - per mile			U1TD3	1L5XX	4.44										
		Interoffice Channel - DS3 - Facility Termination			U1TD3	U1TF3	329.91	270.69	158.05								
		Interoffice Channel - STS-1 - per mile			U1TS1	1L5XX	4.44										
		Interoffice Channel - STS-1 - Facility Termination			U1TS1	U1TFS	339.20	270.69	158.05		ļ						
		/ UNBUNDLED LOCAL LOOP					1 1	J		l	l	l	l				i .
DS		S-1 UNBUNDLED LOCAL LOOP - Stand Alone DS3 Unbundled Local Loop - per mile		1	UE3	1L5ND	12.95	Т		I	ı	1	1				1
\vdash		DS3 Unbundled Local Loop - per mile DS3 Unbundled Local Loop - Facility Termination			UE3	UE3PX	229.90	438.46	256.30	1	1						
				1				730.40	200.00								-
	- 19	STS-1Unbundled Local Loop - per mile			UDLSX	1L5ND	12.95										

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring		22152			Rates(\$)		
LINDU	 DLED DARK FIBER						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUN	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per		1	1	1	ı					ı		ı	1	ı	l
	Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	24.77										
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per			051,05100	12001	2										
	Route Mile Or Fraction Thereof			UDF, UDFCX	UDF14		620.60	133.88								
	(TENDED LINK (EELs)															
Networ	k Elements Used in Combinations			1										•		
	2-Wire VG Loop (SL2) in Combination - Zone 1		1 2	UNCVX	UEAL2	11.96	385.26	72.08								
	2-Wire VG Loop (SL2) in Combination - Zone 2		3	UNCVX	UEAL2 UEAL2	17.36 25.23	385.26 385.26	72.08 72.08								
	2-Wire VG Loop (SL2) in Combination - Zone 3 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	19.52	385.26	72.08								
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		2	UNCVX	UEAL4	24.74	385.26	72.08								
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	46.11	385.26	72.08								
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	19.78	385.26	72.08	1							
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	26.16	385.26	72.08								
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	35.37	385.26	72.08								
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	21.98	385.26	72.08								
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	27.58	385.26	72.08								
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		3	UNCDX UNCDX	UDL56 UDL64	43.08 21.98	385.26 385.26	72.08 72.08								
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	27.58	385.26	72.08								
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		3	UNCDX	UDL64	43.08	385.26	72.08								
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	63.62	412.03	139.55								
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	104.40	412.03	139.55								
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	210.22	412.03	139.55								
	DS3 Local Loop in combination - per mile			UNC3X	1L5ND	12.95										
	DS3 Local Loop in combination - Facility Termination			UNC3X	UE3PX	229.90	3,073.55	1,245.84								
	STS-1 Local Loop in combination - per mile		-	UNCSX	1L5ND	12.95	0.070.55	4.045.04								
	STS-1 Local Loop in combination - Facility Termination Interoffice Channel in combination - 2-wire VG - per mile			UNCSX UNCVX	UDLS1 1L5XX	257.82 0.0095	3,073.55	1,245.84								
	Interoffice Channel in combination - 2-wire VG - Facility			UNCVX	ILJAA	0.0033										
	Termination			UNCVX	U1TV2	12.12	131.81	78.34								
	Interoffice Channel in combination - 4-wire VG - per mile			UNCVX	1L5XX	0.0095										
	Interoffice Channel in combination - 4-wire VG - Facility															
	Termination			UNCVX	U1TV4	10.19	131.81	78.34								
	Interoffice Channel in combination - 4-wire 56 kbps - per mile			UNCDX	1L5XX	0.0095										
	Interoffice Channel in combination - 4-wire 56 kbps - Facility				l											
	Termination			UNCDX	U1TD5	7.47	131.81	78.34								
 	Interoffice Channel in combination - 4-wire 64 kbps - per mile Interoffice Channel in combination - 4-wire 64 kbps - Facility		1	UNCDX	1L5XX	0.0095			 	 	1		-		-	-
	Termination		1	UNCDX	U1TD6	7.47	131.81	78.34	I	I	1					1
	Interoffice Channel in combination - DS1 - per mile		1	UNC1X	1L5XX	0.1938		7 0.04	İ	İ				İ		
	Interoffice Channel in combination - DS1 Facility Termination			UNC1X	U1TF1	31.06	234.02	162.52								
	Interoffice Channel in combination - DS3 - per mile			UNC3X	1L5XX	4.44		•								
	Interoffice Channel in combination - DS3 - Facility Termination			UNC3X	U1TF3	329.91	802.81	146.02								
	Interoffice Channel in combination - STS-1 - per mile			UNCSX	1L5XX	4.44										
ADDITIONAL N	Interoffice Channel in combination - STS-1 Facility Termination ETWORK ELEMENTS	-	-	UNCSX	U1TFS	339.20	802.81	146.02	1	1	1		-	1	-	
	ETWORK ELEMENTS al Features & Functions:	l	<u> </u>	l		l			L	L	l	l	l	<u> </u>	l	L
Ориона	ari catures a i ulictions.		T T	U1TD1,	1		ı		ı	1	1		ı	1	I	1
] [Clear Channel Capability Extended Frame Option - per DS1	1	1	ULDD1,UNC1X	CCOEF		0.00		I	I	1					1
	,		i –	U1TD1,	1				1							
	Clear Channel Capability Super FrameOption - per DS1			ULDD1,UNC1X	CCOSF		0.00									
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity -			ULDD1, U1TD1,	L											1
	per DS1		<u> </u>	UNC1X, USL	NRCCC		184.76	23.80	1.99	0.78	1					
] [C hit Devits Ontion Cohoograph Assistant as 2000		1	U1TD3, ULDD3,	NDCCC		040.00	7.00	0.75-0		1					1
 	C-bit Parity Option - Subsequent Activity - per DS3 DS1/DS0 Channel System		 	UE3, UNC3X UNC1X	NRCC3 MQ1	70.84	218.92 170.57	7.66	0.7576	0.00	 					-
	DS3/DS1Channel System		-	UNC3X, UNCSX	MQ3	84.32	0.00		-	-						
	Voice Grade COCI in combination		1	UNCVX	1D1VG	0.4329	54.14	17.51	1	1						
	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop			UEA	1D1VG	0.4329	6.39	4.58								
	Voice Grade COCI - for connection to a channelized DS1 Local				1								1		1	1
	Channel in the same SWC as collocation			U1TUC	1D1VG	0.4329	6.39	4.58			<u> </u>					L

UNBUNDLE	D NETWORK ELEMENTS - North Carolina											Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)		Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecu		Nonrecurring Disconnect				Rates(\$)		
							First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	OCU-DP COCI (2.4-64kbs) in combination			UNCDX	1D1DD	0.9199	54.14	17.51							
	OCU-DP COCI (2.4-64kbs) - for Unbundled Digital Loop			UDL	1D1DD	0.9199	6.39	4.58							
	OCU-DP COCI (2.4-64kbs) - for connection to a channelized DS1														
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	0.9199	6.39	4.58							
	2-wire ISDN COCI (BRITE) in combination			UNCNX	UC1CA	1.53	54.14	17.51							
	2-wire ISDN COCI (BRITE) - for a Local Loop			UDN	UC1CA	1.53	6.39	4.58							
	2-wire ISDN COCI (BRITE) - for connection to a channelized DS1			l <u>-</u>											
	Local Channel in the same SWC as collocation			U1TUB	UC1CA	1.53	6.39	4.58							
	DS1 COCI in combination			UNC1X	UC1D1	8.43	54.14	17.51							4
	DS1 COCI - for Stand Alone Local Channel			ULDD1	UC1D1	8.43	6.39	4.58							
	DS1 COCI - for Stand Alone Interoffice Channel			U1TD1	UC1D1	8.43	6.39	4.58							
	DS1 COCI - for DS1 Local Loop			USL, NTCD1	UC1D1	8.43	6.39	4.58							
	DS1 COCI - for connection to a channelized DS1 Local Channel in					0.40		4.50							
\vdash	the same SWC as collocation		<u> </u>	U1TUA	UC1D1	8.43	6.39	4.58					ļ		
	Wholesale - UNE, Switch-As-Is Conversion Charge			UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, UDFCX, XDH1X, HFQC6, XDD2X, XDV6X, XDDFX, XDD4X, HFRST, UNCNX	UNCCC		5.43	5.43							
	Wholesale - ONE, Switch PAS-13 Conversion Charge	-		U1TVX, U1TDX,	UNCCC		5.45	3.43		-					-
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (LSR)			U1TD1, U1TD3, U1TS1, UDF, UE3	URESL		36.90	16.15							
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, incremental charge per circuit on a spreadsheet			U1TVX, U1TDX, U1TD1, U1TD3, U1TS1, UDF, UE3	URESP		1.49	1.49							
Acces	s to DCS - Customer Reconfiguration (FlexServ)					L L	- 1		•						
	Customer Reconfiguration Establishment						1.43	1.43							
	DS1 DCS Termination with DS0 Switching					21.64	24.81	19.09							1
	DS1 DCS Termination with DS1 Switching					7.32	17.93	12.22							
	DS3 DCS Termination with DS1 Switching					136.07	24.81	19.09							
Node (SynchroNet)														
	Node per month			UNCDX	UNCNT	16.00									
Servic	e Rearrangements														
	NRC - Change in Facility Assignment per circuit Service Rearrangement	I		U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETD		100.82	42.93							
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	I		U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETB		3.18	3.18							
	NRC - Order Coordination Specific Time - Dedicated Transport	- 1		UNC1X, UNC3X	OCOSR		18.89	18.89							
COMMINGLING	3					1									
	Commingling Authorization			UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDD3, ULDS1	CMGAU	0.00	0.00	0.00							
Comm	ingled (UNE part of single bandwidth circuit)														_
	Commingled VG COCI			XDV2X	1D1VG	0.4329	54.14	17.51							
	Commingled Digital COCI		<u> </u>	XDV6X	1D1DD	0.9199	54.14	17.51		_					<u> </u>
	Commingled ISDN COCI		<u> </u>	XDD4X	UC1CA	1.53	54.14	17.51		_					
\vdash	Commingled 2-wire VG Interoffice Channel Facility Termination		<u> </u>	XDV2X	U1TV2	12.12	131.81	78.34							<u> </u>
\vdash	Commingled 4-wire VG Interoffice Channel Facility Termination		<u> </u>	XDV6X	U1TV4	10.19	131.81	78.34							
1 1	Commingled 56kbps Interoffice Channel Facility Termination Commingled 64kbps Interoffice Channel Facility Termination		<u> </u>	XDD4X XDD4X	U1TD5 U1TD6	7.47 7.47	131.81 131.81	78.34 78.34					ļ	ļ	

JNBUNDLE	D NETWORK ELEMENTS - North Carolina												Att: 2 Exh: A			
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
												Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
ATEGORY	RATE ELEMENTS	Interim	Zono	BCS	USOC			RATES(\$)								l
ATEGORT	RATE ELEMENTS	interim	Zone	ВСЗ	0300			KAI ES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add
														l		
						Rec	Nonrec		Nonrecurring					Rates(\$)		T
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				XDV2X, XDV6X,												
	Commingled VG/DS0 Interoffice Channel per mile			XDD4X	1L5XX	0.0095										
	Commingled 2-wire Local Loop Zone 1		1	XDV2X	UEAL2	11.96	385.26	72.08								.
	Commingled 2-wire Local Loop Zone 2		2	XDV2X	UEAL2	17.36	385.26	72.08								
	Commingled 2-wire Local Loop Zone 3		3	XDV2X	UEAL2	25.23	385.26	72.08								
	Commingled 4-wire Local Loop Zone 1		1	XDV6X	UEAL4	19.52	385.26	72.08								
	Commingled 4-wire Local Loop Zone 2		2	XDV6X	UEAL4	24.74	385.26	72.08								
	Commingled 4-wire Local Loop Zone 3		3	XDV6X	UEAL4	46.11	385.26	72.08								
	Commingled 56kbps Local Loop Zone 1		1	XDD4X	UDL56	21.98	385.26	72.08								
	Commingled 56kbps Local Loop Zone 2		2	XDD4X	UDL56	27.58	385.26	72.08			ļ					
	Commingled 56kbps Local Loop Zone 3		3	XDD4X	UDL56	43.08	385.26	72.08								
	Commingled 64kbps Local Loop Zone 1		1	XDD4X	UDL64	21.98	385.26	72.08								
	Commingled 64kbps Local Loop Zone 2		2	XDD4X	UDL64	27.58	385.26	72.08								
	Commingled 64kbps Local Loop Zone 3		3	XDD4X	UDL64	43.08	385.26	72.08								
	Commingled ISDN Local Loop Zone 1		1	XDD4X	U1L2X	19.78	385.26	72.08								
	Commingled ISDN Local Loop Zone 2		2	XDD4X	U1L2X	26.16	385.26	72.08								
	Commingled ISDN Local Loop Zone 3		3	XDD4X	U1L2X	35.37	385.26	72.08								
	Commingled DS1 COCI			XDH1X	UC1D1	8.43	54.14	17.51								
	Commingled DS1 Interoffice Channel Facility Termination			XDH1X	U1TF1	31.06	234.02	162.52								
	Commingled DS1 Interoffice Channel per mile			XDH1X	1L5XX	0.1938										
	Commingled DS1/DS0 Channel System			XDH1X	MQ1	70.84	170.57				1					
	Commingled DS1 Local Loop Zone 1		1	XDH1X	USLXX	63.62	412.03	139.55								
	Commingled DS1 Local Loop Zone 2		2	XDH1X	USLXX	104.40	412.03	139.55								
	Commingled DS1 Local Loop Zone 3		3	XDH1X	USLXX	210,22	412.03	139.55								
	Commingled DS3 Local Loop Facility Termination			HFQC6	UE3PX	229.90	3,073.55	1,245.84								
	Commingled DS3/STS-1 Local Loop per mile			HFQC6, HFRST	1L5ND	12.95	0,010.00	.,								†
	Commingled STS-1 Local Loop Facility Termination			HFRST	UDLS1	257.82	3,073.55	1,245.84								†
	Commingled DS3/DS1 Channel System			HFQC6	MQ3	84.32	0,070.00	1,210.01								
	Commingled DS3 Interoffice Channel Facility Termination			HFQC6	U1TF3	329.91	802.81	146.02								†
	Commingled DS3 Interoffice Channel per mile			HFQC6	1L5XX	4.44	002.01	140.02								
	Commingled STS-1Interoffice Channel Facility Termination			HFRST	U1TFS	339.20	802.81	146.02								
	Commingled STS-1Interoffice Channel per mile			HFRST	1L5XX	4.44	002.01	1 10.02			1					
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber			1111101	TEOXX	7.77										†
	Strands, Per Route Mile Or Fraction Thereof			HEQDL	1L5DF	24.77										
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber	+		TIEQUE	ILJDI	24.11					1					
	Strands, Per Route Mile Or Fraction Thereof			HEQDL	UDF14		620.60	133.88								
-	UNE to Commingled Conversion Tracking	+		XDH1X, HFQC6	CMGUN	0.00	0.00	0.00	0.00	0.00	1					-
_		-		XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00						
ID Occasio San	SPA to Commingled Conversion Tracking	-		ADRIA, REQUE	CIVIGSP	0.00	0.00	0.00	0.00	0.00						
IP Query Ser		-			-	0.0007570										
	LNP Charge Per query	-			 	0.0007579	10.10			ļ	-					
	LNP Service Establishment Manual	1	-		+	├	12.16	204.42		 	 				-	
4 DDV 1 CC	LNP Service Provisioning with Point Code Establishment	+	<u> </u>		1	 	576.33	294.43	 	1	 			 	1	₩
1 PBX LOCA		1	L	l	1	i			l	I	1	l		l	1	
911 PB	X LOCATE DATABASE CAPABILITY	1		ODDDO	ODDELL	1 1	4 000 00			1	1	1			ı	1
	Service Establishment per CLEC per End User Account	1		9PBDC	9PBEU		1,823.00		-	1	1			-		₩
	Changes to TN Range or Customer Profile			9PBDC	9PBTN	0	182.45		ļ	ļ	!			 	ļ	
	Per Telephone Number (Monthly)	1		9PBDC	9PBMM	0.07					!				ļ	
	Change Company (Service Provider) ID	1		9PBDC	9PBPC	ļ	535.57									<u> </u>
	PBX Locate Service Support per CLEC (Monthlt)	1		9PBDC	9PBMR	165.63										<u> </u>
	Service Order Charge			9PBDC	9PBSC		15.20				l			l		Ь
	X LOCATE TRANSPORT COMPONENT															
See At	13															
1	1	1	ı	l	1	1			ı	1	1				l	1

UNR	INDI FI	D NETWORK ELEMENTS - South Carolina												Att: 2 Exh: A			
21400		D HET WORK ELLINENTO - SOUTH Carollila	1	$\overline{}$								Svc Order		Incremental		Incremental	Incrementa
ı												Submitted		Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc		Manual Svc	Manual Svo
CATE	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0,112		10112 2221121110			200	5555			1011 20(4)			per Lon	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
												1	İ '	1st	Add'l	Disc 1st	Disc Add'l
												1	İ '	151	Add I	DISC 1St	DISC Add I
						1	Rec	Nonrec	urring	Nonrecurring	Disconnect		,	oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Zo	ne" shown in the sections for stand-alone loops or loops as par	rt of a co	ombina	tion refers to Geograp	phically Deav	eraged UNE Zor	nes. To view G	eographically [Deaveraged UN	E Zone Design	ations by Ce	entral Office.	, refer to interr	net Website:		
		ww.interconnection.bellsouth.com/become_a_clec/html/interco	nnection	л.htm													
OPER/	ATIONS S	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"							1		L		<u> </u>				
		(1) CLEC should contact its contract negotiator if it prefers the "															
<u> </u>		e specific Commission ordered rates for the service ordering ch (2) Any element that can be ordered electronically will be billed															
		electronically at present per the LOH, the listed SOMEC rate in															
		bill when it submits an LSR to BellSouth.	uns cate	agory re	shects the charge tha	t would be bi	illed to a CLEC 0	nice electronic	ordering capac	Jillies Come on-	ille ioi tilat ele	ment. Other	wise, the m	anuai oruenni	g charge, sow	iAN, will be ap	opileu to a
		OSS - Electronic Service Order Charge, Per Local Service	l	Т	T	т —	Г					$\overline{}$			T		1
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00	1	İ '	·			
		OSS - Manual Service Order Charge, Per Local Service Request		†			† †	0.00	5.50	5.50	5.50	\vdash					
		(LSR) - UNE Only				SOMAN		15.69	0.00	1.97	0.00	1		1 '			
UNE S		DATE ADVANCEMENT CHARGE									[
	NOTE:	The Expedite charge will be maintained commensurate with Be	llSouth'	s FCC	No.1 Tariff, Section 5	as applicable	e										
					UAL, UEANL, UCL,	Ì			·				,	,			
			l	1	UEF, UDF, UEQ,				I	I '	1	1	1	1 '		1	
					UDL, UENTW, UDN,					,	1	1	İ '	·			
					UEA, UHL, ULC,					,	1	1	İ '	'			
					USL, U1T12, U1T48,					,	1	1	İ '	'			
					U1TD1, U1TD3,					,	1	1	İ '	'			
					U1TDX, U1TO3,					,	1	1	İ '	'			
					U1TS1, U1TVX,					,	1	1	İ '	'			
					UC1BC, UC1BL,					,	1	1	İ '	'			
					UC1CC, UC1CL, UC1DC, UC1DL,					,	1	1	İ '	'			
					UC1EC, UC1EL,					,	1	1	İ '	'			
					UC1FC, UC1FL,				1		i		1				
					UC1GC, UC1GL,					,	1	1	İ '	'			
					UC1HC, UC1HL,					,	1	1	İ '	'			
					UDL12, UDL48,					,	1	1	İ '	'			
					UDLO3, UDLSX,					,	1	1	İ '	'			
					UE3, ULD12,					,	1	1	İ '	'			
					ULD48, ULDD1,					,	1	1	İ '	'			
					ULDD3, ULDDX,					,	1	1	İ '	'			
					ULDO3, ULDS1,					,	1	1	İ '	'			
					ULDVX, UNC1X,					,	1	1	İ '	'			
					UNC3X, UNCDX,					,	1	1	İ '	'			
			l	1	UNCNX, UNCSX, UNCVX, UNLD1.					I '	1	1	1	1 '		1	
			l	1	UNCVX, UNLD1, UNLD3, UXTD1,				I	I '	1	1	1	1 '		1	
			l	1	UXTD3, UXTD1,				I	I '	1	1	1	1 '		1	
			l	1	U1TUC, U1TUD,				I	I '	1	1	1	1 '		1	
					U1TUB,					1 '	1	1		1 '			
		UNE Expedite Charge per Circuit or Line Assignable USOC, per	l		U1TUA,NTCVG,					1 '	1	1	İ '	1 '			
1		Day	l	1	NTCUD, NTCD1	SDASP		200.00	I	I '	1	1	1	1 '		1	
ORDE	R MODIFI	CATION CHARGE					† †				ſ						
		Order Modification Charge (OMC)						26.21	0.00	0.00	0.00						
		Order Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00	0.00						
UNBU		XCHANGE ACCESS LOOP		ムニ													
		ANALOG VOICE GRADE LOOP			T	T											
L		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32	L		<u> </u>			
<u> </u>	\longmapsto	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	!	2	UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32	<u> </u>		 '		├	
⊢—		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	26.72	37.92	17.62	23.56	5.32	 	<u> </u>	├ ──	↓	ь——	
<u> </u>	$\vdash \vdash \vdash$	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1	-	1	UEANL	UEASL	14.94	37.92	17.62	23.56	5.32	 		 '	 		-
<u> </u>	\vdash	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	 	2	UEANL	UEASL	21.39	37.92	17.62	23.56	5.32	 	 '	 '	 		!
\vdash	\vdash	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	 	3	UEANL UEANL	UEASL URETL	26.72	37.92 8.95	17.62 0.88	23.56	5.32	 	<u> </u>		 		
1		Tag Loop at End User Premise	-	+-	UEANL	URET1	┼──┼	8.95 34.23	0.00	 		 		 '	 	──	-
\vdash	1 1	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour	-	+-	UEANL	URETA	 	19.90	19.90	 		 	 	 '	 		1
						UNEIA	1	19.90	19.90		1	1		1	1	1	1
				+		HEΔMC	† †										
		Manual Order Coordination for UVL-SL1s (per loop) Order Coordination for Specified Conversion Time for UVL-SL1		\equiv	UEANL	UEAMC		8.17	8.17								

UNBUNDLE	D NETWORK ELEMENTS - South Carolina				<u> </u>			<u> </u>					Att: 2 Exh: A	<u> </u>	<u> </u>	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted		Charge -	Charge -	Charge -	Charge -
											Elec					
ATECORY	RATE ELEMENTS	lusta vius	7	BCS	usoc			DATEC(E)				Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RAIE ELEMENTS	Interim	Zone	ьсэ	USUC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Non-Design Voice Loop, billing for BST providing make						Î									
	up (Engineering Information - E.I.)			UEANL	UEANM		13.47	13.47								
	Unbundled Loop Service Rearrangement, change in loop facility,															
	per circuit			UEANL	UREWO		15.81	8.96	23.56	5.32						
+	Bulk Migration, per 2 Wire Voice Loop-SL1		1	UEANL	UREPN	+	37.92	17.62	23.56	5.32						
			-						23.30	3.32						
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1			UEANL	UREPM		8.17	8.17								
2-WIRE	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	15.02	36.40	16.10	22.66	4.42						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise	l	1	UEQ	URETL]	8.95	0.88			l		1	1	1	1
	Loop Testing - Basic 1st Half Hour		1	UEQ	URET1		34.23	0.00			İ		İ	İ	İ	i e
<u> </u>	Loop Testing - Basic Additional Half Hour		l	UEQ	URETA	l	19.90	19.90			1		1	1	1	t
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-		-		JILLIA	 	15.30	13.30								
		l	1	UEQ	USBMC]	8.17	8.17			l		1	1	1	1
	Designed (per loop)	-	 	UEU	USDIVIC	 	8.17	8.17	-		-		 	 	 	
1	Unbundled Copper Loop - Non-Design billing for BST providing	l	1	LIEO	LIEONALI]	40.47	40.17			l		1	1	1	1
	make-up (Engineering Information - E.I.)		<u> </u>	UEQ	UEQMU	ļļ	13.47	13.47								
	Unbundled Loop Service Rearrangement, change in loop facility,															
	per circuit			UEQ	UREWO		14.30	7.45	22.66	4.42						
	Bulk Migration, per 2 Wire UCL-ND			UEQ	UREPN		36.40	16.10	22.66	4.42						
	Bulk Migration Order Coordination, per 2 Wire UCL-ND			UEQ	UREPM		8.17	8.17								
JNBUNDLED	XCHANGE ACCESS LOOP															
	ANALOG VOICE GRADE LOOP															
2 111111	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	1		1				1							1
			4	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61						
	Ground Start Signaling - Zone 1		_ '	UEA	UEALZ	10.00	105.96	00.43	53.05	10.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2		2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			ULA	OLARZ	23.13	100.00	00.43	33.03	10.01						
			_		LIEADO	00.40	405.00	00.40	50.05	40.04						
	Battery Signaling - Zone 3		3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)			UEA	URESL		24.88	3.51								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		1													1
1	DS0)	l	1	UEA	URESP]	26.37	4.99			l		1	1	1	1
	Unbundled Loop Service Rearrangement, change in loop facility,					ĺ										
	per circuit			UEA	UREWO		87.90	36.44								1
- t	Loop Tagging - Service Level 2 (SL2)		1	UEA	URETL	 	11.24	1.10								t
	Bulk Migration, per 2 Wire Voice Loop-SL2		1	UEA	UREPN	 	105.98	68.43								
			 			 										├
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2		<u> </u>	UEA	UREPM		0.00	0.00			1		1	1	1	
4-WIRE	ANALOG VOICE GRADE LOOP												•	•	•	
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61						<u></u>
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	43.89	132.38	94.83	59.35	14.61						
	4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per										İ		İ	İ	İ	T .
1	DS0)	l	1	UEA	URESL]	24.88	3.51			l		1	1	1	1
- 	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	-	 	J-/1	UNLUL	+	24.00	5.51					 	 	 	+
1	DS0)	l	1	UEA	URESP]	26.37	4.99			l		1	1	1	1
		—	├	UEA	UKESP	-	20.37	4.99			 		 	 	 	
1	Unbundled Loop Service Rearrangement, change in loop facility,	l	1	lue a	LIDELLO]	07.00				l		1	1	1	1
	per circuit		<u> </u>	UEA	UREWO		87.90	36.44	l		l		<u> </u>	<u> </u>	<u> </u>	<u> </u>
2-WIRE	ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	25.21	117.58	80.03	53.05	10.61						
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32.76	117.58	80.03	53.05	10.61						
	2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	37.70	117.58	80.03	53.05	10.61						
	Unbundled Loop Service Rearrangement, change in loop facility,															
1	per circuit	l	1	UDN	UREWO]	91.82	44.25			I		1	1	1	1
2 14/15/5		TIDIFI	000	אופטן	UNLWU	ı	31.02	44.25			l		ı	ı	ı	
Z-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	I IDLE L	.002	1								1				
1	2 Wire Unbundled ADSL Loop including manual service inquiry &	l	1	l]					I		1	1	1	1
1	facility reservation - Zone 1		1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93	<u> </u>					<u> </u>

<u>UNBUNDLI</u>	ED NETWORK ELEMENTS - South Carolina												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring		001150			Rates(\$)		
	2 Wire Unbundled ADSL Loop including manual service inquiry &				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	facility reservation - Zone 2		2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry &			OAL	ONLEX	10.71	120.04	70.00	50.57	7.55						
	facility reservation - Zone 3		3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry &		1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93						
	facility reservaton - Zone 2		2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	14.14	95.81	57.82	50.37	7.93						
	Unbundled Loop Service Rearrangement, change in loop facility,			UAL	UREWO		86.38	40.48								
2-WID	per circuit E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	I I I I I I I I I I I I I I I I I I I	OOP	UAL	UKEWU		86.38	40.48	l	l						
Z-VVIIX	2 Wire Unbundled HDSL Loop including manual service inquiry &	I	1			1			1	1					1	T
	facility reservation - Zone 1		1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry &															
	facility reservation - Zone 2		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry and		3	OTIL	OTILEX	11.40	123.32	75.24	30.37	7.95						
	facility reservation - Zone 1		1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 2		2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93						
	Unbundled Loop Service Rearrangement, change in loop facility,	1	3	OTIL	OTILZVV	11.40	104.43	00.50	30.37	7.55						
	per circuit			UHL	UREWO		86.32	40.48								
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA		OOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry and	ı			111111111111111111111111111111111111111	40.00	450.40	407.00	55.40	40.00						
	facility reservation - Zone 1 4-Wire Unbundled HDSL Loop including manual service inquiry and		1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38						
	facility reservation - Zone 2	1	2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38						
	4-Wire Unbundled HDSL Loop including manual service inquiry and	1														
	facility reservation - Zone 3		3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38						
	4-Wire Unbundled HDSL Loop without manual service inquiry and			UHL		40.00	400.44	05.40	55.40	40.00						
	facility reservation - Zone 1 4-Wire Unbundled HDSL Loop without manual service inquiry and			UNL	UHL4W	16.02	133.14	95.16	55.12	10.38						
	facility reservation - Zone 2		2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38						
	4-Wire Unbundled HDSL Loop without manual service inquiry and															
	facility reservation - Zone 3		3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UHL	UREWO		86.32	40.48								
4-WIR	E DS1 DIGITAL LOOP	<u> </u>		UHL	UKEWO		00.32	40.46	I.	I.	l .	l .				<u> </u>
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	79.51	253.03	157.89	44.80	11.73						1
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	136.00	253.03	157.89	44.80	11.73						
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	229.15	253.03	157.89	44.80	11.73						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per			1101	LIBECI		24.00	2.54								
	DS1) Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1	-	USL	URESL		24.88	3.51								
	DS1)			USL	URESP		26.37	4.99								
	Unbundled Loop Service Rearrangement, change in loop facility,															
4.10***	per circuit	1		USL	UREWO		101.30	43.13			<u> </u>	<u> </u>				<u> </u>
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	- 4	UDL	UDL2X	29.93	126.66	89.12	59.35	14.61	l	l			1	1
- 	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	I		UDL	UDL2X UDL2X	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3			UDL	UDL2X	34.74	126.66	89.12	59.35	14.61						1
	4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1		1	UDL	UDL4X	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		2	UDL	UDL4X	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	UDL	UDL4X	34.74	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1 5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	-	2	UDL UDL	UDL9X UDL9X	29.93 33.99	126.66 126.66	89.12 89.12	59.35 59.35	14.61 14.61						
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	 	3	UDL	UDL9X	34.74	126.66	89.12	59.35	14.61	1	1				
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2		2	UDL	UDL19	33.99	126.66	89.12	59.35	14.61						T

Version: 4Q06 Std ICA 03/16/07 [CCCS Amendment 137 of 173]

UNBUN	IDLE	D NETWORK ELEMENTS - South Carolina									_			Att: 2 Exh: A			
CATEGO		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		4 Wire Unbundled Digital 19.2 Kbps - Zone 3			UDL	UDL19	34.74	126.66	89.12	59.35	14.61						
-		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	29.93	126.66	89.12	59.35	14.61						
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	33.99	126.66	89.12	59.35	14.61						
-		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		1	UDL	UDL56	34.74 29.93	126.66	89.12	59.35 59.35	14.61 14.61						
-		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1 4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL UDL	UDL64 UDL64	33.99	126.66 126.66	89.12 89.12	59.35	14.61						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	34.74	126.66	89.12	59.35	14.61						
		Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	ODL	ODL04	34.74	120.00	09.12	39.33	14.01						
		DS0)			UDL	URESL		24.88	3.51								
		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			002	ONLOC		2 1.00	0.01								
		DS0)			UDL	URESP		26.37	4.99								
		Unbundled Loop Service Rearrangement, change in loop facility,															
		per circuit			UDL	UREWO		102.34	49.85								
2-	-WIRE	Unbundled COPPER LOOP	•		•										•		•
		2-Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93						
		2-Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93						
		2 Wire Unbundled Copper Loop-Designed including manual service															
		inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93						
		2-Wire Unbundled Copper Loop-Designed without manual service															
		inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93						
		2-Wire Unbundled Copper Loop-Designed without manual service		_													
		inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93						
		2-Wire Unbundled Copper Loop-Designed without manual service						0.4.07	=0.00	50.07	7.00						
		inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.14	94.87	56.89 8.17	50.37	7.93						
		Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC		8.17	8.17								
		Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UCL	UREWO		94.87	42.57								
4-	-WIRF	COPPER LOOP	l		UCL	UNEWO	1	34.07	42.37							I	L
		4-Wire Copper Loop-Designed including manual service inquiry				1										l	
		and facility reservation - Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38						
		4-Wire Copper Loop-Designed including manual service inquiry			002	002.0	10.01		00.00	00.12	10.00						
		and facility reservation - Zone 2		2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38						
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38						
		4-Wire Copper Loop-Designed without manual service inquiry and						Î									
		facility reservation - Zone 1		1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38						
		4-Wire Copper Loop-Designed without manual service inquiry and					Ì										
		facility reservation - Zone 2		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38						
		4-Wire Copper Loop-Designed without manual service inquiry and															
		facility reservation - Zone 3		3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
		Unbundled Loop Service Rearrangement, change in loop facility,															
		per circuit			UCL	UREWO		94.87	42.57								
		Order Consideration for Consider Consisted Consisted Time (cont. CC)	l		UEA, UDN, UAL,	00001		40.40								1	I
		Order Coordination for Specified Conversion Time (per LSR)	l		UHL, UDL, USL	OCOSL	1	18.13								l	<u> </u>
R	earran	gements			l	1	г	ı						1		ı	
		EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop- SL2	l		UEA	UREEL		87.90	36.44							1	I
$\vdash \vdash$		ULE	1		OLA	UNEEL	+	07.90	30.44							1	
		EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop	l		UEA	UREEL		87.90	36.44								
\vdash		EEL to UNE-L Retermination, per 2 Wire ISDN Loop	1	+	UDN	UREEL	 	91.82	44.25							1	
\vdash		The Endomination por E trill lobit Loop				0	†	01.02	77.20							l	
		EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop	l		UDL	UREEL		102.34	49.85							1	
		EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop			USL	UREEL		101.30	43.13								
UNE LOO		MMINGLING	<u></u>														
2-	-WIRE	ANALOG VOICE GRADE LOOP - COMMINGLING															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	NTCVG	UEAL2	16.68	105.98	68.43	53.05	10.61						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or														1	
$oxed{oxed}$		Ground Start Signaling - Zone 2		2	NTCVG	UEAL2	23.13	105.98	68.43	53.05	10.61						Ь——
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	l													1	
		Ground Start Signaling - Zone 3	ı	3	NTCVG	UEAL2	28.46	105.98	68.43	53.05	10.61					Ī	1

ADDIADEL	D NETWORK ELEMENTS - South Carolina												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vi Electron Disc Add
						Rec	Nonrec	urring	Nonrecurring I					Rates(\$)	•	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			1,701/0		40.00	405.00	00.40	50.05							
	Battery Signaling - Zone 1		1	NTCVG	UEAR2	16.68	105.98	68.43	53.05	10.61						<u> </u>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	NTCVG	UEAR2	23.13	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse	1		NICVG	UEARZ	23.13	105.96	00.43	53.05	10.01						
	Battery Signaling - Zone 3		3	NTCVG	UEAR2	28.46	105.98	68.43	53.05	10.61						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per								33.00							
	DS0)			NTCVG	URESL		24.88	3.51								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)			NTCVG	URESP		26.37	4.99								
	Unbundled Loop Service Rearrangement, change in loop facility,				1	l										1
	per circuit	 	<u> </u>	NTCVG	UREWO		87.90	36.44							-	
4 14/255	Loop Tagging - Service Level 2 (SL2)	1	l	NTCVG	URETL		11.24	1.10				1			I	1
4-WIRE	ANALOG VOICE GRADE LOOP 4-Wire Analog Voice Grade Loop - Zone 1	1	1	NTCVG	UEAL4	32.59	132.38	94.83	59.35	14.61					1	ı
_	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2	1		NTCVG	UEAL4	43.89	132.38	94.83	59.35	14.61						1
_	4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3	1		NTCVG	UEAL4	43.38	132.38	94.83	59.35	14.61					l	1
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per	1	<u> </u>		1	.5.50		200	22.50						İ	
	DS0)			NTCVG	URESL		24.88	3.51								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)			NTCVG	URESP		26.37	4.99								
	Unbundled Loop Service Rearrangement, change in loop facility,															
	per circuit			NTCVG	UREWO		87.90	36.44								
	DS1 DIGITAL LOOP - COMMINGLING														•	
	4-Wire DS1 Digital Loop - Zone 1		1	NTCD1	USLXX	79.51	253.03	157.89	44.80	11.73						
	4-Wire DS1 Digital Loop - Zone 2	1	2	NTCD1	USLXX	136.00	253.03	157.89	44.80	11.73						
	4-Wire DS1 Digital Loop - Zone 3		3	NTCD1	USLXX	229.15	253.03	157.89	44.80	11.73						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)			NTCD1	URESL		24.88	3.51								
_	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			NICDI	UKLOL		24.00	3.31								
	DS1)			NTCD1	URESP		26.37	4.99								
	Unbundled Loop Service Rearrangement, change in loop facility,															
	per circuit			NTCD1	UREWO		101.30	43.13								
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1			NTCUD	UDL2X	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2			NTCUD	UDL2X	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3	1	3	NTCUD	UDL2X	34.74	126.66	89.12	59.35	14.61						!
	4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1	1	1	NTCUD	UDL4X	29.93	126.66	89.12	59.35	14.61						1
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	1	3	NTCUD NTCUD	UDL4X UDL4X	33.99 34.74	126.66 126.66	89.12 89.12	59.35 59.35	14.61 14.61					-	
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3 4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	1	NTCUD	UDL4X UDL9X	29.93	126.66	89.12 89.12	59.35 59.35	14.61		1			1	1
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	1	2	NTCUD	UDL9X	33.99	126.66	89.12	59.35	14.61						1
_	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	1	3	NTCUD	UDL9X	34.74	126.66	89.12	59.35	14.61					 	1
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1		1	NTCUD	UDL19	29.93	126.66	89.12	59.35	14.61					İ	
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2		2	NTCUD	UDL19	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3		3	NTCUD	UDL19	34.74	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	NTCUD	UDL56	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	NTCUD	UDL56	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	ļ	3	NTCUD	UDL56	34.74	126.66	89.12	59.35	14.61						ļ
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	1	NTCUD	UDL64	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	1	2	NTCUD	UDL64	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	1	3	NTCUD	UDL64	34.74	126.66	89.12	59.35	14.61						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			NTCUD	URESL	l	24.88	3.51							l	1
-+-	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per	1	 	INTOOD	UNEOL	i	24.00	3.51							 	
1	DS0)			NTCUD	URESP	l	26.37	4.99							l	1
	,	+	1												İ	
+-	Unbundled Loop Service Rearrangement, change in loop facility.															1
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			NTCUD	UREWO	l	102.34	49.85								
				NTCUD NTCVG, NTCUD, NTCD1	UREWO OCOSL		102.34 18.13	49.85								

CATEGORY RATE ELEMENTS Interim Zone BCS USOC RATES(\$) Submitted Elec Manually Manual Svc Manual Svc Manual Svc Menual Svc	UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Att: 2 Exh: A			
	CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			•••			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
USC. USC, USC. USC. USC, USC. USC. USC. USC. USC.							Rec	Nonrec	urring	Nonrecurring	Disconnect	001150		oss	Rates(\$)		
URN, USL, UAL, URL URl Url			1		LIDC LIEV LIDI			First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SUMAN	SOMAN
UDC, UEA, UDL, UDN, USL, UALL UNL UCL, NYTO'G, UITTO, UITTO, UITTO, UITTO, UITTO, UITTO, UITTO, UITTO, UITTO, UITTO, UITTO, UITTO, UITTO, UITTO, UITTO, UITTO, UITTO, UITTO, UIDN, UIDN, ULDN, ULDN, ULDN, ULDN, ULDN, ULDN, ULDN, ULDN, ULDN, ULDN, ULDN, ULDN, UNCX, ULDN, UTTV, UDF, UDFC, UDFSX, UBS, ULDDI, ULDD, U		Maintenance of Service Charge, Basic Time, per half hour			UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TD1, U1TV1, UDF, UDFCX, UDSX, UE3, ULD01, ULD03, ULD01, ULDVX, UNC1X, UNC3X, UNCDX, UNCSX, UNCSX, UNCSX, UNCSX, UNCSX, UNCSX, UNCXX, USC	MVVBT		80.00	55.00								
Maintenance of Service Charge, Overtime, per half hour UNCVX, ULS UDC, UEA, UDL, UDN, USL, UAL, UDN, USL, UAL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCO1, UTDX, UTTSX, UTTXX, UTSS, UTDY, UDFCX, UDLSX, UES, ULDD1, ULDD3, ULDDX, ULDD3, ULDDX, ULDD3, ULDDX, ULDD4, ULDD5, UNCVX, ULS Maintenance of Service Charge, Premium, per half hour UNCVX, ULS MAintenance of Service Charge, Premium, per half hour UNCVX, ULS UNCXX, UNCSX, UNCXX, UNCSX, UNCXX, UNCSX, UNCXX, UNCSX, UNCXX, ULSS UNCXX, ULSD3 ULDXI		THE PROPERTY OF SECTION OF SURVEY OF SECTION AND SECTION OF SECTIO			UDC, UĒA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TD1, U1TD3, U1TVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X,			00.00	33.00								
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop UEQ, ULS, UEAN, UEPSR UEPSB ULM2L 32.46 32.46 Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop UHL, UCL, UEA ULM4L 32.46 32.46 Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop UAL, UHL, UCL, UEA ULM4L 32.46 32.46 Unbundled Loop Modification Removal of Bridged Tap Removal, UEPSR ULMBT 32.48 32.48 SUB-LOOPS Sub-Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-UEANL, UEF USBSA 241.42 241.42		Maintenance of Service Charge, Premium, per half hour			UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLSX, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNCSX,												
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Bridged Tap Removal, UEANL, UE, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB ULMBT 32.46 32.48 32					·												
than or equal to 18K ft, per Unbundled Loop		pair less than or equal to 18k ft, per Unbundled Loop			UEQ, ULS, UEA, UEANL, UEPSR,	ULM2L		32.46	32.46								
Unbundled Loop Modification Removal of Bridged Tap Removal, UEQ, UEQ, ULS, UEA, UEQ, ULS, UEA, UEPSR, UEPSR, UEPSB ULMBT 32.48 32.48 32.48 Sub-Loop Distribution Sub-Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up UEANL, UEF USBSA 241.42 241.42			Ì		UHL UCL UEA	I II M4I		32 46	32 46								
Sub-Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up UEANL, UEF USBSA 241.42 241.42		Unbundled Loop Modification Removal of Bridged Tap Removal,			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,												
Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up UEANL, UEF USBSA 241.42 241.42		op Distribution	1		1		I	ı		1		1			1	L	L
Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up UEANL, UEF USBSB 22.69 22.69		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			UEANL, UEF	USBSA		241.42	241.42								
Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility															
Sel-Up			-														

UNBUNDLE	D NETWORK ELEMENTS - South Carolina							·					Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec		curring	Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			02/11/2		0.07	00.01	01.00	10.00	0.7.1						
	Zone 2		2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71						
	2010 0		Ŭ				00.01		10.00	0.7.1						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09						
			Ť			. 2.00			.5.02	3.00						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBMC USBR2	2.41	8.17 53.13	8.17 18.21	45.35	6.71						<u> </u>
	Sub-Loop 2-wire intrabuliding Network Cable (INC)			UEANL	USBRZ	2.41	53.13	18.21	45.35	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	5.36	59.38	24.47	49.82	9.09						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.23	0.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	7.11	65.94	31.03	45.35	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	9.83	65.94	31.03	45.35	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	10.48	65.94	31.03	45.35	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.17	8.17								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	7.85	79.21	44.29	49.82	9.09						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	14.17	79.21	44.29		9.09						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	12.64	79.21	44.29	49.82	9.09						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.17	8.17								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-			OL1	CODINIO		0.17	0.17								
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.95	0.88								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		34.23	0.00								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.90	19.90								
Unbund	Iled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load												1			
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		176.17	5.11								
	Unbundled Sub-loop Modification - 4-W Copper Dist Load															
\vdash	Coil/Equip Removal per 4-W PR Unbundled Loop Modification, Removal of Bridge Tap, per			UEF	ULM4X	ļ	176.17	5.11								
	unbundled loop wodification, Removal of Bridge Lap, per			UEF	ULMBT		278.82	6.13								
Unbund	fled Network Terminating Wire (UNTW)			. 							1					
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3303	30.20	30.20								
Networ	k Interface Device (NID)						1	1		1	,			1		
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.68	28.79								
	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W			UENTW UENTW	UND16 UNDC2		64.42 5.92	49.53 5.92								
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.92	5.92								-
	ROVISIONING ONLY - NO RATE			02.1111	0.1.501		0.02	0.02								
	Unbundled Contact Name, Provisioning Only - no rate			UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL	UNECN	0.00	0.00									
\vdash	Unbundled Contact Name, Provisioning Only - no rate Unbundled DS1 Loop - Superframe Format Option - no rate	-		USL, NTCD1	CCOSF	0.00	0.00		+		1					
	Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL, NTCD1	CCOSF		0.00									
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
1 1	UNTW Circuit Establishment, Provisioning Only - No Rate	1		UENTW	UENCE	0.00	0.00									1

UNBUND	LED NETWORK ELEMENTS - South Carolina												Att: 2 Exh: A			
CATEGORY		Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
			1		+	Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'I	COMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
LOOP MAKE	E-LID		1		+		rirst	Add I	FIISt	Add I	SUIVIEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
LOGI IIIAN	Loop Makeup - Preordering Without Reservation, per working or				+											
	spare facility queried (Manual).			UMK	UMKLW		24.04	24.04								
	Loop Makeup - Preordering With Reservation, per spare facility															
	queried (Manual).			UMK	UMKLP		25.49	25.49								
	Loop MakeupWith or Without Reservation, per working or spare			UMK	LIMIKMO		0.24	0.24								
LINE SPLIT	facility queried (Mechanized)			UWK	UMKMQ	1	0.34	0.34								
	USER ORDERING-CENTRAL OFFICE BASED	1	1								l					
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.09	21.24	20.07	9.85						
FNE	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.09	21.24	20.07	9.85						
	DUSER ORDERING - REMOTE SITE LINE SPLITTING BUNDLED EXCHANGE ACCESS LOOP															
	IRE ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 1	<u> </u>	1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	١.	LIEDOD LIEDOS	LIEADO		07.00		00 =-		1					
	Zone 1		1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			OLI OK OLI OD	OLALO	21.00	01.02	17.02	20.00	0.02						
	Zone 2		2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 3		3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		_	LIEDOD LIEDOD	LIEADO	00.70	07.00	47.00	00.50	F 00						
риу	Zone 3 ZSICAL COLLOCATION		3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32						
FILE	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0341	12.32	11.83	6.04	5.45						
VIR	TUAL COLLOCATION															
					V=41.0	0.0047	40.00	44.00								
IINBIINDI E	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting D DEDICATED TRANSPORT			UEPSR UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45						
	EROFFICE CHANNEL - DEDICATED TRANSPORT				-	L					l .			<u> </u>	<u> </u>	1
	Interoffice Channel - 2-Wire Voice Grade - per mile			U1TVX	1L5XX	0.0167										
	Interoffice Channel - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile			U1TVX	1L5XX	0.0167										
						04.00	40.00		40.77							
	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination Interoffice Channel - 4-Wire Voice Grade - per mile			U1TVX U1TVX	U1TR2 1L5XX	24.30 0.0167	40.63	27.47	16.77	6.91						
	Interoffice Chamiler 4-vviile voice Grade - per fillie			OTTVX	ILOXX	0.0107										
	Interoffice Channel - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91						
	Interoffice Channel - 56 kbps - per mile			U1TDX	1L5XX	0.0167										
	Interoffice Channel - 56 kbps - Facility Termination			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91						
	Interoffice Channel - 64 kbps - per mile Interoffice Channel - 64 kbps - Facility Termination			U1TDX U1TDX	1L5XX U1TD6	0.0167 16.76	40.63	27.47	16.77	6.91						
	Interoffice Channel - DS1 - per mile			U1TD1	1L5XX	0.3415	40.63	27.47	16.77	0.91						
	Interoffice Channel - DS1 - Facility Termination			U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48						
	Interoffice Channel - DS3 - per mile			U1TD3	1L5XX	8.02										
	Interoffice Channel - DS3 - Facility Termination			U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59						
	Interoffice Channel - STS-1 - per mile	!	<u> </u>	U1TS1	1L5XX	8.02	070.07		20.0-	E0 F-						
LINE	Interoffice Channel - STS-1 - Facility Termination BUNDLED DARK FIBER	<u> </u>	1	U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59	L					<u> </u>
UNE	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	1		l			J			1						
	Route Mile Or Fraction Thereof	1		UDF, UDFCX	1L5DF	36.41					1					
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per															
	Route Mile Or Fraction Thereof	<u> </u>		UDF, UDFCX	UDF14		640.51	138.17	317.76	198.11						
	CITY UNBUNDLED LOCAL LOOP	<u> </u>			1						l					
	3/STS-1 UNBUNDLED LOCAL LOOP - Stand Alone															1
				HF3	111 5ND	12.25	ı									
	DS3 Unbundled Local Loop - per mile			UE3 UE3	1L5ND UE3PX	12.26 306.36	452,52	264.53	119.75	83.77						
				UE3 UDLSX	1L5ND UE3PX 1L5ND	12.26 306.36 12.26	452.52	264.53	119.75	83.77						

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EXTENDED LINK (EELs)															
Netw	ork Elements Used in Combinations															
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	1	2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	1	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61					i e	
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	1	3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61					1	
\vdash	4-Wire DS1 Digital Loop in Combination - Zone 1	1		UNC1X	USLXX	79.51	253.03	157.89	44.80	11.73						
	4-Wire DS1 Digital Loop in Combination - Zone 2	+		UNC1X	USLXX	136.00	253.03	157.89	44.80	11.73						
	4-Wire DS1 Digital Loop in Combination - Zone 3	 		UNC1X	USLXX	229.15	253.03	157.89	44.80	11.73						
-		1	3	UNC3X	1L5ND	12.26	255.05	137.09	44.00	11.73						
	DS3 Local Loop in combination - per mile	1		UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77						
	DS3 Local Loop in combination - Facility Termination	 		UNCSX	1L5ND		452.52	204.53	119.75	03.77						├ ──
	STS-1 Local Loop in combination - per mile	1				12.26	452.52	004.50	440.75	00.77						├──
$\overline{}$	STS-1 Local Loop in combination - Facility Termination	.		UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77						
	Interoffice Channel in combination - 2-wire VG - per mile	<u> </u>		UNCVX	1L5XX	0.0167										ļ
	Interoffice Channel in combination - 2-wire VG - Facility Termination			UNCVX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel in combination - 4-wire VG - per mile			UNCVX	1L5XX	0.0167										
	Interoffice Channel in combination - 4-wire VG - Facility Termination			UNCVX	U1TV4	21.29	40.63	27.47	16.77	6.91						
	Interoffice Channel in combination - 4-wire 56 kbps - per mile			UNCDX	1L5XX	0.0167										
	Interoffice Channel in combination - 4-wire 56 kbps - Facility															
	Termination			UNCDX	U1TD5	16.76	40.63	27.47	16.77	6.91						İ
	Interoffice Channel in combination - 4-wire 64 kbps - per mile	1		UNCDX	1L5XX	0.0167	10.00	2,	10.11	0.01						
	Interoffice Channel in combination - 4-wire 64 kbps - Facility			ONOBA	120707	0.0107	+									t
	Termination			UNCDX	U1TD6	16.76	40.63	27.47	16.77	6.91						İ
	Interoffice Channel in combination - DS1 - per mile	 	-	UNC1X	1L5XX	0.3415	40.03	21.41	10.77	0.31						
	Interoffice Channel in combination - DS1 Facility Termination			UNC1X	U1TF1	77.14	89.47	81.99	16.39	14.48						
-	Interoffice Channel in combination - DS3 - per mile	1		UNC3X	1L5XX	8.02	09.47	01.99	10.39	14.40						
		 			U1TF3		270.27	160.10	60.33	58.59						├ ──
	Interoffice Channel in combination - DS3 - Facility Termination	1		UNC3X UNCSX	1L5XX	880.65 8.02	279.37	163.12	60.33	36.39						
-	Interoffice Channel in combination - STS-1 - per mile Interoffice Channel in combination - STS-1 Facility Termination	1		UNCSX	U1TFS	880.55	279.37	163.12	60.33	58.59						
ADDITIONAL	NETWORK ELEMENTS	1		UNCOA	UTIFS	660.55	219.31	103.12	00.33	36.39						
	onal Features & Functions:	<u> </u>									l					<u> </u>
Optio	onal Features & Functions:			U1TD1,	1	1			I I			1		1	T .	
	Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X	CCOEF		0.00									
	Clear Channel Capability Super FrameOption - per DS1			U1TD1, ULDD1,UNC1X	CCOSF		0.00	· <u> </u>		·			_			1
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity -	† ·		ULDD1, U1TD1,		 	0.50								1	
	per DS1	1 .		UNC1X, USL	NRCCC		185.26	23.86	1.99	0.78					1	İ
\vdash		 		U1TD3, ULDD3,		+	.00.20	20.00	1.55	0.70					 	
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.58	7.69	0.737	0.00						
\longmapsto	DS1/DS0 Channel System			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
$oxed{oxed}$	DS3/DS1Channel System			UNC3X, UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90						
	Voice Grade COCI in combination	<u> </u>		UNCVX	1D1VG	0.56	6.59	4.73								<u> </u>
	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop			UEA	1D1VG	0.56	6.59	4.73								1
	Voice Grade COCI - for connection to a channelized DS1 Local	1			1											
	Channel in the same SWC as collocation	1	1	U1TUC	1D1VG	0.56	6.59	4.73							1	1
	OCU-DP COCI (2.4-64kbs) in combination			UNCDX	1D1DD	1.19	6.59	4.73								
	OCU-DP COCI (2.4-64kbs) - for Unbundled Digital Loop	1		UDL	1D1DD	1.19	6.59	4.73							İ	
	OCU-DP COCI (2.4-64kbs) - for connection to a channelized DS1	1			1 -										İ	
	Local Channel in the same SWC as collocation		1	U1TUD	1D1DD	1.19	6.59	4.73			l					İ

UNBUN	IDLE	D NETWORK ELEMENTS - South Carolina												Att: 2 Exh: A			
CATEGOR		RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
				1			Rec	Nonrecui		Nonrecurring					Rates(\$)		
				1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-wire ISDN COCI (BRITE) - for a Local Loop		1	UDN	UC1CA	2.56	6.59	4.73								
		2-wire ISDN COCI (BRITE) - for connection to a channelized DS1															
		Local Channel in the same SWC as collocation		1	U1TUB	UC1CA	2.56	6.59	4.73								
		DS1 COCI in combination	<u> </u>	1	UNC1X	UC1D1	8.64	6.59	4.73								
		DS1 COCI - for Stand Alone Local Channel		1	ULDD1	UC1D1	8.64	6.59	4.73								
		DS1 COCI - for Stand Alone Interoffice Channel		1	U1TD1	UC1D1	8.64	6.59	4.73								
		DS1 COCI - for DS1 Local Loop		1	USL, NTCD1	UC1D1	8.64	6.59	4.73								
		DS1 COCI - for connection to a channelized DS1 Local Channel in															
		the same SWC as collocation		1	U1TUA	UC1D1	8.64	6.59	4.73								
		Wholesale - UNE, Switch-As-Is Conversion Charge			UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, UDFCX, XDH1X, HFQC6, XDD2X, XDV6X, XDDFX, XDD4X, HFRST, UNCNX	UNCCC		5.61	5.61								
					U1TVX, U1TDX,												
		Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (LSR)	1		U1TD1, U1TD3, U1TS1, UDF, UE3	URESL		40.27	13.52								
		Unbundled Misc Rate Element, SNE SAI, Single Network Element			U1TVX, U1TDX,												
		Switch As Is Non-recurring Charge, incremental charge per circuit			U1TD1, U1TD3,												
		on a spreadsheet			U1TS1, UDF, UE3	URESP		23.80	12.11								
A/		to DCS - Customer Reconfiguration (FlexServ)	·	-	01101, 021, 020	011201		20.00	.2								
	-	Customer Reconfiguration Establishment		T .				1.48		1.85							
		DS1 DCS Termination with DS0 Switching		1		1	27.96	25.60	19.70	16.67	13.41						
		DS1 DCS Termination with DS1 Switching					12.67	18.51	12.61	12.24	8.98						
No		DS1 DCS Termination with DS1 Switching DS3 DCS Termination with DS1 Switching															
No	ode (S	DS1 DCS Termination with DS1 Switching DS3 DCS Termination with DS1 Switching synchroNet)			UNCDX	UNCNT	12.67 176.51	18.51	12.61	12.24	8.98						
	ode (S	DS1 DCS Termination with DS1 Switching DS3 DCS Termination with DS1 Switching			UNCDX	UNCNT	12.67	18.51	12.61	12.24	8.98						
	ode (S	DS1 DCS Termination with DS1 Switching DS3 DCS Termination with DS1 Switching synchroNet) Node per month			U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X U1TVX, U1TDX,	UNCNT	12.67 176.51	18.51	12.61	12.24	8.98						
	ode (S	DS1 DCS Termination with DS1 Switching DS3 DCS Termination with DS1 Switching synchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service	1		U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X U1TVX, U1TDX, U1TUC, U1TUD,		12.67 176.51	18.51 25.60	12.61 19.70	12.24	8.98						
	ode (S	DS1 DCS Termination with DS1 Switching DS3 DCS Termination with DS1 Switching synchroMet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement	1		U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX,		12.67 176.51	18.51 25.60	12.61 19.70	12.24	8.98						
	ode (S	DS1 DCS Termination with DS1 Switching DS3 DCS Termination with DS1 Switching synchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project	1		U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX,	URETD	12.67 176.51	18.51 25.60	12.61 19.70 43.13	12.24	8.98						
	ode (S	DS1 DCS Termination with DS1 Switching DS3 DCS Termination with DS1 Switching synchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	1		U1TVX, U1TDX, U1TUG, U1TUB, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X U1TVX, U1TDX, U1TUC, U1TUB, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETD	12.67 176.51	18.51 25.60 101.30	12.61 19.70 43.13	12.24	8.98						
Se	ode (S	DS1 DCS Termination with DS1 Switching DS3 DCS Termination with DS1 Switching synchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project	1		U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX,	URETD	12.67 176.51	18.51 25.60	12.61 19.70 43.13	12.24	8.98						
	ode (S	DS1 DCS Termination with DS1 Switching DS3 DCS Termination with DS1 Switching synchroNety Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		U1TVX, U1TDX, U1TUG, U1TUB, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X U1TVX, U1TDX, U1TUC, U1TUB, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETD	12.67 176.51	18.51 25.60 101.30	12.61 19.70 43.13	12.24	8.98						
COMMING	ode (S ervice	DS1 DCS Termination with DS1 Switching DS3 DCS Termination with DS1 Switching SynchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport	1		U1TVX, U1TDX, U1TUC, U1TUB, ULDVX, ULDDX, UNCVX, ULDDX, UNCYX, UNCDX, U1TVX, U1TDX, U1TUX, U1TDX, U1TUB, ULDVX, UNCDX, U1TD3, U1TD3, U1TD3, U1TD3, U1TD3, U1TD4, U1TD5, ULDVX, U1TDVX, U1TDVX, U1DD1, ULDD3, U1TUB, ULDVX, ULDD1, U1TD3, U1DD3, U1DD3, U1TUB, ULDVX, U1DD1, U1DD3, U1TUB, ULDVX, U1DD1, U1DD3, U1TUB, ULDVX, U1DD1, U1DD3, U1DD1X, U1DX, U1	URETD URETB OCOSR	12.67 176.51 14.55	18.51 25.60 101.30 3.66 18.90	12.61 19.70 43.13 3.66 18.90	12.24	8.98						
COMMING	ode (S ervice	DS1 DCS Termination with DS1 Switching DS3 DCS Termination with DS1 Switching synchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingling Authorization rgled (UNE part of single bandwidth circuit)	1		U1TVX, U1TDX, U1TUC, U1TUB, ULDVX, U1TUB, ULDVX, UNCDX, UNCX, UNCDX, UNTTUB, U1TUB, U1TUB, ULDVX, ULDDX, UNCDX, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, ULDD1, ULDD3, ULDD1, U1DD3, ULDD1, U1DD3, UNCDX, UNCDX, UNCDX, UNCDA, UN	URETD URETB OCOSR	12.67 176.51 14.55	18.51 25.60 101.30 3.66 18.90	12.61 19.70 43.13 3.66 18.90	12.24	8.98						
COMMING	ode (S ervice	DS1 DCS Termination with DS1 Switching DS3 DCS Termination with DS1 Switching synchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingling Authorization giled (UNE part of single bandwidth circuit) Commingled VG COCI	1		U1TVX, U1TDX, U1TUC, U1TUB, ULDVX, U1TUB, ULDVX, UNCVX, UNDDX, UNCYX, U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, U1TUB, U1TUB, U1TUB, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, U1TUB, U1TD3, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TD3, U1TUB, ULDVX, U1TUB, ULDVX, U1DD1, ULDD3, ULDD1, ULDD3, ULDD1	URETD URETB OCOSR CMGAU	12.67 176.51 14.55	18.51 25.60 101.30 3.66 18.90	12.61 19.70 43.13 3.66 18.90	12.24	8.98						
COMMING	ode (S ervice	DS1 DCS Termination with DS1 Switching DS3 DCS Termination with DS1 Switching SynchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingling Authorization ngled (UNE part of single bandwidth circuit) Commingled VG COCI Commingled Digital COCI Commingled Digital COCI	1		U1TVX, U1TDX, U1TUC, U1TUB, ULDVX, U1TUB, ULDVX, UNCDX, UNCX, UNCDX, UNTTUB, U1TUB, U1TUB, ULDVX, ULDDX, UNCDX, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, ULDD1, ULDD3, ULDD1, U1DD3, ULDD1, U1DD3, UNCDX, UNCDX, UNCDX, UNCDA, UN	URETD URETB OCOSR CMGAU 1D1VG 101DD	12.67 176.51 14.55	18.51 25.60 101.30 3.66 18.90 0.00	12.61 19.70 43.13 3.66 18.90	12.24	8.98						
COMMING	ode (S ervice	DS1 DCS Termination with DS1 Switching DS3 DCS Termination with DS1 Switching SynchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingling Authorization spled (UNE part of single bandwidth circuit) Commingled VG COCI Commingled Digital COCI Commingled ISDN COCI	1		U1TVX, U1TDX, U1TUC, U1TUB, ULDVX, U1TUB, ULDVX, UNCDX, UNCYX, UNCDX, UNCYX, U1TUD, U1TUB, ULDVX, U1TUD, U1TUB, ULDVX, ULDDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCYX, UNCYX, UNCYX, UNCYX, UNCYX, UNCYX, UNCYX, UNCYX, UNCYX, UNCYX, UNCYX, UNCYX, UNCYX, UNCYX, U1TDA, U1TDA, U1TDA, U1TDA, U1TDA, U1TDA, ULDVX, ULDD1, ULDD3, ULDD1, ULDD3, ULDS1	URETD URETB OCOSR CMGAU ID1VG ID1DD UC1CA	12.67 176.51 14.55 14.55	18.51 25.60 101.30 3.66 18.90	12.61 19.70 43.13 3.66 18.90 0.00 4.73 4.73	12.24	8.98						
COMMING	ode (S ervice	DS1 DCS Termination with DS1 Switching DS3 DCS Termination with DS1 Switching SynchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingled UNE part of single bandwidth circuit) Commingled USDN COCI Commingled Digital COCI Commingled ISDN COCI Commingled 1SDN COCI Commingled 3-wire VG Interoffice Channel Facility Termination	1		U1TVX, U1TDX, U1TUC, U1TUB, ULDVX, ULDDX, UNCVX, ULDDX, UNCVX, ULDDX, UNCYX, U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, U1TUB, U1TUB, UDDX, UNCYX, UNCDX, UNCYX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, U1TUB, U1TD3, U1TD1, U1TD3, U1TD1, U1TD3, U1TUB, ULDVX, U1TUB, ULDVX, U1TUB, ULDVX, U1TUB, ULDVX, ULDD1, ULDD3, ULDS1	URETD URETB OCOSR CMGAU 1D1VG 1D1DD UC1CA U1TV2	12.67 176.51 14.55 14.55 0.00 0.00	18.51 25.60 101.30 3.66 18.90 0.00 6.59 6.59 6.59 40.63	12.61 19.70 43.13 3.66 18.90 0.00 4.73 4.73 4.73 27.47	0.00	0.00						
COMMING	ode (S ervice	DS1 DCS Termination with DS1 Switching DS3 DCS Termination with DS1 Switching SynchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingled QUE part of single bandwidth circuit) Commingled USD COCI Commingled Jigital COCI Commingled ISDN COCI Commingled Jewire VG Interoffice Channel Facility Termination Commingled 4-wire VG Interoffice Channel Facility Termination Commingled 4-wire VG Interoffice Channel Facility Termination	1		U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCYX, U1TVX, U1TDX, U1TUD, U1TUB, ULDVX, U1TUB, ULDDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, UNCOX, UNCYX, UNCOX, UNCYX, UNCOX, UNCYX, UNCOX, UNCYX, UNCOX, UNCYX, UNCOX, UNCYX, UNCOX, U1TD1, U1TD3, U1TD3, U1TD3, U1TD4, U1TUB, ULDVX, U1TUB, ULDVX, ULDD1, ULDD3, ULDS1 XDV2X XDV6X XDV	URETD URETB OCOSR CMGAU 1D1VG 1D1DD UC1CA U1TV2 U1TV4	12.67 176.51 14.55 14.55 0.00 0.00 0.56 1.19 2.56 24.30 24.29	18.51 25.60 101.30 3.66 18.90 0.00 6.59 6.59 6.59 40.63 40.63	12.61 19.70 43.13 3.66 18.90 0.00 4.73 4.73 4.73 27.47 27.47	0.00 16.77 16.77	0.00 0.00						
COMMING	ode (S ervice	DS1 DCS Termination with DS1 Switching DS3 DCS Termination with DS1 Switching SynchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingling Authorization spled (UNE part of single bandwidth circuit) Commingled VG COCI Commingled Digital COCI Commingled JSDN COCI Commingled JSDN COCI Commingled 2-wire VG Interoffice Channel Facility Termination Commingled 4-wire VG Interoffice Channel Facility Termination Commingled 56kbps Interoffice Channel Facility Termination	1		U1TVX, U1TDX, U1TUC, U1TUB, ULDVX, ULDDX, UNCYX, UNCDX, UNCYX, UNCDX, UNCYX, U1TUD, U1TUB, ULDVX, U1TUD, U1TUB, ULDVX, ULDDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UNCDX, UTDA, U1TDA, U1TDA, U1TDA, U1TDA, U1TDA, U1TDA, U1TDA, ULDVX, ULDD1, ULDD1, ULDD3, ULDS1 XDV2X	URETD URETB OCOSR CMGAU ID1VG ID1DD UC1CA U1TV2 U1TV4 U1TD5	12.67 176.51 14.55 14.55 0.00 0.00 0.56 1.19 2.56 24.30 21.29 16.76	18.51 25.60 101.30 3.66 18.90 0.00 6.59 6.59 40.63 40.63	12.61 19.70 43.13 3.66 18.90 0.00 4.73 4.73 4.73 27.47 27.47 27.47	0.00 0.00	0.00 0.00 6.91 6.91						
COMMING	ode (S ervice	DS1 DCS Termination with DS1 Switching DS3 DCS Termination with DS1 Switching SynchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingled QUE part of single bandwidth circuit) Commingled USD COCI Commingled Jigital COCI Commingled ISDN COCI Commingled Jewire VG Interoffice Channel Facility Termination Commingled 4-wire VG Interoffice Channel Facility Termination Commingled 4-wire VG Interoffice Channel Facility Termination			U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, ULDDX, UNCYX, U1TVX, U1TUD, U1TUD, U1TUD, U1TUD, U1TUD, U1TUD, U1TUD, U1TUB, ULDVX, UNCDX, UNCYX, UNCDX, UNCYX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, U1TUD, U1TD3, U1TD1, U1TD3, U1TD1, U1TD3, U1TD1, U1TD3, U1TUB, ULDVX, U1TUB, ULDVX, U1TUB, ULDVX, U1TUB, ULDVX, U1DD1, ULDD3, ULDS1 XDV2X XDV2X XDV6X XDV2X XDV6X XDD4X	URETD URETB OCOSR CMGAU 1D1VG 1D1DD UC1CA U1TV2 U1TV4	12.67 176.51 14.55 14.55 0.00 0.00 0.56 1.19 2.56 24.30 24.29	18.51 25.60 101.30 3.66 18.90 0.00 6.59 6.59 6.59 40.63 40.63	12.61 19.70 43.13 3.66 18.90 0.00 4.73 4.73 4.73 27.47 27.47	0.00 16.77 16.77	0.00 0.00						
COMMING	ode (S ervice	DS1 DCS Termination with DS1 Switching DS3 DCS Termination with DS1 Switching SynchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingled QUE part of single bandwidth circuit) Commingled VG COCI Commingled Digital COCI Commingled ISDN COCI Commingled SIDN COCI Commingled 2-wire VG Interoffice Channel Facility Termination Commingled 4-wire VG Interoffice Channel Facility Termination Commingled 56kbps Interoffice Channel Facility Termination Commingled 64kbps Interoffice Channel Facility Termination	1		U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCYX, U1TUD, U1TUB, ULDVX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCYX, UNCDX, UNCX, UNCDX, UNCX, UNCDX, UNCX, UNCDX, UNCX, UNCDX, UNCX, U1TUD, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, ULDVX, ULDD1, ULDD3, ULDS1 XDV2X XDV2X XDV6X	URETD URETB OCOSR CMGAU 1D1VG 1D1DD UC1CA U1TV2 U1TV4 U1TD5 U1TD6	12.67 176.51 14.55 14.55 0.00 0.00 0.56 1.19 2.56 24.30 21.29 16.76	18.51 25.60 101.30 3.66 18.90 0.00 6.59 6.59 40.63 40.63	12.61 19.70 43.13 3.66 18.90 0.00 4.73 4.73 4.73 27.47 27.47 27.47	0.00 0.00	0.00 0.00 6.91 6.91						
COMMING	ode (S ervice	DS1 DCS Termination with DS1 Switching DS3 DCS Termination with DS1 Switching SynchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingling Authorization Synchrology of the	1		U1TVX, U1TDX, U1TUC, U1TUB, ULDVX, UNCDX, UNCYX, UNCDX, UNCYX, UNCDX, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, ULDVX, U1TUB, UNCDX, U1TDA, U1TDA, U1TDA, U1TDA, U1DDA, ULDDA, ULDDA, ULDDA, ULDDA, ULDDA, ULDDA, UNCDA, UN	URETD URETB OCOSR CMGAU ID1VG ID1DD UC1CA U1TV2 U1TV4 U1TD5 U1TD6 1L5XX	12.67 176.51 14.55 14.55 14.55 0.00 0.00 0.56 1.19 2.56 24.30 21.29 16.76 16.76	18.51 25.60 101.30 3.66 18.90 0.00 6.59 6.59 40.63 40.63 40.63	12.61 19.70 43.13 3.66 18.90 0.00 4.73 4.73 4.73 27.47 27.47 27.47	0.00 0.00 16.77 16.77	0.00 0.00 6.91 6.91						
COMMING	ode (S ervice	DS1 DCS Termination with DS1 Switching DS3 DCS Termination with DS1 Switching SynchroNet) Node per month Rearrangements NRC - Change in Facility Assignment per circuit Service Rearrangement NRC - Change in Facility Assignment per circuit Project Rearrangement NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed) NRC - Order Coordination Specific Time - Dedicated Transport Commingled QUE part of single bandwidth circuit) Commingled VG COCI Commingled Digital COCI Commingled ISDN COCI Commingled SIDN COCI Commingled 2-wire VG Interoffice Channel Facility Termination Commingled 4-wire VG Interoffice Channel Facility Termination Commingled 56kbps Interoffice Channel Facility Termination Commingled 64kbps Interoffice Channel Facility Termination			U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNCYX, U1TUD, U1TUB, ULDVX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCYX, UNCDX, UNCX, UNCDX, UNCX, UNCDX, UNCX, UNCDX, UNCX, UNCDX, UNCX, U1TUD, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, U1TUB, U1TUB, U1TUB, U1TUB, ULDVX, ULDD1, ULDD3, ULDS1 XDV2X XDV2X XDV6X	URETD URETB OCOSR CMGAU 1D1VG 1D1DD UC1CA U1TV2 U1TV4 U1TD5 U1TD6	12.67 176.51 14.55 14.55 0.00 0.00 0.56 1.19 2.56 24.30 21.29 16.76	18.51 25.60 101.30 3.66 18.90 0.00 6.59 6.59 40.63 40.63	12.61 19.70 43.13 3.66 18.90 0.00 4.73 4.73 4.73 27.47 27.47 27.47	0.00 0.00	0.00 0.00 6.91 6.91						

ONRONDER	D NETWORK ELEMENTS - South Carolina												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Nonreci	ırrina	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Commingled 4-wire Local Loop Zone 1		1	XDV6X	UEAL4	32.59	132.38	94.83	59.35	14.61						
	Commingled 4-wire Local Loop Zone 2		2	XDV6X	UEAL4	43.89	132.38	94.83	59.35	14.61						
	Commingled 4-wire Local Loop Zone 3		3	XDV6X	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Commingled 56kbps Local Loop Zone 1		1	XDD4X	UDL56	29.93	126.66	89.12	59.35	14.61						
	Commingled 56kbps Local Loop Zone 2		2	XDD4X	UDL56	33.99	126.66	89.12	59.35	14.61						
	Commingled 56kbps Local Loop Zone 3		3	XDD4X	UDL56	34.74	126.66	89.12	59.35	14.61						
	Commingled 64kbps Local Loop Zone 1		1	XDD4X	UDL64	29.93	126.66	89.12	59.35	14.61						
	Commingled 64kbps Local Loop Zone 2		2	XDD4X	UDL64	33.99	126.66	89.12	59.35	14.61						
	Commingled 64kbps Local Loop Zone 3		3	XDD4X	UDL64	34.74	126.66	89.12	59.35	14.61						
	Commingled ISDN Local Loop Zone 1		1	XDD4X	U1L2X	25.21	117.58	80.03	53.05	10.61						
	Commingled ISDN Local Loop Zone 2		2	XDD4X	U1L2X	32.76	117.58	80.03	53.05	10.61						
	Commingled ISDN Local Loop Zone 3		3	XDD4X	U1L2X	37.70	117.58	80.03	53.05	10.61						
	Commingled DS1 COCI			XDH1X	UC1D1	8.64	6.59	4.73								
	Commingled DS1 Interoffice Channel Facility Termination			XDH1X	U1TF1	77.14	89.47	81.99	16.39	14.48						
	Commingled DS1 Interoffice Channel per mile			XDH1X	1L5XX	0.3415										
	Commingled DS1/DS0 Channel System			XDH1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	Commingled DS1 Local Loop Zone 1		1	XDH1X	USLXX	79.51	253.03	157.89	44.80	11.73						
	Commingled DS1 Local Loop Zone 2		2	XDH1X	USLXX	136.00	253.03	157.89	44.80	11.73						
	Commingled DS1 Local Loop Zone 3		3	XDH1X	USLXX	229.15	253.03	157.89	44.80	11.73						
	Commingled DS3 Local Loop Facility Termination			HFQC6	UE3PX	306.36	452.52	264.53	119.75	83.77						
	Commingled DS3/STS-1 Local Loop per mile			HFQC6, HFRST	1L5ND	12.26										
	Commingled STS-1 Local Loop Facility Termination			HFRST	UDLS1	313.49	452.52	264.53	119.75	83.77						
	Commingled DS3/DS1 Channel System			HFQC6	MQ3	144.02	178.54	94.18	33.33	31.90						
	Commingled DS3 Interoffice Channel Facility Termination			HFQC6	U1TF3	880.65	279.37	163.12	60.33	58.59						
	Commingled DS3 Interoffice Channel per mile			HFQC6	1L5XX	8.02										
	Commingled STS-1Interoffice Channel Facility Termination			HFRST	U1TFS	880.55	279.37	163.12	60.33	58.59						
	Commingled STS-1Interoffice Channel per mile			HFRST	1L5XX	8.02										
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			HEQDL	1L5DF	36.41										
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber															ĺ
	Strands, Per Route Mile Or Fraction Thereof			HEQDL	UDF14		640.51	138.17	317.76	198.11						
	UNE to Commingled Conversion Tracking			XDH1X, HFQC6	CMGUN	0.00	0.00	0.00	0.00	0.00						
	SPA to Commingled Conversion Tracking			XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00						
LNP Query Ser	vice															
	LNP Charge Per query					0.0008837										
	LNP Service Establishment Manual						25.09	25.09	23.07	23.07						
	LNP Service Provisioning with Point Code Establishment						594.82	303.88	269.53	198.18						
911 PBX LOCA																
911 PB	X LOCATE DATABASE CAPABILITY															
	Service Establishment per CLEC per End User Account			9PBDC	9PBEU		1,813.00									
	Changes to TN Range or Customer Profile			9PBDC	9PBTN		181.40									
	Per Telephone Number (Monthly)			9PBDC	9PBMM	0.07										
	Change Company (Service Provider) ID			9PBDC	9PBPC		532.48									<u> </u>
	PBX Locate Service Support per CLEC (Monthlt)			9PBDC	9PBMR	181.29										
	Service Order Charge			9PBDC	9PBSC		15.69							l		
	X LOCATE TRANSPORT COMPONENT															
See Att	3														•	
	1		1			1			1							

UNBU	NDLF	D NETWORK ELEMENTS - Tennessee												Att: 2 Exh: A			
CATEG		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring		001150			Rates(\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Zo	ne" shown in the sections for stand-alone loops or loops as par	rt of a co	ombina	tion refers to Geogra	hically Deav	eraged UNE Zo	nes. To view 0	Seographically	Deaveraged UN	NE Zone Design	ations by Ce	entral Office	refer to intern	net Website:		
		ww.interconnection.bellsouth.com/become_a_clec/html/interco	nnectio	n.htm		-						-					
OPERA	TIONS S	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	the stat NOTE: ordered CLECs	(1) CLEC should contact its contract negotiator if it prefers the " e specific Commission ordered rates for the service ordering ch (2) Any element that can be ordered electronically will be billed of electronically at present per the LOH, the listed SOMEC rate in bill when it submits an LSR to BellSouth. (3) OSS - Manual Service Order Charge, Per Element - UNE Onh	arges, c accordir this cate	or CLEO ng to the egory re	C may elect the region ie SOMEC rate listed i eflects the charge tha	nal service or n this catego t would be b	dering charge, ory. Please refe illed to a CLEC	however, CLEC r to BellSouth's	can not obtain	n a mixture of the	ne two regardle DH) to determin	ss if CLEC he if a produc	as a interco	nnection cont lered electron	ract established	d in each of the	e 9 states. at cannot be
	NO.L.	OSS - Electronic Service Order Charge, Per Local Service	1 100	30 300	applicable rate cicilie	THE TOT GOINE	recitange										
		Request (LSR) - UNE Only		ļ		SOMEC		3.50	0.00	3.50	0.00						
		DATE ADVANCEMENT CHARGE The Expedite charge will be maintained commensurate with Be	IIC a	o ECC	No 1 Tariff Contine 5	oc oppliest!		L				<u> </u>	l	l	L		
	NOTE.	The Expedite charge will be maintained commensurate with be	lisoutii	3 FCC	UAL, UEANL, UCL,	as applicabl	e. T		l	ı	1		1	I			
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TD1, U1TD3, U1TS1, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1CC, UC1CL, UC1CC, UC1CL, UC1CC, UC1CL, UC1CG, UC1GL, UC1CG,	SDASP		200.00									
ORDER	MODIFI	ICATION CHARGE			NTOOD, NTODT	ODNO		200.00									
		Order Modification Charge (OMC)						26.21	0.00	0.00	0.00						
LIMB		Order Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00	0.00						
UNBUN		EXCHANGE ACCESS LOOP ANALOG VOICE GRADE LOOP	<u> </u>	<u> </u>	i	<u> </u>	<u> </u>	1	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	L		
	~ *****E	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
					UEANL	UEASL	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32 13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1		LIEAGI	47.50										133
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	17.59	31.99	20.02	10.65				20.35	10.54	13.32	
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL UEANL	UEASL	17.59 29.37	31.99 31.99 8.95	20.02 20.02 0.88	10.65	1.41			20.35	10.54	13.32 13.32	13.32
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL			31.99	20.02	10.65							
		2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3 Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour		2	UEANL UEANL UEANL UEANL UEANL	UEASL URETL URET1 URETA		31.99 8.95 57.67 37.44	20.02 0.88 0.00 37.44	10.65							
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Tag Loop at End User Premise Loop Testing - Basic 1st Half Hour		2	UEANL UEANL UEANL UEANL	UEASL URETL URET1		31.99 8.95 57.67	20.02 0.88 0.00	10.65							

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Non-Design Voice Loop, billing for BST providing make						05.00	0.5.00								
	up (Engineering Information - E.I.)			UEANL	UEANM		25.33	25.33								⊢—
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UEANL	UREWO		15.80	8.95	10.65	1.41			20.35	10.54	13.32	13.32
	Bulk Migration, per 2 Wire Voice Loop-SL1			UEANL	UREPN		31.99	20.02	10.65	1.41			20.33	10.54	13.32	13.32
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1			UEANL	UREPM		36.52	36.52								
2-WIRE	Unbundled COPPER LOOP	•			•	•			•	•				•	•	
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Tag Loop at End User Premise			UEQ	URETL		8.95	0.88								
	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour			UEQ UEQ	URET1 URETA		57.67 37.44	0.00 37.44								
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-		1	UEQ	UKETA		31.44	37.44								
	Designed (per loop)			UEQ	USBMC		36.52	36.52								
	Unbundled Copper Loop - Non-Design, billing for BST providing			024	COBINO		00.02	00.02								
1	make-up (Engineering Information - E.I.)			UEQ	UEQMU		25.33	25.33]				20.35	10.54	13.32	13.32
	Unbundled Loop Service Rearrangement, change in loop facility,															
	per circuit			UEQ	UREWO		14.29	7.44	10.65	1.41			20.35	10.54	13.32	13.32
	Bulk Migration, per 2 Wire UCL-ND			UEQ	UREPN		31.99	20.02	10.65	1.41						
	Bulk Migration Order Coordination, per 2 Wire UCL-ND			UEQ	UREPM		36.52	36.52								
	EXCHANGE ACCESS LOOP															
2-WIRE	ANALOG VOICE GRADE LOOP 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1	ı	1	ı	1		1	ı						
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.74	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			ULA	OLALZ	14.74	73.00	40.20	20.70	17.04			20.55	10.54	13.32	10.02
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	22.08	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.87	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA	UEAR2	14.74	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2				75.00	40.00	00.70	47.04			00.05		40.00	40.00
	Battery Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UEAR2	22.08	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Battery Signaling - Zone 3		3	UEA	UEAR2	36.87	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	ULA	OLAKZ	30.07	73.00	40.20	20.70	17.04			20.55	10.54	13.32	10.02
	DS0)			UEA	URESL		23.42	3.30					20.35	10.54	13.32	13.32
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)			UEA	URESP		24.82	4.70								
	Unbundled Loop Service Rearrangement, change in loop facility,															
	per circuit			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.32
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.23	1.10								
	Bulk Migration, per 2 Wire Voice Loop-SL2 Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2			UEA UEA	UREPN UREPM		75.06 0.00	48.20 0.00								
4-WIDE	ANALOG VOICE GRADE LOOP		l .	UEA	UKEPIVI	l	0.00	0.00		l						
4-1111	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	21.98	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	32.93	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	54.99	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)			UEA	URESL		23.42	3.30					20.35	10.54	13.32	13.32
1	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			l	l											1
	DS0)			UEA	URESP		24.82	4.70								
l	Unbundled Loop Service Rearrangement, change in loop facility,			UEA	UREWO		75.06	36.41]				20.35	10.54	13.32	13.32
2-WIRE	per circuit ISDN DIGITAL GRADE LOOP	1	1	UEA	UKEWU	I	75.06	30.41	l	I			20.35	10.54	13.32	13.32
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.77	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	29.63	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	49.47	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.32
	Unbundled Loop Service Rearrangement, change in loop facility,															
	per circuit			UDN	UREWO		91.77	44.22					20.35	10.54	13.32	13.32
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPA	TIBLE L	.00P													
	2 Wire Unbundled ADSL Loop including manual service inquiry &			l	l		,									1
	facility reservation - Zone 1	ı	1 1	UAL	UAL2X	12.30	156.95	64.54	89.64	16.93			20.35	10.54	13.32	13.32

<u>UNBUNDL</u>	ED NETWORK ELEMENTS - Tennessee												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	OMES Helended ADOL Law including account of the including						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	18.43	156.95	64.54	89.64	16.93			20.35	10.54	13.32	13.3
	2 Wire Unbundled ADSL Loop including manual service inquiry &			UAL	UALZX	10.43	130.93	04.54	09.04	10.93			20.55	10.54	13.32	10.0
	facility reservation - Zone 3		3	UAL	UAL2X	30.77	156.95	64.54	89.64	16.93			20.35	10.54	13.32	13.3
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry &		1	UAL	UAL2W	12.30	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.3
	facility reservaton - Zone 2		2	UAL	UAL2W	18.43	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.3
	2 Wire Unbundled ADSL Loop without manual service inquiry &			0712	O/ LEEV	10.10	00.10	00.01	72.02				20.00	10.01	10.02	10.0
	facility reservaton - Zone 3		3	UAL	UAL2W	30.77	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.3
	Unbundled Loop Service Rearrangement, change in loop facility,														40.00	
2-WID	per circuit E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPAT	FIRI E I ()OP	UAL	UREWO		31.99	20.02					20.35	10.54	13.32	13.3
2-11111	2 Wire Unbundled HDSL Loop including manual service inquiry &	I	<u> </u>			1			1	1						
	facility reservation - Zone 1		1	UHL	UHL2X	9.64	158.94	65.20	89.64	16.93			20.35	10.54	13.32	13.3
	2 Wire Unbundled HDSL Loop including manual service inquiry &		2													
	facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry &		2	UHL	UHL2X	14.44	158.94	65.20	89.64	16.93			20.35	10.54	13.32	13.3
	facility reservation - Zone 3		3	UHL	UHL2X	24.12	158.94	65.20	89.64	16.93			20.35	10.54	13.32	13.3
	2 Wire Unbundled HDSL Loop without manual service inquiry and			0112	OT ILLEX	22	100.01	00.20	00.01	10.00			20.00	10.01	10.02	10.0
	facility reservation - Zone 1		1	UHL	UHL2W	9.64	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.3
	2 Wire Unbundled HDSL Loop without manual service inquiry and		_													
	facility reservation - Zone 2		2	UHL	UHL2W	14.44	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.3
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	24.12	89.40	35.91	72.02	11.48			20.35	10.54	13.32	13.3
	Unbundled Loop Service Rearrangement, change in loop facility,			OTIE	OTILLEVV	24.12	05.40	00.01	72.02	11.40			20.00	10.54	10.02	10.0
	per circuit			UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.3
4-WIRI	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA		OOP	ı	-	1			1	1						1
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	l l	1	UHL	UHL4X	12.40	169.62	75.89	39.73	19.53			20.35	10.54	13.32	13.3
	4-Wire Unbundled HDSL Loop including manual service inquiry and	1		OTIL	OTIL4X	12.40	109.02	75.09	39.73	19.55			20.55	10.54	13.32	10.0
	facility reservation - Zone 2		2	UHL	UHL4X	18.58	169.62	75.89	39.73	19.53			20.35	10.54	13.32	13.3
	4-Wire Unbundled HDSL Loop including manual service inquiry and	1														
	facility reservation - Zone 3		3	UHL	UHL4X	31.03	169.62	75.89	39.73	19.53			20.35	10.54	13.32	13.3
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	12.40	100.09	46.60	75.75	13.97			20.35	10.54	13.32	13.3
	4-Wire Unbundled HDSL Loop without manual service inquiry and		Ė	OTIE	CHETT	12.40	100.03	40.00	70.70	10.07			20.00	10.54	10.02	10.0
	facility reservation - Zone 2		2	UHL	UHL4W	18.58	100.09	46.60	75.75	13.97			20.35	10.54	13.32	13.3
	4-Wire Unbundled HDSL Loop without manual service inquiry and		_													
	facility reservation - Zone 3 Unbundled Loop Service Rearrangement, change in loop facility,		3	UHL	UHL4W	31.03	100.09	46.60	75.75	13.97			20.35	10.54	13.32	13.3
	per circuit			UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.3
4-WIR	E DS1 DIGITAL LOOP	1								•						
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	51.38	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.9
	4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3		3	USL USL	USLXX	76.98 128.54	313.08 313.08	219.72 219.72	96.86 96.86	40.45 40.45			18.98 18.98	8.43 8.43	11.95 11.95	11.9 11.9
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	USL	USLAA	120.54	313.06	219.72	90.00	40.45			10.90	0.43	11.95	11.8
	DS1)			USL	URESL		23.42	3.30								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS1)			USL	URESP		24.82	4.70								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			USL	UREWO		130.47	40.11					20.35	10.54	13.32	13.3
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	1	<u> </u>	USL	UREWU		130.47	40.11					20.35	10.54	13.32	13.3
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1		1	UDL	UDL2X	27.68	207.01	141.38	90.70	44.18						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2			UDL	UDL2X	41.47	207.01	141.38	90.70	44.18						
+-	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone3	ļ	3	UDL	UDL2X UDL4X	69.24 27.68	207.01 207.01	141.38 141.38	90.70 90.70	44.18 44.18						
	4 Wire Unbundled Digital Loop 4.8 Kbps -Zone 1 4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	1	2	UDL	UDL4X UDL4X	27.68 41.47	207.01	141.38	90.70	44.18 44.18						1
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	UDL	UDL4X	69.24	207.01	141.38	90.70	44.18						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		1	UDL	UDL9X	27.68	207.01	141.38	90.70	44.18						
							007.04	444.00	00.70	44.18						
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		2	UDL	UDL9X	41.47	207.01	141.38	90.70							
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2 6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3 4 Wire Unbundled Digital 19.2 Kbps - Zone 1		3	UDL UDL	UDL9X UDL9X UDL19	41.47 69.24 27.68	207.01 207.01 207.01	141.38 141.38 141.38	90.70 90.70 90.70	44.18 44.18 44.18			20.35	10.54	13.32	13.3

UNBUND	LED NETWORK ELEMENTS - Tennessee												Att: 2 Exh: A			
CATEGORY		Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring		22152			Rates(\$)		
	4 Wise Link and ad Digital 40 2 Khan Zana 2	-	3	UDL	LIDI 40	60.24	First	Add'I 141.38	First 90.70	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
++	4 Wire Unbundled Digital 19.2 Kbps - Zone 3 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	-	-	UDL	UDL19 UDL56	69.24 27.68	207.01 207.01	141.38	90.70	44.18 44.18			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
 	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	+		UDL	UDL56	41.47	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	-		UDL	UDL56	69.24	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
 	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.68	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	41.47	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	69.24	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
1	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
1	DS0)			UDL	URESL		23.42	3.30					20.35	10.54	13.32	13.32
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UDL	URESP		24.82	4.70								
	Unbundled Loop Service Rearrangement, change in loop facility,	1		ODL	OIKEOI		24.02	4.70								
i l	per circuit			UDL	UREWO		102.28	49.82					20.35	10.54	13.32	13.32
2-W	IRE Unbundled COPPER LOOP				1											
	2-Wire Unbundled Copper Loop-Designed including manual															
i l	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
()	2 Wire Unbundled Copper Loop-Designed including manual servic	е														
	inquiry & facility reservation - Zone 3		3	UCL	UCLPB	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
1	2-Wire Unbundled Copper Loop-Designed without manual service															
	inquiry and facility reservation - Zone 1		1	UCL	UCLPW	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
()	2-Wire Unbundled Copper Loop-Designed without manual service															
	inquiry and facility reservation - Zone 3		3	UCL	UCLPW	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
ullet	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
i l	Unbundled Loop Service Rearrangement, change in loop facility,															
—	per circuit			UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-W	IRE COPPER LOOP	1		ı	1											
i l	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		4	UCL	UCL4S	21.98	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
\vdash	4-Wire Copper Loop-Designed including manual service inquiry	+	-	UCL	UCL45	21.90	122.76	65.57	70.33	39.10			20.35	10.54	13.32	13.32
i l	and facility reservation - Zone 2		2	UCL	UCL4S	32.93	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
 	4-Wire Copper Loop-Designed including manual service inquiry	-		OCL	OCL40	32.33	122.70	00.01	70.55	33.10			20.33	10.54	13.32	13.32
i l	and facility reservation - Zone 3		3	UCL	UCL4S	54.99	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed without manual service inquiry and		Ť	002	002.0	01.00	122.70	00.07	7 0.00	00.10			20.00	10.01	10.02	10.02
i l	facility reservation - Zone 1		1	UCL	UCL4W	21.98	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed without manual service inquiry and															
lder	facility reservation - Zone 2		2	UCL	UCL4W	32.93	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
i l	4-Wire Copper Loop-Designed without manual service inquiry and															
oxdot	facility reservation - Zone 3		3	UCL	UCL4W	54.99	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								<u> </u>
i l	Unbundled Loop Service Rearrangement, change in loop facility,						04.00								40.00	40.00
\vdash	per circuit	-		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
1	Order Coordination for Specified Conversion Time (per LSP)			UEA, UDN, UAL, UHL, UDL, USL	OCOSL		34.29									
Pas	Order Coordination for Specified Conversion Time (per LSR) rrangements		1	UHL, UDL, USL	OCOSL		34.29									
Real	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-	1	T T													
i l	SL2			UEA	UREEL		75.06	36.41								
	002			OLA	OKELL		70.00	50.41								
i l	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop			UEA	UREEL		75.06	36.41								
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop			UDN	UREEL		91.77	44.22								
í																
ullet	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop			UDL	UREEL		102.28	49.82								
oxdot	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop	1		USL	UREEL	ļ	130.47	40.11								
	COMMINGLING		<u> </u>			L										<u> </u>
	IRE ANALOG VOICE GRADE LOOP - COMMINGLING	1		1	1		1			1			1	1		
2-W	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	1	l		l	75.00	40.00	28.70	17.64						1
2-W																1
2-W	Ground Start Signaling - Zone 1		1	NTCVG	UEAL2	14.74	75.06	48.20	20.70	17.04						
2-W	Ground Start Signaling - Zone 1 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		1 2													
2-W	Ground Start Signaling - Zone 1		2	NTCVG	UEAL2	22.08	75.06	48.20	28.70	17.64						

<u>INBU</u> NDLE	D NETWORK ELEMENTS - Tennessee												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs Electroni Disc Add
						Rec	Nonrecurring		Nonrecurring [Rates(\$)		
						Neo	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		١,	NITOVO	LIEADO	44.74	75.00	40.00	00.70	47.04						
-	Battery Signaling - Zone 1		1	NTCVG	UEAR2	14.74	75.06	48.20	28.70	17.64						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	NTCVG	UEAR2	22.08	75.06	48.20	28.70	17.64						
+	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			NICVO	OLAKZ	22.00	73.00	40.20	20.70	17.04						
	Battery Signaling - Zone 3		3	NTCVG	UEAR2	36.87	75.06	48.20	28.70	17.64						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)			NTCVG	URESL		23.42	3.30								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)	ļ		NTCVG	URESP		24.82	4.70								
	Unbundled Loop Service Rearrangement, change in loop facility,			NTCVG	UREWO		75.00	26.44								
	per circuit Loop Tagging - Service Level 2 (SL2)			NTCVG	URETL		75.06 11.23	36.41 1.10								
4-WIRE	ANALOG VOICE GRADE LOOP	<u> </u>	1	NICVG	UKETL		11.23	1.10	l l			l .				
7 771111	4-Wire Analog Voice Grade Loop - Zone 1		1	NTCVG	UEAL4	21.98	122.76	85.57	76.35	39.16						
	4-Wire Analog Voice Grade Loop - Zone 2			NTCVG	UEAL4	32.93	122.76	85.57	76.35	39.16						
	4-Wire Analog Voice Grade Loop - Zone 3		3	NTCVG	UEAL4	54.99	122.76	85.57	76.35	39.16						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)			NTCVG	URESL		23.42	3.30								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)	ļ		NTCVG	URESP		24.82	4.70								
	Unbundled Loop Service Rearrangement, change in loop facility,			1,701/0			75.00									
4 14/10/5	per circuit DS1 DIGITAL LOOP - COMMINGLING	1		NTCVG	UREWO		75.06	36.41				l .				
4-VVIRE	4-Wire DS1 Digital Loop - Zone 1	1	1	NTCD1	USLXX	51.38	313.08	219.72	96.86	40.45		1			1	T
	4-Wire DS1 Digital Loop - Zone 1		2	NTCD1	USLXX	76.98	313.08	219.72	96.86	40.45						
	4-Wire DS1 Digital Loop - Zone 3			NTCD1	USLXX	128.54	313.08	219.72	96.86	40.45						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per						0.0.00		70.00							1
	DS1)			NTCD1	URESL		23.42	3.30								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS1)			NTCD1	URESP		24.82	4.70								
	Unbundled Loop Service Rearrangement, change in loop facility,															
	per circuit			NTCD1	UREWO		130.47	40.11								
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		1	NTCUD	LIDLOY	07.00	007.04	444.00	90.70	44.40	1		1	1		
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1 4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	1		NTCUD	UDL2X UDL2X	27.68 41.47	207.01 207.01	141.38 141.38	90.70	44.18 44.18					-	-
-	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	1		NTCUD	UDL2X	69.24	207.01	141.38	90.70	44.18					1	\vdash
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	1	NTCUD	UDL4X	27.68	207.01	141.38	90.70	44.18					t	†
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2		2	NTCUD	UDL4X	41.47	207.01	141.38	90.70	44.18						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3		3	NTCUD	UDL4X	69.24	207.01	141.38	90.70	44.18						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1		1	NTCUD	UDL9X	27.68	207.01	141.38	90.70	44.18						
	5 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2		2	NTCUD	UDL9X	41.47	207.01	141.38	90.70	44.18						
	6 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	1	3	NTCUD	UDL9X	69.24	207.01	141.38	90.70	44.18						↓
-	4 Wire Unbundled Digital 19.2 Kbps - Zone 1	1	1	NTCUD	UDL19	27.68	207.01	141.38	90.70	44.18					1	₩
_	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	-	2	NTCUD NTCUD	UDL19 UDL19	41.47 69.24	207.01 207.01	141.38 141.38	90.70 90.70	44.18 44.18					-	
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	3	NTCUD	UDL19 UDL56	27.68	207.01	141.38	90.70	44.18					1	\vdash
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	2	NTCUD	UDL56	41.47	207.01	141.38	90.70	44.18					-	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	†	3	NTCUD	UDL56	69.24	207.01	141.38	90.70	44.18						—
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	1	NTCUD	UDL64	27.68	207.01	141.38	90.70	44.18						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	NTCUD	UDL64	41.47	207.01	141.38	90.70	44.18						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	NTCUD	UDL64	69.24	207.01	141.38	90.70	44.18						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per					-						1				1
	DS0)	ļ	<u> </u>	NTCUD	URESL		23.42	3.30								.
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			NITOLID	LIDECS		2.25					1				1
	DS0)	1	!	NTCUD	URESP		24.82	4.70				 			-	├
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			NTCUD	UREWO		102.28	49.82				1				1
-	per circuit	1	1	NTCVG, NTCUD,	UKEWU		102.28	49.82							1	
	Order Coordination for Specified Conversion Time (per LSR)			NTCD1	OCOSL		34.29									1
	OF SERVICE	1	+	001	COOOL		34.23									+

UNBUNDLE	ED NETWORK ELEMENTS - Tennessee												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring D				OSS	Rates(\$)		
				UDC, UEA, UDL,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLSX, ULS3, ULDD1, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X,												
				UNCDX, UNCSX,	MVVBT		80.00	55.00								
	Maintenance of Service Charge, Basic Time, per half hour Maintenance of Service Charge, Overtime, per half hour			UNCVX, ULS UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNCSX, UNCX, UNCSX, UNCVX, ULS UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD3, U1TD3, U1TDX, U1TD3, U1TDX, U1TD3, U1TDX, UTS1, U1TVX, UDF, UDFCX, UDLSX, USS3, ULDD1, ULDD3, ULDD4, ULDD51, ULDVX, ULDD51, ULDVX, ULDD51, ULDVX, ULDD51, ULDVX, UNC1X, UNC3X,	MVVOT		90.00	65.00								
				UNCDX, UNCSX,												
1 00D (100)	Maintenance of Service Charge, Premium, per half hour			UNCVX, ULS	MVVPT		100.00	75.00								
LOOP MODIFIC	e Order charges will only apply once per Loop	1	1	1	1	ı	ı		1		·			l	l	<u> </u>
00.710	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		65.40	65.40								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		65.40	65.40								
OUD LOCATION	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		65.44	65.44								
SUB-LOOPS Sub-Lo	pop Distribution			1	L				<u> </u>		I.			l		L
Sub-LC	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up			UEANL, UEF	USBSA		517.25	517.25					20.35	10.54	13.32	13.32
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL, UEF	USBSB		42.68	42.68					20.35	10.54	13.32	13.32
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-			UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	13.32
	Up			UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32

INBUNDLE	D NETWORK ELEMENTS - Tennessee												Att: 2 Exh: A			
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrecurring		Nonrecurring					Rates(\$)	•	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Statewide			UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.3
	Statewide			UEAINL	USBINZ	10.02	140.04	112.34	73.14	30.03			20.33	10.54	13.32	13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		36.52	36.52								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN4	6.54	106.85	51.20	74.08	11.55			20.35	10.54	13.32	13.3
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	9.80	106.85	51.20	74.08	11.55			20.35	10.54	13.32	13.3
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	16.36	106.85	51.20	74.08	11.55			20.35	10.54	13.32	13.3
	Order Coordination for Habrardlad Cub Loons nor sub-loon nois			UEANL	USBMC		36.52	36.52								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		 	UEANL	USBR2	1.35	94.56	29.35	 				20.35	10.54	13.32	13.3
	Cub 200p 2 Trife Initiabaliang Network Gable (INO)			CEANAL	OODIKE	1.00	54.50	20.00					20.00	10.04	10.02	10.0
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		36.52	36.52								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	2.26	116.14	37.10					20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		36.52	36.52								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		57.67	0.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		37.44	37.44	1							
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	4.67	81.40	25.75	70.82	9.55			20.35	10.54	13.32	13.3
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	6.99	81.40	25.75	70.82	9.55			20.35	10.54	13.32	13.3
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	11.67	81.40	25.75	70.82	9.55			20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		36.52	36.52								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5.85	81.74	26.08	74.08	11.55			20.35	10.54	13.32	13.3
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	8.76	81.74	26.08	74.08	11.55			20.35	10.54	13.32	13.3
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	14.63	81.74	26.08	74.08	11.55			20.35	10.54	13.32	13.3
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		36.52	36.52								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-			OLI	CODIVIC		30.32	30.32								
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.95	0.88								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		57.67	0.00								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		37.44	37.44								
Unbun	Aled Sub-Loop Modification Unbundled Sub-Loop Modification - 2-W Copper Dist Load		1	1	ı		1		1				ı	1	1	
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		335.36	7.82								
	Unbundled Sub-loop Modification - 4-W Copper Dist Load			02.	OLINEX	İ	000.00	1.02								
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		335.36	7.82								
	Unbundled Loop Modification, Removal of Bridge Tap, per						500.40	0.74								
Hinburn	unbundled loop dled Network Terminating Wire (UNTW)		<u> </u>	UEF	ULMBT	L	528.48	9.74								
Onbun	Unbundled Network Terminating Wire (UNTW) per Pair		1	UENTW	UENPP	0.4555	2.48	2.48	0.5814	0.5814			20.35	10.54	13.32	13.3
Netwo	k Interface Device (NID)					•			•				•	•	•	
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		63.46	31.06	0.6391	0.6391			20.35	10.54	13.32	13.3
	Network Interface Device (NID) - 1-6 lines Network Interface Device Cross Connect - 2 W		-	UENTW UENTW	UND16 UNDC2	1	63.46 8.75	31.06 8.75	0.6522	0.6522			20.35 20.35	10.54 10.54	13.32 13.32	13.3 13.3
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC4	1	8.75	8.75	 				20.35	10.54	13.32	13.3
NE OTHER, F	PROVISIONING ONLY - NO RATE			OLIVIW	ONDO		0.70	0.70					20.00	10.04	10.02	10.0
				UAL, UCL, UDC,												
	Unbundled Contact Name, Provisioning Only - no rate			UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL	UNECN	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL, NTCD1	CCOSF		0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option - no			LICI NITODA	CCOFF		0.00]
	NID - Dispatch and Service Order for NID installation		1	USL, NTCD1 UENTW	CCOEF	0.00	0.00				-	-	-			1
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
OOP MAKE-U						1										
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		0.76	0.76					20.35	10.54	13.32	13.3

UNBUNDI	ED NETWORK ELEMENTS - Tennessee												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs Electronic Disc Add
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
	Loop Molecus Droovdoving With Doop votion not approximate				-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loop Makeup - Preordering With Reservation, per spare facility gueried (Manual).			UMK	UMKLP		0.76	0.76					20.35	10.54	13.32	13.3
	Loop MakeupWith or Without Reservation, per working or spare			OWIT	OWNE		0.70	0.70					20.00	10.54	10.02	10.0
	facility queried (Mechanized)			UMK	UMKMQ		0.76	0.76					20.35	10.54	13.32	13.3
LINE SPLITTI																
END	JSER ORDERING-CENTRAL OFFICE BASED Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61	1		ı		1			1	ı	
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	13.3
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	48.96	21.39	35.06	10.79			20.35	10.54	13.32	
END I	JSER ORDERING - REMOTE SITE LINE SPLITTING															
	Remote Site Shared Loop Line Activation for End Users - CLEC															
	Owned Splitter			UEPSR UEPSB	URERS	0.61	53.40	21.61	6.70	6.70			0.00	0.00	0.00	0.0
	Remote Site Shared Loop - Subsequent Activity - CLEC Owned Splitter			UEPSR UEPSB	URERA		50.57	20.06					0.00	0.00	0.00	0.0
UNBL	INDLED EXCHANGE ACCESS LOOP			OLI SIX OLI SB	OKEKA	l.	30.37	20.00	Į Į		l		0.00	0.00	0.00	0.0
	E ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 1		1	UEPSR UEPSB	UEALS	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	11.74	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		<u> </u>	OLI SIX OLI SB	OLABO	11.74	31.99	20.02	10.03	1.41			20.33	10.54	13.32	10.0
	Zone 2		2	UEPSR UEPSB	UEALS	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	Zone 2		2	UEPSR UEPSB	UEABS	17.59	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		_	HEDOD HEDOD	115410	00.07	04.00	00.00	40.05	4.44			00.05	10.51	40.00	40.0
	Zone 3 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSR UEPSB	UEALS	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	Zone 3		3	UEPSR UEPSB	UEABS	29.37	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
PHYS	ICAL COLLOCATION															
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0475	11.62	9.90	10.38	8.66			0.00	0.00	0.00	0.0
VIRT	JAL COLLOCATION			1	1		1		1		ı	ı		1	ı	
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66			2.07	2.81	0.67	1.4
UNBUNDLED	DEDICATED TRANSPORT			02. 01. 02. 03	12.20	0.01	11.02	0.00	10.00	0.00			2.01	2.01	0.01	<u></u>
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT - Stand Alone	•		•	•	•	•						•	•		
	Interoffice Channel - 2-Wire Voice Grade - per mile			U1TVX	1L5XX	0.0174										
	Interoffice Channel - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.5
	Interoffice Channel - 2-Wire Voice Grade Rev Bat per mile			U1TVX	1L5XX	0.0174	-									ļ
	Interoffice Channel - 2-Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.5
	Interoffice Channel - 4-Wire Voice Grade - per mile			U1TVX	1L5XX	0.0174										
	Interoffice Channel - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08	9.80	10.5
	Interoffice Channel - 56 kbps - per mile Interoffice Channel - 56 kbps - Facility Termination			U1TDX U1TDX	1L5XX U1TD5	0.0174 17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.5
	Interoffice Channel - 64 kbps - per mile			U1TDX	1L5XX	0.0174	33.39	17.57	21.30	3.31			20.55	21.03	9.00	10.0
	Interoffice Channel - 64 kbps - Facility Termination			U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51			20.35	21.09	9.80	10.5
	Interoffice Channel - DS1 - per mile			U1TD1	1L5XX	0.3562										
	Interoffice Channel - DS1 - Facility Termination			U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99			20.35	21.09	9.80	10.5
	Interoffice Channel - DS3 - per mile			U1TD3	1L5XX	2.34	005.00	170.50	400.04	105.01				20.01	40.04	40.0
	Interoffice Channel - DS3 - Facility Termination Interoffice Channel - STS-1 - per mile			U1TD3 U1TS1	U1TF3 1L5XX	848.99 2.34	395.29	176.56	109.04	105.91			36.84	36.84	19.01	19.0
<u> </u>	Interoffice Channel - STS-1 - Facility Termination			U1TS1	U1TFS	849.30	395.29	176.56	109.04	105.91			36.84	36.84	19.01	19.0
UNBU	INDLED DARK FIBER - Stand Alone or in Combination					0.0.00	300.20		100.04							
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per															
	Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	28.74										
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per			LIDE LIDEON	LIDE44	I	4 404 00	450.40	500.00	057.47	1					
HIGH CAPAC	Route Mile Or Fraction Thereof TY UNBUNDLED LOCAL LOOP	-	-	UDF, UDFCX	UDF14	+	1,121.00	153.19	580.26	357.17						├──
	STS-1 UNBUNDLED LOCAL LOOP - Stand Alone	l		1		1	l l		<u>ı </u>		L	L	<u> </u>	<u> </u>	L	
	DS3 Unbundled Local Loop - per mile			UE3	1L5ND	9.19	I									
	DS3 Unbundled Local Loop - Facility Termination			UE3	UE3PX	374.24	595.37	304.50	234.83	170.16			36.84	36.84	19.01	19.0
	STS-1Unbundled Local Loop - per mile			UDLSX	1L5ND	9.19			1		i —		T	1	i —	

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrecurring		Nonrecurring D		22152			Rates(\$)		
-	STS-1 Unbundled Local Loop - Facility Termination	1		UDLSX	UDLS1	389.35	First 595.37	Add'I 304.50	First 234.83	Add'I 170.16	SOMEC	SOMAN	SOMAN 36.84	SOMAN 36.84	SOMAN 19.01	SOMAN 19.0
ENHANCED EX	(TENDED LINK (EELs)			ODLOX	ODLOT	000.00	555.57	504.50	204.00	170.10			30.04	30.04	13.01	10.0
Netwo	k Elements Used in Combinations						, <u>, , , , , , , , , , , , , , , , , , </u>			u						
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.74	108.76	35.47	72.94	10.86			31.26	10.42		
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	22.08	108.76	35.47	72.94	10.86			31.26	10.42		
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	36.87	108.76	35.47	72.94	10.86			31.26	10.42		
	4-Wire Analog Voice Grade Loop in Combination - Zone 1 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4 UEAL4	21.98 32.93	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86			31.26 31.26	10.42 10.42		
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		3	UNCVX	UEAL4	54.99	108.76	35.47	72.94	10.86			31.26	10.42		
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	19.77	108.76	35.47	72.94	10.86			31.26	10.42		
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	29.63	108.76	35.47	72.94	10.86			31.26	10.42		
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	49.47	108.76	35.47	72.94	10.86			31.26	10.42		
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	27.68	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
\vdash	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	1	2	UNCDX	UDL56	41.47	108.76	35.47	72.94	10.86			20.35	10.54	13.32	1
\vdash	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	 	3	UNCDX	UDL56 UDL64	69.24 27.68	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86			20.35 20.35	10.54 10.54	13.32 13.32	
-	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	27.68 41.47	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	69.24	108.76	35.47	72.94	10.86			20.35	10.54	13.32	
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	51.38	228.40	161.74	79.87	24.88			18.98	8.43	11.95	
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	76.98	228.40	161.74	79.87	24.88			18.98	8.43	11.95	
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	128.54	228.40	161.74	79.87	24.88			18.98	8.43	11.95	
	DS3 Local Loop in combination - per mile			UNC3X	1L5ND	9.19										
	DS3 Local Loop in combination - Facility Termination	ļ		UNC3X	UE3PX	374.24	1,260.47	628.84	106.78	45.24			36.84	36.84	19.01	19.0
-	STS-1 Local Loop in combination - per mile			UNCSX	1L5ND	9.19	4 000 47	000.04	70.07	04.00			00.04	00.04	40.04	40.0
	STS-1 Local Loop in combination - Facility Termination Interoffice Channel in combination - 2-wire VG - per mile			UNCSX	UDLS1 1L5XX	389.35 0.0174	1,260.47	628.84	79.87	24.88			36.84	36.84	19.01	19.0
	Interoffice Channel in combination - 2-wire VG - per fille			UNCVA	ILSAA	0.0174	-		-							
	Termination			UNCVX	U1TV2	18.58	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.5
	Interoffice Channel in combination - 4-wire VG - per mile			UNCVX	1L5XX	0.0174										
	Interoffice Channel in combination - 4-wire VG - Facility															
	Termination			UNCVX	U1TV4	24.09	79.83	44.08	69.32	31.00			15.08	15.08	8.66	8.6
	Interoffice Channel in combination - 4-wire 56 kbps - per mile	ļ		UNCDX	1L5XX	0.0174										
	Interoffice Channel in combination - 4-wire 56 kbps - Facility			UNCDX	U1TD5	17.98	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.5
	Termination Interoffice Channel in combination - 4-wire 64 kbps - per mile			UNCDX	1L5XX	0.0174	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.5
	Interoffice Channel in combination - 4-wire 64 kbps - Facility			UNCDA	ILSAA	0.0174	-		-							
	Termination			UNCDX	U1TD6	17.98	79.83	44.08	69.32	31.00			20.35	21.09	9.80	10.5
	Interoffice Channel in combination - DS1 - per mile			UNC1X	1L5XX	0.3562									0.00	
	Interoffice Channel in combination - DS1 Facility Termination			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	9.80	10.5
	Interoffice Channel in combination - DS3 - per mile			UNC3X	1L5XX	2.34										
\vdash	Interoffice Channel in combination - DS3 - Facility Termination	ļ	<u> </u>	UNC3X	U1TF3	848.99	482.01	153.81	64.43	35.43			36.84	36.84	19.01	19.0
\vdash	Interoffice Channel in combination - STS-1 - per mile	1	 	UNCSX	1L5XX U1TFS	2.34 849.30	482.01	153.81	64.43	35.43			36.84	36.84	19.01	19.0
ADDITIONAL N	Interoffice Channel in combination - STS-1 Facility Termination ETWORK ELEMENTS	1	1	UINCOX	UIIFS	849.30	482.01	153.81	64.43	35.43			36.84	36.84	19.01	19.0
	al Features & Functions:		·	1	1	1			<u> </u>		<u> </u>		<u> </u>	1	<u> </u>	<u> </u>
Орион	Treatures a runolions.			U1TD1.												
1 1	Clear Channel Capability Extended Frame Option - per DS1	1	1	ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00				1		1
	. ,			U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1	i		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00]
1 1 -	Clear Channel Capability (SF/ESF) Option - Subsequent Activity -	1 .	1	ULDD1, U1TD1,			T		ıT]		1
\vdash	per DS1		1	UNC1X, USL	NRCCC		185.16	23.86	2.03	0.79				 		<u> </u>
	C-bit Parity Option - Subsequent Activity - per DS3		1	U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.46	7.68	0.7637					1		1
 	DS1/DS0 Channel System			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	DS3/DS1Channel System	1	 	UNC3X, UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77			20.35	9.80	11.49	1.1
	Voice Grade COCI in combination		t	UNCVX	1D1VG	1.82	5.70	4.42	2	01			20.00	5.50		i
																Ì
	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop			UEA	1D1VG	1.82	5.70	4.42								
	Voice Grade COCI - for connection to a channelized DS1 Local]		
\vdash	Channel in the same SWC as collocation	1	<u> </u>	U1TUC	1D1VG	1.82	5.70	4.42	L						44 15	ļ
\vdash	OCU-DP COCI (2.4-64kbs) in combination OCU-DP COCI (2.4-64kbs) - for Unbundled Digital Loop	1	 	UNCDX	1D1DD	0.91 0.91	5.70 5.70	4.42	—				20.35	9.80	11.49	1.1
	ICCCU-DE COCI (2.4-64KDS) - TOT UNDUNDIED DIDITAL LOOD	1	i	UDL	1D1DD	0.91	5.70	4.42						1	1	1
	OCU-DP COCI (2.4-64kbs) - for connection to a channelized DS1	1														

Version: 4Q06 Std ICA 03/16/07 [CCCS Amendment 154 of 173]

CATEGORY	ED NETWORK ELEMENTS - Tennessee RATE ELEMENTS	Interim	Zone	BCS	usoc			DATEO(\$)			Submitted Elec	Svc Order Submitted Manually	Att: 2 Exh: A Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incrementa Charge - Manual Svo
								RATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-wire ISDN COCI (BRITE) in combination			UNCNX	UC1CA	17.58	5.70	4.42					20.35	9.80	11.49	1.18
	2-wire ISDN COCI (BRITE) - for a Local Loop			UDN	UC1CA	17.58	5.70	4.42								
	2-wire ISDN COCI (BRITE) - for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUB	UC1CA	17.58	5.70	4.42								
	DS1 COCI in combination			UNC1X	UC1D1	17.58	5.70	4.42					20.35	9.80	11.49	1.18
	DS1 COCI - for Stand Alone Local Channel			ULDD1	UC1D1	17.58	5.70	4.42								
	DS1 COCI - for Stand Alone Interoffice Channel			U1TD1	UC1D1	17.58	5.70	4.42								
	DS1 COCI - for DS1 Local Loop			USL, NTCD1	UC1D1	17.58	5.70	4.42								
	DS1 COCI - for connection to a channelized DS1 Local Channel in															
	the same SWC as collocation			U1TUA	UC1D1	17.58	5.70	4.42								
				UNCVX, UNCDX,												
				UNC1X, UNC3X, UNCSX, UDFCX, XDH1X, HFQC6, XDD2X, XDV6X,												
				XDDFX, XDD4X,												
[]	Wholesale - UNE, Switch-As-Is Conversion Charge	<u> </u>	L_	HFRST, UNCNX	UNCCC	<u> </u>	52.73	24.62	9.12	9.12						<u></u>
				U1TVX, U1TDX,												
	Unbundled Misc Rate Element, SNE SAI, Single Network Element -			U1TD1, U1TD3,												
	Switch As Is Non-recurring Charge, per circuit (LSR)	- 1		U1TS1, UDF, UE3	URESL		34.53	15.11								
	Unbundled Misc Rate Element, SNE SAI, Single Network Element -			U1TVX, U1TDX,												
	Switch As Is Non-recurring Charge, incremental charge per circuit			U1TD1, U1TD3,												
	on a spreadsheet	i		U1TS1, UDF, UE3	URESP		1.40	1.40								
Acces	s to DCS - Customer Reconfiguration (FlexServ)			01101,001,000	OTTEO!	1	1.10	11.10								
7.00000	Customer Reconfiguration Establishment				1		2.78		3.32							
	DS1 DCS Termination with DS0 Switching				1	23.35	41.14	34.25	29.94	24.08						
+	DS1 DCS Termination with DS1 Switching					13.45	27.79	20.90	21.99	16.12						
+	DS3 DCS Termination with DS1 Switching					150.88	41.14	34.25	29.94	24.08						
Node ((SynchroNet)			I	1	100.00	71.17	04.20	25.54	24.00						
Noue (Node per month			UNCDX	UNCNT	17.11										
Servic	ce Rearrangements			O. TODA	0.10.11		1									
00.110	- Troumangements			U1TVX, U1TDX,	1											
	NRC - Change in Facility Assignment per circuit Service Rearrangement	I		U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX, UNC1X	URETD		130.47	40.11								
	NRC - Change in Facility Assignment per circuit Project			U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX,	URETB		0.44	0.44								
+-	Management (added to CFA per circuit if project managed)			UNCDX, UNC1X	OCOSR		3.44 18.93	3.44 18.93								<u> </u>
COMMINGLING	NRC - Order Coordination Specific Time - Dedicated Transport		-	UNC1X, UNC3X	UCUSK	-	18.93	18.93	 							-
SimmingLing				UNCVX, UNCDX, UNC1X, UNC3X, UNC5X, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDVX, ULDD1, ULDD3, ULDS1,	CMGAU	0.00	0.00	0.00	0.00	0.00						
	Commingling Authorization	l	l	ULDST	CMGAU	0.00	0.00	0.00	0.00	0.00						L
Commi	ningled (UNE part of single bandwidth circuit)			VDVOV	101//0	1.00	F 70 I	4.40	1							1
\vdash	Commingled VG COCI	<u> </u>		XDV2X XDV6X	1D1VG 1D1DD	1.82	5.70	4.42	 							
\longrightarrow	Commingled Digital COCI	 	-			0.91	5.70	4.42								
\vdash	Commingled ISDN COCI	!	!	XDD4X	UC1CA	17.58	5.70	4.42	00							
	Commingled 2-wire VG Interoffice Channel Facility Termination	 	I	XDV2X	U1TV2	18.58	79.83	44.08	69.32	31.00						ļ
\vdash	Commingled 4-wire VG Interoffice Channel Facility Termination			XDV6X	U1TV4	24.09	79.83	44.08	69.32	31.00						ļ
					HIMTDE	17.98	79.83	44.08	69.32	31.00				1		Ī
	Commingled 56kbps Interoffice Channel Facility Termination			XDD4X	U1TD5											
				XDD4X	U1TD6	17.98	79.83	44.08	69.32	31.00						
	Commingled 56kbps Interoffice Channel Facility Termination		1													

UNBUNDLE	D NETWORK ELEMENTS - Tennessee						-						Att: 2 Exh: A			-
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
O/11 200111					5555			= = (+)			per Lon	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
																1
													1st	Add'l	Disc 1st	Disc Add'l
		1					Nonrecurring		Nonrecurring	Disconnect			088	Rates(\$)		
-		+				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Commingled 2-wire Local Loop Zone 3	+	3	XDV2X	UEAL2	36.87	108.76	35.47	72.94	10.86	SOMEC	JOINAIN	JONAN	SOMAN	JONAN	JOINAIN
	Commingled 4-wire Local Loop Zone 1	+	1	XDV6X	UEAL4	21.98	108.76	35.47	72.94	10.86						
	Commingled 4-wire Local Loop Zone 2	1	2	XDV6X	UEAL4	32.93	108.76	35.47	72.94	10.86						
	Commingled 4-wire Local Loop Zone 3	1	3	XDV6X	UEAL4	54.99	108.76	35.47	72.94	10.86						
		1	1	XDD4X	UDL56	27.68	108.76	35.47	72.94	10.86						
	Commingled 56kbps Local Loop Zone 1	 	2	XDD4X XDD4X	UDL56	41.47	108.76	35.47	72.94	10.86						
	Commingled 56kbps Local Loop Zone 2	1														
-	Commingled 56kbps Local Loop Zone 3	1	3	XDD4X	UDL56	69.24	108.76	35.47	72.94	10.86						
	Commingled 64kbps Local Loop Zone 1		1	XDD4X	UDL64	27.68	108.76	35.47	72.94	10.86						<u> </u>
	Commingled 64kbps Local Loop Zone 2		2	XDD4X	UDL64	41.47	108.76	35.47	72.94	10.86						ļ
	Commingled 64kbps Local Loop Zone 3	1	3	XDD4X	UDL64	69.24	108.76	35.47	72.94	10.86						ـــــــ
	Commingled ISDN Local Loop Zone 1	 	1	XDD4X	U1L2X	19.77	108.76	35.47	72.94	10.86						
	Commingled ISDN Local Loop Zone 2		2	XDD4X	U1L2X	29.63	108.76	35.47	72.94	10.86						<u> </u>
	Commingled ISDN Local Loop Zone 3		3	XDD4X	U1L2X	49.47	108.76	35.47	72.94	10.86						
	Commingled DS1 COCI			XDH1X	UC1D1	17.58	5.70	4.42								
	Commingled DS1 Interoffice Channel Facility Termination			XDH1X	U1TF1	77.86	171.24	113.12	70.07	30.90						
	Commingled DS1 Interoffice Channel per mile			XDH1X	1L5XX	0.3562										
	Commingled DS1/DS0 channelSystem			XDH1X	MQ1	80.77	105.76	14.48	3.04	2.74						
	Commingled DS1 Local Loop Zone 1		1	XDH1X	USLXX	51.38	228.40	161.74	79.87	24.88						
	Commingled DS1 Local Loop Zone 2		2	XDH1X	USLXX	76.98	228.40	161.74	79.87	24.88						
	Commingled DS1 Local Loop Zone 3		3	XDH1X	USLXX	128.54	228.40	161.74	79.87	24.88						
	Commingled DS3 Local Loop Facility Termination			HFQC6	UE3PX	374.24	1,260.47	628.84	106.78	45.24						
	Commingled DS3/STS-1 Local Loop per mile			HFQC6, HFRST	1L5ND	9.19										
	Commingled STS-1 Local Loop Facility Termination			HFRST	UDLS1	389.35	1,260.47	628.84	79.87	24.88						
	Commingled DS3/DS1 channelSystem			HFQC6	MQ3	222.98	156.02	49.41	17.12	6.77						
	Commingled DS3 Interoffice Channel Facility Termination			HFQC6	U1TF3	848.99	482.01	153.81	64.43	35.43						
	Commingled DS3 Interoffice Channel per mile			HFQC6	1L5XX	2.34										
	Commingled STS-1Interoffice Channel Facility Termination			HFRST	U1TFS	849.30	482.01	153.81	64.43	35,43						
	Commingled STS-1Interoffice Channel per mile			HFRST	1L5XX	2.34										
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber				120/1/1	2.01										
	Strands, Per Route Mile Or Fraction Thereof			HEQDL	1L5DF	28.74										
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber			112402	12001	20.7 1										t
	Strands, Per Route Mile Or Fraction Thereof			HEQDL	UDF14		1.121.00	153.19	580.26	357.17						
	UNE to Commingled Conversion Tracking			XDH1X, HFQC6	CMGUN	0.00	0.00	0.00	0.00	0.00						
-	SPA to Commingled Conversion Tracking	+		XDH1X, HFQC6	CMGSP	0.00	0.00	0.00	0.00	0.00						
LNP Query Ser		1		ADHIA, HEQUO	CIVIGSF	0.00	0.00	0.00	0.00	0.00						
LINE QUELY SEI	LNP Charge Per query	1			-	0.0009277	-									
	LNP Service Establishment Manual	 				0.0009277	23.60	13.83	23.60	12.71						
		1														
244 5574 504	LNP Service Provisioning with Point Code Establishment	1					1,119.00	571.71	1,119.00	571.71						
911 PBX LOCA											l .					<u>i </u>
911 PB	X LOCATE DATABASE CAPABILITY				lopper.	, ,	4 700 6 - 1				1		1			
 	Service Establishment per CLEC per End User Account	1	-	9PBDC	9PBEU		1,706.00			-						
	Changes to TN Range or Customer Profile	1		9PBDC	9PBTN		170.69			ļ		ļ		ļ	ļ	
	Per Telephone Number (Monthly)	1		9PBDC	9PBMM	0.07										
	Change Company (Service Provider) ID	1		9PBDC	9PBPC		501.06									
	PBX Locate Service Support per CLEC (Monthlt)	<u> </u>		9PBDC	9PBMR	191.92										
	Service Order Charge	1		9PBDC	9PBSC		23.20]		j		l	l	1
	X LOCATE TRANSPORT COMPONENT															
See At	13															
																1
Note: F	Rates displaying an "I" in Interim column are interim as a result o	f a Comr	nissior	order.							1					

UNBUN	IDLF	D NETWORK ELEMENTS - Alabama												Attachmen	t: 2 Exh. B		
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)	I Nove			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
\vdash				<u> </u>		+	Rec	Nonre First	curring Add'l	Nonrecurrin First	g Disconnect Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
 				1		+		FIIST	Add I	FIRST	Addi	SUMEC	SUMAN	SUWAN	SUMAN	SUWAN	SUMAN
UNBUND)LED	EXCHANGE ACCESS LOOP															
2	2-WIRI	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UHL	UHL2X	10.05										
		2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	11.70										Ï
		2 Wire Unbundled HDSL Loop including manual service inquiry			OFIL	UTILZX	11.70				+						
		& facility reservation - Zone 3		3	UHL	UHL2X	13.16										İ
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL2W	10.05										
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	11.70										İ
		2 Wire Unbundled HDSL Loop without manual service inquiry			OFIL	OTILZVV	11.70				+						
		and facility reservation - Zone 3		3	UHL	UHL2W	13.16										İ
4	-WIRI	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		4 Wire Unbundled HDSL Loop including manual service inquiry															İ
-		and facility reservation - Zone 1 4-Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL4X	16.04				1						.
		and facility reservation - Zone 2		2	UHL	UHL4X	17.89										İ
		4-Wire Unbundled HDSL Loop including manual service inquiry			OFF	OFFERR	17.03				+						
		and facility reservation - Zone 3		3	UHL	UHL4X	17.54										İ
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL4W	16.04										
		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	17.89										İ
-		4-Wire Unbundled HDSL Loop without manual service inquiry			UHL	UHL4VV	17.89			1	1						
		and facility reservation - Zone 3		3	UHL	UHL4W	17.54										İ
4	-WIRI	E DS1 DIGITAL LOOP			-	-	_										
		4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	94.93										
		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	177.31										
HIGH CA	DACI	4-Wire DS1 Digital Loop - Zone 3 TY UNBUNDLED LOCAL LOOP		3	USL	USLXX	361.70										
HIGH CA	IPACI	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
		month			UE3	1L5ND	9.64										l
		High Capacity Unbundled Local Loop - DS3 - Facility					9.9.										
		Termination per month			UE3	UE3PX	308.98										
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per															l
		month High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	1L5ND	9.64				-						
		Termination per month			UDLSX	UDLS1	367.80										İ
UNBUND	DLED	DEDICATED TRANSPORT			0520/1	0020.	007.00										
		OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			l <u> </u>												
$\vdash \vdash$		month		<u> </u>	U1TD1	1L5XX	0.21		1		+	ļ	ļ				
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination		1	U1TD1	U1TF1	69.18			1	1						
\vdash		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		1	01101	51111	03.10			-	+	1					—
		month			U1TD3	1L5XX	4.70				1						1
		Interoffice Channel - Dedicated Transport - DS3 - Facility															
		Termination per month		<u> </u>	U1TD3	U1TF3	809.05				_						
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4 70				1						1
\vdash		month Interoffice Channel - Dedicated Transport - STS-1 - Facility		<u> </u>	01191	ILOAX	4.70		-	 	+	 					-
		Termination			U1TS1	U1TFS	806.58			1	1						1
L	JNBUI	NDLED DARK FIBER - Stand Alone or in Combination			1		555.56		İ	1	1						
		Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per															
	.== =	Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	25.69				1						
ENHANC	ED E	XTENDED LINK (EELs)			1												

LIMDI	INDI E	D NETWORK ELEMENTS - Alabama												Attackmen	t: 2 Exh. B		
UND	NULL	DINETWORK ELEWENTS - AIADAIIIA			1	1	1					·					
															Incremental		
													Submitted		Charge -	Charge -	Charge -
l			Interi	1_								Elec			Manual Svc		Manual Svc
CATE	SORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1						 	Nonre	currina	Nonrecurrin	a Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NOTE:	The monthly recurring and non-recurring charges below will a	anniv a	nd the	Switch-As-Is Charge	will not apr	ly for UNE com	hinations pro		rdinarily Com				•••••		00	
		The monthly recurring and the Switch-As-Is Charge and not t															
		DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT						,		,							
		4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	94.93										
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	177.31										
		4-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	361.70										
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		per month .			UNC1X	1L5XX	0.21										
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination per month			UNC1X	U1TF1	69.18										
	EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	OFFICE	TRANSPORT												
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	9.54										
																	1
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	355.33										
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.70										
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per month			UNC3X	U1TF3	809.05										
		DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF													
		STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	9.54										
		STS-1 Local Loop in combination - Facility Termination per															
		month			UNCSX	UDLS1	367.80										
		Interoffice Transport - Dedicated - STS-1 combination - per mile															
		per month			UNCSX	1L5XX	4.70										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	806.58										

UNRU	NDI F	D NETWORK ELEMENTS - Florida												Attachmen	t: 2 Exh. B		
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Rec		curring		g Disconnect	COMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
					-	-	-	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNRUN	DI ED E	EXCHANGE ACCESS LOOP															
		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry		1													
		& facility reservation - Zone 1		1	UHL	UHL2X	8.30										
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 2		2	UHL	UHL2X	11.80										
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UHL	UHL2X	20.94										
		2 Wire Unbundled HDSL Loop without manual service inquiry		1			0.00										
		and facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry		1	UHL	UHL2W	8.30					-	-				
		and facility reservation - Zone 2		2	UHL	UHL2W	11.80										
		2 Wire Unbundled HDSL Loop without manual service inquiry		-	0	3112211	11.00			1		1					
		and facility reservation - Zone 3		3	UHL	UHL2W	20.94										
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		4 Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL4X	12.49										
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL4X	17.76										
		4-Wire Unbundled HDSL Loop including manual service inquiry				1 11 11 437	04.50										
		and facility reservation - Zone 3 4-Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL4X	31.50										
		and facility reservation - Zone 1		1	UHL	UHL4W	12.49										
		4-Wire Unbundled HDSL Loop without manual service inquiry		 	OTIL	OTIL	12.40										
		and facility reservation - Zone 2		2	UHL	UHL4W	17.76										
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL4W	31.50										
	4-WIRE	DS1 DIGITAL LOOP															
		4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	81.35										
-		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	115.62										
HICH C	A D A C I	4-Wire DS1 Digital Loop - Zone 3 TY UNBUNDLED LOCAL LOOP		3	USL	USLXX	205.15										
HIGH C	APACI	High Capacity Unbundled Local Loop - DS3 - Per Mile per			-							-	-				
		Imonth			UE3	1L5ND	12.56										
		High Capacity Unbundled Local Loop - DS3 - Facility			OLO	ILOIND	12.00										
		Termination per month			UE3	UE3PX	444.91										
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
		month			UDLSX	1L5ND	12.56										
		High Capacity Unbundled Local Loop - STS-1 - Facility				_											
		Termination per month			UDLSX	UDLS1	490.59										
		DEDICATED TRANSPORT DEFICE CHANNEL - DEDICATED TRANSPORT															
$\vdash \vdash \vdash \vdash$	INIEK	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	 	!			 		1	1	-	1			-	1	
		month	1		U1TD1	1L5XX	0.21										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility	<u> </u>	<u> </u>	0	. 20/01	0.21			1							
		Termination	1		U1TD1	U1TF1	101.71										
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
		month			U1TD3	1L5XX	4.45										
		Interoffice Channel - Dedicated Transport - DS3 - Facility				==	,										
$\vdash \vdash$		Termination per month	ļ	<u> </u>	U1TD3	U1TF3	1231.65			1	1						
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			U1TS1	1L5XX	4.45										
\vdash		month Interoffice Channel - Dedicated Transport - STS-1 - Facility	<u> </u>	<u> </u>	01101	ILOAX	4.45			 	1						
		Termination	1		U1TS1	U1TFS	1214.40										
 	UNBUN	IDLED DARK FIBER - Stand Alone or in Combination			01101	5111.5	1217.40			1		1					
		Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	1				1			1							
		Route Mile Or Fraction Thereof	1		UDF, UDFCX	1L5DF	30.88										
	0ED E	(TENDED LINK (EELs)	1									1					

UNBUNDLE	ED NETWORK ELEMENTS - Florida												Attachmen	t: 2 Exh. B		
															Incremental	
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
					1	B	Nonre	curring	Nonrecurrin	g Disconnect			OSS	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NOTE	: The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	e will not app	oly for UNE com	binations pro	visioned as ' C	Ordinarily Con	bined' Networ	k Elements.					
NOTE	: The monthly recurring and the Switch-As-Is Charge and not t	he non-	-recurr	ing charges below v	vill apply for	UNE combination	ons provisior	ed as ' Current	ly Combined'	Network Eleme	ents.					
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPOR	RT											
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	81.35										
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	115.62										
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	205.15										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.21										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	101.71										
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	OFFICE	TRANSPORT												
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.56										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	444.91										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.45										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month			UNC3X	U1TF3	1231.65										
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF													
	STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	12.56										
	STS-1 Local Loop in combination - Facility Termination per															
	month			UNCSX	UDLS1	490.59										
	Interoffice Transport - Dedicated - STS-1 combination - per mile						-									
	per month			UNCSX	1L5XX	4.45					<u> </u>					
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	1214.40										

JNBUNDLE	D NETWORK ELEMENTS - Georgia						-	-		<u> </u>			Attachmen	t: 2 Exh. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
					1	Rec		curring		g Disconnect	COMEC	COMAN		Rates (\$)	COMAN	COMAN
					_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INBUNDI ED I	EXCHANGE ACCESS LOOP		1		+											†
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1	- 1	1	UHL	UHL2X	9.06										
	2 Wire Unbundled HDSL Loop including manual service inquiry	l .	_													
	& facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL2X	10.45										
	& facility reservation - Zone 3	١.,	3	UHL	UHL2X	16.65										
	2 Wire Unbundled HDSL Loop without manual service inquiry	<u> </u>	3	OTIL	OTILEX	10.03										-
	and facility reservation - Zone 1	1	1	UHL	UHL2W	9.06										
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2	- 1	2	UHL	UHL2W	10.45										
	2 Wire Unbundled HDSL Loop without manual service inquiry															
4 14/15	and facility reservation - Zone 3 HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA		3	UHL	UHL2W	16.65										
4-WIRE	4 Wire Unbundled HDSL Loop including manual service inquiry	IIBLE	LOOP		_				 							
	and facility reservation - Zone 1	l ,	1	UHL	UHL4X	11.95										
	4-Wire Unbundled HDSL Loop including manual service inquiry	· ·	<u> </u>	OFFE	OFILTIX	11.50										
	and facility reservation - Zone 2	- 1	2	UHL	UHL4X	13.80										
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3	- 1	3	UHL	UHL4X	21.93										
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1	<u> </u>	1	UHL	UHL4W	11.95										
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	Ι.	2	UHL	UHL4W	13.80										
	4-Wire Unbundled HDSL Loop without manual service inquiry	<u>'</u>		UNL	UHL4VV	13.60										-
	and facility reservation - Zone 3	l ,	3	UHL	UHL4W	21.93										
4-WIRE	DS1 DIGITAL LOOP		Ť	01.12	0112111	21100										
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	56.82										
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	60.43										
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	78.66										
IIGH CAPACI	TY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	13.11										
	High Capacity Unbundled Local Loop - DS3 - Facility			UES	ILSIND	13.11				1						
	Termination per month			UE3	UE3PX	297.21										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per				-					1						
	month			UDLSX	1L5ND	13.11										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	401.83										
	DEDICATED TRANSPORT OFFICE CHANNEL - DEDICATED TRANSPORT				1											
INTER	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per				_				 							
	month			U1TD1	1L5XX	0.1379										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			0	120701	0.10.0										
	Termination			U1TD1	U1TF1	40.17										
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month			U1TD3	1L5XX	3.02										
	Interoffice Channel - Dedicated Transport - DS3 - Facility			LIATES	LIATEO	404.00				1						
	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	<u> </u>	<u> </u>	U1TD3	U1TF3	401.83			 	 	 					<u> </u>
	Interoffice Channel - Dedicated Transport - \$15-1 - Per Mile per Imonth			U1TS1	1L5XX	3.02				1						
	Interoffice Channel - Dedicated Transport - STS-1 - Facility	l	t	51101	ILUAA	3.02			†	-	 					
	Termination			U1TS1	U1TFS	421.39				1						
NHANCED EX	XTENDED LINK (EELs)															
				A 1: 1 A 1 A1							- Flamousta					
	The monthly recurring and non-recurring charges below will The monthly recurring and the Switch-As-Is Charge and not t															

UNBU	NDLE	D NETWORK ELEMENTS - Georgia												Attachmen	t: 2 Exh. B		
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	всѕ	usoc			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs.	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							_	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	56.82										
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	60.43										
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	78.66										
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		per month			UNC1X	1L5XX	0.1379										
		Interoffice Transport - Dedicated - DS1 combination - Facility					Ì										
		Termination per month			UNC1X	U1TF1	40.17										
	EXTEN	IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE	TRANSPORT		Ì										
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	13.11										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	297.21										
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3.02										
		Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	401.83										
	EXTEN	IDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROF	ICE TRANSPORT		Ì										
		STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	13.11										
		STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	401.83										
		Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	3.02										
		Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	421.39										

UNBUNDLI	ED NETWORK ELEMENTS - Kentucky												Attachmen	t: 2 Exh. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		Noon	RATES (\$)		Pi		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
					_	Rec	First	curring Add'l	First	g Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
			1		+		FIISL	Auu i	First	Addi	SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	SOWAN
UNBUNDLED	EXCHANGE ACCESS LOOP															
2-WIR	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	10.06			1							_
1	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	10.99										
	2 Wire Unbundled HDSL Loop including manual service inquiry			OFIL	UTILZX	10.99			+							
	& facility reservation - Zone 3		3	UHL	UHL2X	12.20										
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	10.06										
	2 Wire Unbundled HDSL Loop without manual service inquiry		_	UHL	11111 0147	40.00										
	and facility reservation - Zone 2 2 Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	UHL2W	10.99			 							
	and facility reservation - Zone 3		3	UHL	UHL2W	12.20										
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP	0.12	0	12.20			1							
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	16.04										
	4-Wire Unbundled HDSL Loop including manual service inquiry		_													
	and facility reservation - Zone 2 4-Wire Unbundled HDSL Loop including manual service inquiry	- 1	2	UHL	UHL4X	18.03			+							<u> </u>
	and facility reservation - Zone 3		3	UHL	UHL4X	19.53										
	4-Wire Unbundled HDSL Loop without manual service inquiry		3	OTIL	OFFERR	19.55			+							
	and facility reservation - Zone 1		1	UHL	UHL4W	16.04										
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	18.03										
	4-Wire Unbundled HDSL Loop without manual service inquiry		_	UHL	11111 4147	10.50										
4-WIE	and facility reservation - Zone 3 RE DS1 DIGITAL LOOP		3	UHL	UHL4W	19.53			+		-					
7-1111	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	99.44			+		+					
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	131.22										
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	342.42										
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per				41.5115	40.04										
	month High Capacity Unbundled Local Loop - DS3 - Facility			UE3	1L5ND	10.64			+							1
	Termination per month			UE3	UE3PX	354.56										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month			UDLSX	1L5ND	10.64										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
LINDUNDI ED	Termination per month DEDICATED TRANSPORT			UDLSX	UDLS1	368.59			1							ļ
	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per								1							
	month			U1TD1	1L5XX	0.26										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination			U1TD1	U1TF1	110.45										
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			U1TD3	1L5XX	5.70										
 	month Interoffice Channel - Dedicated Transport - DS3 - Facility		1	פעווט	ILSAA	5.72			+		+					
	Termination per month			U1TD3	U1TF3	1351.42			1							
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per								1							
	month			U1TS1	1L5XX	5.72										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility			l												
	Termination		<u> </u>	U1TS1	U1TFS	1321.94			+							
UNBU	JNDLED DARK FIBER Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per		1	 	+				+	1	+					
	Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	35.35			1							
ENHANCED E	EXTENDED LINK (EELs)		t	,	1	55.55			1							1

UNBUND	LED NETWORK ELEMENTS - Kentucky												Attachmen	t: 2 Exh. B		
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						B	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NO	TE: The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	e will not app	oly for UNE com	binations pro	visioned as ' (Ordinarily Com	bined' Networl	k Elements.					
NO	TE: The monthly recurring and the Switch-As-Is Charge and not t	the non-	-recurr	ing charges below v	vill apply for	UNE combination	ns provisior	ed as ' Current	tly Combined'	Network Eleme	ents.					
EXT	FENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	ROFFICE TRANSPOR	RT											
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	99.44										
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	131.22										
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	342.42										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.22										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	90.87										
EXT	FENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	OFFICE	TRANSPORT												
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.64										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	354.56										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.70										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month			UNC3X	U1TF3	1111.92										
EXT	FENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROF													
	STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	10.64										
	STS-1 Local Loop in combination - Facility Termination per						-						-			
	month			UNCSX	UDLS1	368.59										
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	4.70										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	1087.66										

UNBUNDLI	ED NETWORK ELEMENTS - Louisiana												Attachmen	t: 2 Exh. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		N.	RATES (\$)	I.N.	Pinne		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	First	curring Add'l	Nonrecurrin First	g Disconnect Add'l	COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
							FIISL	Auu i	FIISL	Auu i	SOWIEC	JOWAN	JOWAN	JOWAN	SOWAN	JOWAN
UNBUNDLED	EXCHANGE ACCESS LOOP															
2-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	11.26										
	2 Wire Unbundled HDSL Loop including manual service inquiry		_													
	& facility reservation - Zone 2		2	UHL	UHL2X	13.25										
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	14.65										
	2 Wire Unbundled HDSL Loop without manual service inquiry		3	OFIL	OI ILZA	14.05										
	and facility reservation - Zone 1		1	UHL	UHL2W	11.26										
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	13.25										
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	14.65										
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	18.68										
	4-Wire Unbundled HDSL Loop including manual service inquiry		-	UNL	UHL4A	10.00										
	and facility reservation - Zone 2		2	UHL	UHL4X	19.15										
	4-Wire Unbundled HDSL Loop including manual service inquiry			OFF	OFFICE	13.13										
	and facility reservation - Zone 3		3	UHL	UHL4X	19.94										
	4-Wire Unbundled HDSL Loop without manual service inquiry			-												
	and facility reservation - Zone 1		1	UHL	UHL4W	18.68										
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	19.15										
	4-Wire Unbundled HDSL Loop without manual service inquiry															
4 18/15	and facility reservation - Zone 3		3	UHL	UHL4W	19.94										
4-771	RE DS1 DIGITAL LOOP 4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	98.56			-		-					
-	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	224.20										
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	565.73										
HIGH CAPAC	CITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	11.55										
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	416.69										
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	11.55										
	High Capacity Unbundled Local Loop - STS-1 - Facility			UDLOX	ILSIND	11.55										
	Termination per month			UDLSX	UDLS1	430.74										
UNBUNDLED	DEDICATED TRANSPORT			05207	00201	100.7 1										
	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			U1TD1	1L5XX	0.30										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination			U1TD1	U1TF1	81.04										
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	6.95										
	Interoffice Channel - Dedicated Transport - DS3 - Facility			01103	ILSAA	6.95										
	Termination per month		1	U1TD3	U1TF3	978.02		1								1
 	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	1				070.02		1	1							
	month		1	U1TS1	1L5XX	6.95		1								
	Interoffice Channel - Dedicated Transport - STS-1 - Facility	1						1								
	Termination			U1TS1	U1TFS	954.72										
UNBU	JNDLED DARK FIBER			ļ				ļ	1							
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	29.07										
			1	TOTAL CONTRACTOR	1115DF				i		i				1	i

UNBUN	IDLE	D NETWORK ELEMENTS - Louisiana												Attachmen	t: 2 Exh. B		
CATEGO	PRY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							B	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
N	OTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	e will not app	oly for UNE com	binations pro	visioned as ' C	Ordinarily Com	bined' Networl	Elements.					
N	OTE:	The monthly recurring and the Switch-As-Is Charge and not t	he non-	-recurri	ing charges below v	vill apply for	UNE combination	ons provision	ed as ' Current	ly Combined'	Network Eleme	nts.					
E.	XTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	ROFFICE TRANSPOR	RT		-									
		4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	98.56										
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	224.20										
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	565.73										
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		per month			UNC1X	1L5XX	0.30										
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination per month			UNC1X	U1TF1	81.04										
E.		DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	11.55										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	416.69										
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.95										
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per month			UNC3X	U1TF3	978.02										
E.		DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF													
		STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	11.55										
		STS-1 Local Loop in combination - Facility Termination per															
		month			UNCSX	UDLS1	430.74										
		Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	6.95										
		Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	954.72										

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi												Attachmen	t: 2 Exh. B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-		Charge -	Incremental Charge - Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonre		Nonrecurrin	ng Disconnect				Rates (\$)		
						Nec		Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EXCHANGE ACCESS LOOP															
2-WIR	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP													ļ
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	10.06										ļ
	2 Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	LILILOV	40.00										
	& facility reservation - Zone 2 2 Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL2X	10.60										
	& facility reservation - Zone 3		3	UHL	UHL2X	11.35										
	2 Wire Unbundled HDSL Loop including manual service inquiry		3	OFF	UTILZX	11.55										
	& facility reservation - Zone 4		4	UHL	UHL2X	12.03										
	2 Wire Unbundled HDSL Loop without manual service inquiry		-	OTIL	OTILEX	12.00										+
	and facility reservation - Zone 1		1	UHL	UHL2W	10.06										
	2 Wire Unbundled HDSL Loop without manual service inquiry		├ ं		3											
	and facility reservation - Zone 2		2	UHL	UHL2W	10.60										
 	2 Wire Unbundled HDSL Loop without manual service inquiry		<u> </u>		1					1				İ	İ	
	and facility reservation - Zone 3		3	UHL	UHL2W	11.35										
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 4		4	UHL	UHL2W	12.03										
4-WIR	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	_00P													
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	15.85										
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	15.44										
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	17.93										ļ
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 4		4	UHL	UHL4X	16.63										
	4-Wire Unbundled HDSL Loop without manual service inquiry		١.			4= 0=										
	and facility reservation - Zone 1		1	UHL	UHL4W	15.85										
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	15.44										
	4-Wire Unbundled HDSL Loop without manual service inquiry			UNL	UNL4VV	15.44			-							1
	and facility reservation - Zone 3		3	UHL	UHL4W	17.93										
	4-Wire Unbundled HDSL Loop without manual service inquiry		3	OFIL	OI IL4VV	17.55										-
	and facility reservation - Zone 4		4	UHL	UHL4W	16.63										
4-WIR	RE DS1 DIGITAL LOOP		_	OTIL	OTIL	10.00										
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	118.62										
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	148.79				1				İ	İ	
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	237.75										
	4-Wire DS1 Digital Loop - Zone 4		4	USL	USLXX	527.23										
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month		<u> </u>	UE3	1L5ND	12.88					<u> </u>			<u></u>	<u></u>	
	High Capacity Unbundled Local Loop - DS3 - Facility						-									
	Termination per month			UE3	UE3PX	375.07					ļ					<u> </u>
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per		l		[
	month			UDLSX	1L5ND	12.88				ļ						<u> </u>
	High Capacity Unbundled Local Loop - STS-1 - Facility		l		1											
	Termination per month		<u> </u>	UDLSX	UDLS1	389.33				-	ļ			ļ	ļ	
	DEDICATED TRANSPORT		<u> </u>		1				1	1	ļ			1	1	
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT		<u> </u>		1				1	1	ļ			1	1	├
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month		l	U1TD1	1L5XX	0.23										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility	-	 	וטווטו	ILUAA	0.23				1	 			1	1	1
	Termination		1	U1TD1	U1TF1	65.93										
 	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	-		0.101	01111	00.53			+	+	 					
	month		l	U1TD3	1L5XX	5.47										

UNBUNDI	LED NETWORK ELEMENTS - Mississippi							•	•	•			Attachmen	t: 2 Exh. B		•
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec					
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						B	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		L
						Rec		Add'l		Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			U1TD3	U1TF3	738.18										
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month			U1TS1	1L5XX	5.47										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	Termination			U1TS1	U1TFS	740.84										
UNE	BUNDLED DARK FIBER															
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per															
	Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	32.51										
ENHANCED	EXTENDED LINK (EELs)			, , , , , , , , , , , , , , , , , , , ,												
	E: The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charge	e will not apr	oly for UNE con	binations pro	visioned as '	Ordinarily Com	bined' Networl	Elements.					
	E: The monthly recurring and the Switch-As-Is Charge and not t															
	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT						p		T							
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	90.94										
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	148.79										
	4-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	237.75										
	4-wire DS1 Digital Looal Loop in Combination - Zone 4			UNC1X	USLXX	527.23										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		<u> </u>	0.10.1%	002701	027.20			-							
	per month .			UNC1X	1L5XX	0.23										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month		l	UNC1X	U1TF1	59.48										
EXT	ENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.88										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	375.07										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	5.47										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month			UNC3X	U1TF3	738.18										
EXT	ENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF													
	STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	12.88										
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	389.33										
	Interoffice Transport - Dedicated - STS-1 combination - per mile		-	5.156/	1001	555.55			+	†	 				-	
	per month .			UNCSX	1L5XX	5.47										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	740.84										

Version: 4Q06 Standard ICA

11/30/06

IINBIINDI ED	NETWORK ELEMENTS - North Carolina												Attachmen	t· 2 Evh D		
NBUNDLED	NETWORK ELEMENTS - North Carolina										1		Incremental			1-
				i			Svc Order Svc O							Incremental	Incremental	Incremen
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR					Order vs
AILOOKI	NATE ELEMENTO	m		500	0000			ιτΑι ΕΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INBUNDLED EX	CHANGE ACCESS LOOP															
	OS1 DIGITAL LOOP															
	-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	73.16					1					
									+		ļ	-				ļ
	-Wire DS1 Digital Loop - Zone 2			USL	USLXX	120.06					1					
	-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	241.75										
	UNBUNDLED LOCAL LOOP															
	ligh Capacity Unbundled Local Loop - DS3 - Per Mile per															
m	nonth			UE3	1L5ND	14.89										
Н	ligh Capacity Unbundled Local Loop - DS3 - Facility				İ											
	ermination per month	l	1	UE3	UE3PX	264.38			1		1]	1	
	ligh Capacity Unbundled Local Loop - STS-1 - Per Mile per	-	†	1020	JEGI X	204.00			1	1	1	 				
		l	1	LIDL CV	1L5ND	14.89			1		1]	1	
	nonth	!	 	UDLSX	ILDIND	14.89			1	1		!		ļ		<u> </u>
	ligh Capacity Unbundled Local Loop - STS-1 - Facility	l	1	İ					1		1			1	1	
	ermination per month	<u> </u>	<u> </u>	UDLSX	UDLS1	296.49			<u> </u>	<u></u>	<u> </u>			<u> </u>		<u></u>
NBUNDLED DE	DICATED TRANSPORT													1		
INTEROF	FICE CHANNEL - DEDICATED TRANSPORT															
	nteroffice Channel - Dedicated Channel - DS1 - Per Mile per				_				1		1					
	nonth			U1TD1	1L5XX	0.2229										
				וטווט	ILSAA	0.2229					1					
	nteroffice Channel - Dedicated Tranport - DS1 - Facility															
	ermination			U1TD1	U1TF1	35.87										
In	nteroffice Channel - Dedicated Transport - DS3 - Per Mile per															
m	nonth			U1TD3	1L5XX	5.11										
In	nteroffice Channel - Dedicated Transport - DS3 - Facility															
	ermination per month			U1TD3	U1TF3	379.40										
	nteroffice Channel - Dedicated Transport - STS-1 - Per Mile per			01103	01113	373.40										
				114704	41.5007	5.44										
	nonth			U1TS1	1L5XX	5.11										
In	nteroffice Channel - Dedicated Transport - STS-1 - Facility															
Te	ermination			U1TS1	U1TFS	390.08										
UNBUND	LED DARK FIBER															
	Oark Fiber - Interoffice Transport, Per Four Fiber Strands, Per															
	Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	28.49										
	ENDED LINK (EELs)			UDF, UDFCX	ILOUF	20.49					1					
		<u> </u>	<u> </u>					L		<u> </u>						
	he monthly recurring and non-recurring charges below will															
	he monthly recurring and the Switch-As-Is Charge and not t					UNE combinatio	ns provision	ed as ' Currer	tly Combined'	Network Eleme	ents.	ļ			1	
	ED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1														
4-	-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	73.16										
4-	-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	120.06										
	-Wire DS1 Digital Loop in Combination - Zone 3			UNC1X	USLXX	241.75			İ	İ	1	1			1	
	nteroffice Transport - Dedicated - DS1 combination - Per Mile	 	۲	5.10 IA	COLAA	241.73			+	 	1	1		 	1	
		l		UNC1X	1L5XX	0.2220										
	er month	!	 	UNCIX	ILDXX	0.2229			1	1		!		ļ		
	nteroffice Transport - Dedicated - DS1 combination - Facility	l	1	L	L				1		1]	1	
	ermination per month	<u> </u>	<u> </u>	UNC1X	U1TF1	35.72										
EXTENDE	ED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	FFICE	TRANSPORT										l		
	OS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	14.89										
										l .						
	DS3 Local Loop in combination - Facility Termination per month	l	1	UNC3X	UE3PX	264.38			1		1]	1	
	nteroffice Transport - Dedicated - DS3 - Per Mile per month		 	UNC3X	1L5XX	5.11			1	1	 	1			1	
		 	1	OINOSA	ILUAA	5.11			+	 	+	 		-	-	
	nteroffice Transport - Dedicated - DS3 combination - Facility	l	1	L. 11.001/					1		1]	1	
	ermination per month	<u> </u>	1	UNC3X	U1TF3	379.40			ļ	ļ	1	ļ				
	ED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF													
S	STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	14.89								1		
	TS-1 Local Loop in combination - Facility Termination per				İ											
	nonth	l		UNCSX	UDLS1	390.08										
	nteroffice Transport - Dedicated - STS-1 combination - per mile	 	 	5.100/	ODLOI	330.00			+	 	1	1		 	1	
		l	1	LINCSY	1L5XX	- 4.1			1		1]	1	
pe pe	er month		ļ	UNCSX	IL5XX	5.11				ļ	-	<u> </u>				
1 1.																1
	nteroffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	390.08										

UNBUN	IDLF	NETWORK ELEMENTS - South Carolina												Attachmen	t: 2 Exh. B		
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc	RATES (\$)						Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	I Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Order vs.	Charge -
							Rec		curring		g Disconnect	001150	001111		Rates (\$)	001441	001111
						+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LINBLIND	I FD F	XCHANGE ACCESS LOOP															
		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry		1													
		& facility reservation - Zone 1		1	UHL	UHL2X	11.02										
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 2		2	UHL	UHL2X	12.56										
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UHL	UHL2X	13.11										
		2 Wire Unbundled HDSL Loop without manual service inquiry		1	l		44.00										
		and facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry		1	UHL	UHL2W	11.02					-	-				-
		and facility reservation - Zone 2		2	UHL	UHL2W	12.56										
		2 Wire Unbundled HDSL Loop without manual service inquiry			J	3112277	12.50		—		—	1					<u> </u>
		and facility reservation - Zone 3		3	UHL	UHL2W	13.11										
4-		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		4 Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL4X	18.42										
		4-Wire Unbundled HDSL Loop including manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL4X	16.48										
		4-Wire Unbundled HDSL Loop including manual service inquiry		_		1 11 11 437	40.07										
		and facility reservation - Zone 3 4-Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL4X	19.37										
		and facility reservation - Zone 1		1	UHL	UHL4W	18.42										
		4-Wire Unbundled HDSL Loop without manual service inquiry		<u> </u>	OTIL	OTILATO	10.42										
		and facility reservation - Zone 2		2	UHL	UHL4W	16.48										
		4-Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL4W	19.37										
4-		DS1 DIGITAL LOOP															
		4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	91.44										
		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	156.40										
HICH CVI		4-Wire DS1 Digital Loop - Zone 3 Y UNBUNDLED LOCAL LOOP		3	USL	USLXX	263.52										ļ
HIGH CAI	PACII	High Capacity Unbundled Local Loop - DS3 - Per Mile per										-	-				-
		month			UE3	1L5ND	14.10										
		High Capacity Unbundled Local Loop - DS3 - Facility			020	TEOINE	14.10										
		Termination per month			UE3	UE3PX	352.31										
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
		month			UDLSX	1L5ND	14.10										
		High Capacity Unbundled Local Loop - STS-1 - Facility			l	I											
		Termination per month			UDLSX	UDLS1	360.51										
		DEDICATED TRANSPORT DEFICE CHANNEL - DEDICATED TRANSPORT															_
IIN	NIEK	Interoffice Channel - Dedicated Transport Interoffice Channel - Dedicated Channel - DS1 - Per Mile per										-	-				
		month			U1TD1	1L5XX	0.39										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility			01101	120/01	0.00										
		Termination			U1TD1	U1TF1	88.71										
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
		month			U1TD3	1L5XX	9.22										
		Interoffice Channel - Dedicated Transport - DS3 - Facility				==	,										
 		Termination per month		<u> </u>	U1TD3	U1TF3	1012.75		1		1						├
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			U1TS1	1L5XX	9.22		1		1						
\vdash		month Interoffice Channel - Dedicated Transport - STS-1 - Facility	1		01191	ILOAX	9.22		 	-	 					-	
		Termination		1	U1TS1	U1TFS	1012.63									1	
U	JNBUN	DLED DARK FIBER		1	01101	51110	1012.03		 		+						
r t		Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	1		1				1		1				1	1	
		Route Mile Or Fraction Thereof		1	UDF, UDFCX	1L5DF	41.87		1		1					1	
		TENDED LINK (EELs)															

UNBL	JNDLE	NETWORK ELEMENTS - South Carolina												Attachmen	t: 2 Exh. B		
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec				Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS		Zone	e BCS	USOC	RATES (\$)							Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSR	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
														-		Disc 1st	DISC Add I
							Rec	Nonre	3					Rates (\$)			
				<u> </u>	<u> </u>	<u> </u>		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NOTE:	The monthly recurring and non-recurring charges below will a	apply a	nd the	Switch-As-Is Charg	e will not app	oly for UNE com	ibinations pro	visioned as ' C	ordinarily Com	bined' Networl	Elements.					
	NOTE:	The monthly recurring and the Switch-As-Is Charge and not the	he non-	recurr	ing charges below v	vill apply for	UNE combination	ons provision	ed as ' Current	ly Combined'	Network Eleme	nts.					
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATE	ED DS1														
		4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	104.50										
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	178.74										
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	301.17										
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
		per month			UNC1X	1L5XX	0.31										
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination per month			UNC1X	U1TF1	88.71										
-		DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 I	INTERC			011111	00.71										
		DS3 Local Loop in combination - per mile per month		1	UNC3X	1L5ND	14.10										
		Dec Eccal Ecop III combination per mile per month			ONCOX	ILOIND	14.10										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	352.31										
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	9.22										
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per month			UNC3X	U1TF3	1012.75										
	EXTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
		STS-1 Local Loop in combination - per mile per month			UNCSX	1L5ND	14.10										
		STS-1 Local Loop in combination - Facility Termination per															
	1	month		1	UNCSX	UDLS1	360.51										
		Interoffice Transport - Dedicated - STS-1 combination - per mile					İ										
	1	per month		1	UNCSX	1L5XX	9.22										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month		1	UNCSX	U1TFS	1012.63										

UNBLINDI	ED NETWORK ELEMENTS - Tennessee											1	Attachmen	t: 2 Exh. B		
CATEGORY		Interi m	Zone	BCS	USOC	RATES (\$)						Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	I Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Order vs.	Charge -
						Rec	Nonrecurring First	Add'l	First	g Disconnect Add'l	COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
		-					FIRST	Add I	FIRST	Addi	SOWIEC	SUMAN	SUMAN	SOWAN	SUMAN	SOWAN
UNBUNDI FI	D EXCHANGE ACCESS LOOP		1													
	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	11.09										
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	16.61										
	2 Wire Unbundled HDSL Loop including manual service inquiry		_													
	& facility reservation - Zone 3		3	UHL	UHL2X	27.74										
	2 Wire Unbundled HDSL Loop without manual service inquiry		1	UHL		44.00										
	and facility reservation - Zone 1 2 Wire Unbundled HDSL Loop without manual service inquiry	-	1	UHL	UHL2W	11.09					-	-				
	and facility reservation - Zone 2		2	UHL	UHL2W	16.61										
	2 Wire Unbundled HDSL Loop without manual service inquiry		-	OTIL	OTILEVV	10.01										
	and facility reservation - Zone 3		3	UHL	UHL2W	27.74										
4-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	ATIBLE	LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	14.26										
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	21.37										<u> </u>
	4-Wire Unbundled HDSL Loop including manual service inquiry		_													
	and facility reservation - Zone 3		3	UHL	UHL4X	35.68										
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	14.26										
	4-Wire Unbundled HDSL Loop without manual service inquiry	-	<u> </u>	UHL	UHL4VV	14.26					-	-				
	and facility reservation - Zone 2		2	UHL	UHL4W	21.37										
	4-Wire Unbundled HDSL Loop without manual service inquiry	-		OFIL	OI IL4VV	21.37										
	and facility reservation - Zone 3		3	UHL	UHL4W	35.68										
4-WI	RE DS1 DIGITAL LOOP		Ŭ	0.1.2	02	00.00										
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	59.09										
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	88.53										
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	147.82										
HIGH CAPA	CITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	10.57										_
	High Capacity Unbundled Local Loop - DS3 - Facility			LIEO	UE3PX	420.20										
-	Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per	-		UE3	UE3PX	430.38				-						
	month			UDLSX	1L5ND	10.57										
	High Capacity Unbundled Local Loop - STS-1 - Facility	1			1.20.10	10.57	-		1	†	1				1	†
	Termination per month			UDLSX	UDLS1	447.75				I					1	
	D DEDICATED TRANSPORT															
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month	<u> </u>	<u> </u>	U1TD1	1L5XX	0.40963				1					ļ	
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			LIATOA						I					1	
	Termination Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	1	<u> </u>	U1TD1	U1TF1	89.54			1	1	1				 	
	month			U1TD3	1L5XX	2.69	l			1						
 	Interoffice Channel - Dedicated Transport - DS3 - Facility	1	 	סווט	ILUAA	2.09			1	 	+				1	+
	Termination per month			U1TD3	U1TF3	976.34				I					1	
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	1	1	-	1	5. 5. 5.	İ		1	1					1	
	month			U1TS1	1L5XX	2.69	l			1						
Ì	Interoffice Channel - Dedicated Transport - STS-1 - Facility						Ì									
	Termination	1		U1TS1	U1TFS	976.70										<u> </u>
UNB	UNDLED DARK FIBER - Stand Alone or in Combination	ļ							ļ	ļ					ļ	<u> </u>
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per	1				1			1		1				İ	I
	Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	33.05	l l									

NBUNDLE	D NETWORK ELEMENTS - Tennessee												Attachmen	t: 2 Exh. B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc							Submitted	Charge - Manual Svc Order vs.	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Charge
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonrecurring			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The monthly recurring and non-recurring charges below will															
	The monthly recurring and the Switch-As-Is Charge and not t					UNE combinat	ons provisione	d as ' Curren	ly Combined'	Network Eleme	ents.					
EXTEN	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPOR	₹T											
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	59.09										
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	88.53										
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	147.82										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.40963										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	89.54										
EXTEN	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE	TRANSPORT												
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.57										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	430.38										
_	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.69										
	Interoffice Transport - Dedicated - DS3 combination - Facility		 	UNUUN	ILOXX	2.03	1		1	1	 					-
	Termination per month			UNC3X	U1TF3	976.34										
EYTEN	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT			01113	370.34										
LAILI	STS-1 Local Loop in combination - per mile per month	<u> </u>	LICOLI	UNCSX	1L5ND	10.57					1					
	STS-1 Local Loop in combination - Facility Termination per			ONCOA	TEGINE	10.07				-						
	month			UNCSX	UDLS1	447.75										
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	2.69										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	976.70										